

## Aluminium & Glass Fibre Steps/Ladders

### Folding Steps with Soft Grip Handle

- >> Certified to EN 14183 standard
- >> Tubular steel construction, fitted with non-slip treads, non-slip feet & soft grip foam handle, giving a comfortable backing when used as a seat
- >> Tread size: 380W x 260Dmm



LOWER  
PRICES

FROM ONLY  
£42.75

#### Information

SOFT GRIP  
HANDLE FOR  
YOUR COMFORT



GS403Z



GS404Z

| No. of Treads | Height of top tread mm | Overall Size - Open H x W x D mm | Overall Size - Folded H x W x D mm | Weight kg | Model  | Price  |
|---------------|------------------------|----------------------------------|------------------------------------|-----------|--------|--------|
| 2             | 480                    | 820 x 450 x 520                  | 1065 x 450 x 90                    | 4         | GS402Z | £42.75 |
| 3             | 725                    | 1180 x 460 x 670                 | 1310 x 460 x 90                    | 6         | GS403Z | £56.35 |
| 4             | 980                    | 1435 x 500 x 850                 | 1580 x 500 x 90                    | 8         | GS404Z | £73.35 |



FJS63Z

FJS62Z



FROM ONLY  
£56.90



FJS64Z



FCI03Z

FCI02Z



FROM ONLY  
£66.65



### Folding Steps with High Back

- >> Certified to EN 14183
- >> High safety rail, non-slip treads & feet
- >> Tread size: 380W x 260Dmm

| No. of Treads | Height of top tread mm | Overall Size when open H x W x D mm | Overall Size when folded H x W x D mm | Wt kg | Model  | Price  |
|---------------|------------------------|-------------------------------------|---------------------------------------|-------|--------|--------|
| 2             | 470                    | 1070 x 520 x 540                    | 1080 x 520 x 220                      | 7.2   | FJS62Z | £56.90 |
| 3             | 705                    | 1305 x 520 x 655                    | 1310 x 520 x 150                      | 10    | FJS63Z | £71.00 |
| 4             | 960                    | 1560 x 520 x 810                    | 1600 x 520 x 140                      | 12.5  | FJS64Z | £85.85 |

### Chrome Plated Folding Steps

- >> Certified to EN 14183
- >> Chrome plated tubular steel construction
- >> High safety rail, non-slip treads & plastic feet

| No. of Treads | Height of top tread mm | Overall Size when open H x W x D mm | Overall Size when folded H x W x D mm | Wt kg | Model  | Price  |
|---------------|------------------------|-------------------------------------|---------------------------------------|-------|--------|--------|
| 2             | 470                    | 1070 x 480 x 470                    | 960 x 480 x 100                       | 5.5   | FCI02Z | £66.65 |
| 3             | 700                    | 1340 x 540 x 630                    | 1410 x 540 x 110                      | 8     | FCI03Z | £87.75 |

## Climb-It® Slim Folding Steps

- » Certified to EN 14183 standard
- » Compact storage, ideal for storing in small gaps
- » Aluminium construction, with non-slip feet
- » Distance between the top platform & handrail is 600mm providing safety when in use
- » Large platform size: W330 x D260mm



### Information

DEEP TREADS FOR INCREASED SAFETY & STABILITY

### Information

SLIM FOLDING STEP FOR STORING IN SMALL GAPS



FS192Z

**Climb-It®**

| No. of Treads   | Height of top tread mm | Overall Size - Open H x W x D mm | Overall Size - Folded H x W x D mm | Weight kg | Model  | Price  |
|-----------------|------------------------|----------------------------------|------------------------------------|-----------|--------|--------|
| 2 with Handrail | 450                    | 1050 x 475 x 565                 | 1160 x 475 x 55                    | 4         | FS192Z | £69.95 |
| 3 with Handrail | 680                    | 1280 x 475 x 745                 | 1410 x 475 x 55                    | 5.5       | FS193Z | £84.75 |
| 4 with Handrail | 910                    | 1510 x 475 x 915                 | 1660 x 475 x 55                    | 7         | FS194Z | £98.30 |

## Folding Steps

- » Conforms to EN 14183
- » Tubular steel, non-slip treads & plastic feet
- » Folds down flat for easy compact storage
- » Tread size: 300W x 200Dmm

FROM ONLY  
£59.95



FS204Z



FS202Z



FS203Z



| No. of Treads | Height of top tread | Overall Size when open H x W x D mm | Overall Size when folded H x W x D mm | Wt kg | Model  | Price  |
|---------------|---------------------|-------------------------------------|---------------------------------------|-------|--------|--------|
| 2             | 470                 | 810 x 410 x 540                     | 900 x 410 x 70                        | 4     | FS202Z | £59.95 |
| 3             | 710                 | 1050 x 410 x 670                    | 1180 x 410 x 70                       | 6     | FS203Z | £81.20 |
| 4             | 940                 | 1300 x 410 x 810                    | 1440 x 410 x 70                       | 8     | FS204Z | £99.95 |



Aluminium & Glass Fibre Steps/Ladders

Folding Steps with Tool Tray



FJY03Z

- >> Large versatile tool tray & foam handle for your comfort
- >> 4 x large anti-slip feet
- >> Subject to availability



Tool Tray



Safety Tread Lock Mechanism



150kg evenly distributed



3 day delivery

| No. of Treads | Overall Size In Use<br>H x W x D mm | Overall Size Folded<br>H x W x D mm | Wt kg | Model  | Price  |
|---------------|-------------------------------------|-------------------------------------|-------|--------|--------|
| 3             | 1405 x 536 x 780                    | 1545 x 536 x 80                     | 8.5   | FJY03Z | £76.95 |

Folding Steps with Foam Handle

- >> Tubular steel construction, fitted with non-slip treads, non-slip feet & soft grip foam handle, giving a comfortable backing when used as a seat
- >> Tread size: 380W x 260Dmm
- >> Folded depth of 90mm
- >> Subject to availability



FJS72Z



FJS73Z



PRICES HELD

| No. of Treads | Height to top Tread mm | O/A Size - In Use<br>H x W x D mm | O/A Height Folded | Wt kg | Model  | Price  |
|---------------|------------------------|-----------------------------------|-------------------|-------|--------|--------|
| 2             | 490                    | 830 x 470 x 550                   | 1080 mm           | 4     | FJS72Z | £29.95 |
| 3             | 720                    | 1060 x 470 x 880                  | 1350 mm           | 9     | FJS73Z | £39.95 |

Taurus TGB

- >> Integral tool tray in the guardrail
- >> Large anti-slip feet provide extra strength
- >> Black powder coated finish, which keeps your hands warm & clean
- >> The double box section treads are considerably larger & thicker than on traditional products. Designed to give maximum strength, durability & total reliability (see image shown below)
- >> Platform size: 330W x 250Dmm
- >> Subject to availability




MAXIMUM STEP HEIGHT  
THE RED STEP  
FOR SAFE USE


LOWER PRICES




7 day delivery



Double Platform



Tool Tray



Locking Mechanism

| No. of Treads | Platform Height mm | Overall Size - In Use<br>H x W x D mm | Overall Height when folded<br>mm | Weight kg | Model      | Price   |
|---------------|--------------------|---------------------------------------|----------------------------------|-----------|------------|---------|
| 3             | 700                | 1333 x 470 x 736                      | 1441                             | 7.5       | ALT-191503 | £135.00 |
| 4             | 950                | 1568 x 500 x 885                      | 1691                             | 8.5       | ALT-191504 | £149.00 |

FROM ONLY

£135.00



ALT-191504

## Easy Slope Aluminium Folding Leader Steps

- >> Certified to EN 14183
- >> Aluminium folding steps are ideal for use in offices, storerooms, warehouses etc.
- >> Large aluminium serrated treads (360W x 205Dmm) & high handrail offer increased safety during use
- >> Tilt & pull wheels for easy movement without lifting
- >> Easy slope incline
- >> Folded size: only 120mm deep



**AFGS3Z**  
**£156.95**



Tool Tray - on 3 & 4 tread models



**AFGS4Z**  
**£177.80**

### Information

**ROBUST & STURDY**

AFGS2Z -  
Tilt & Pull



**AFGS2Z**  
**£129.95**



| Description                   | Platform Height mm | Overall Size - In Use<br>H x W x D mm | Overall Height<br>when Folded mm | Weight<br>kg | Model  | Price   |
|-------------------------------|--------------------|---------------------------------------|----------------------------------|--------------|--------|---------|
| 2 Tread with Aluminium Treads | 440                | 850 x 520 x 545                       | 790                              | 6.5          | AFGS2Z | £129.95 |
| 3 Tread with Aluminium Treads | 660                | 1240 x 550 x 830                      | 1060                             | 9            | AFGS3Z | £156.95 |
| 4 Tread with Aluminium Treads | 880                | 1440 x 580 x 1110                     | 1360                             | 11           | AFGS4Z | £177.80 |



## Aluminium Folding Steps

FROM ONLY  
£56.90

- » Certified to EN 131 Professional
- » Strong, lightweight & robust aluminium platform range
- » Distance between the platform & top handrail is 600mm providing safety at high levels
- » Tread depth: 80mm



ALR06Z



Rubber feet provide slip resistance & floor protection



Fitted with high tensile straps



Slim design which is ideal for storage & transport

| No. of Treads | Platform Height mm | Open Size H x W x D mm | Folded Height mm | Weight kg | Model  | Price   |
|---------------|--------------------|------------------------|------------------|-----------|--------|---------|
| 3             | 610                | 1220 x 427 x 657       | 1250             | 3.2       | ALR03Z | £56.90  |
| 4             | 830                | 1440 x 452 x 811       | 1490             | 3.8       | ALR04Z | £63.75  |
| 5             | 1050               | 1660 x 476 x 967       | 1730             | 4.5       | ALR05Z | £68.55  |
| 6             | 1270               | 1860 x 500 x 1127      | 1970             | 5.9       | ALR06Z | £79.15  |
| 7             | 1485               | 2095 x 530 x 1279      | 2210             | 7.1       | ALR07Z | £86.40  |
| 8             | 1705               | 2315 x 555 x 1437      | 2450             | 8.1       | ALR08Z | £100.70 |

## Professional Aluminium Folding Steps


- » Certified to EN 131 Professional
- » Large working platform - 275W x 400Dmm
- » Deep non-slip aluminium treads
- » These units have an extra large standing platform, twin handrails, handy work tray & high support rail
- » Distance from platform to top hand rail: 750mm



AFA06Z



AFA04Z



High Support Rail



Tool Tray



Large Platform

| No. of Treads | Platform Height mm | Overall Size - In Use H x W x D mm | Overall Height when folded | Weight kg | Model  | Price   |
|---------------|--------------------|------------------------------------|----------------------------|-----------|--------|---------|
| 3             | 580                | 1330 x 445 x 805                   | 1420 mm                    | 5         | AFA03Z | £89.70  |
| 4             | 800                | 1550 x 465 x 955                   | 1660 mm                    | 6         | AFA04Z | £105.15 |
| 5             | 1020               | 1775 x 490 x 1110                  | 1900 mm                    | 6.5       | AFA05Z | £119.30 |
| 6             | 1250               | 2000 x 515 x 1260                  | 2140 mm                    | 7.5       | AFA06Z | £135.80 |
| 7             | 1470               | 2225 x 535 x 1415                  | 2380 mm                    | 9         | AFA07Z | £154.25 |

## Climb-It® Aluminium Stepladders

- » Certified to EN 131 Professional
- » Unique strengthening beam incorporated into non-slip treads
- » Rubber feet & aluminium side arms help prevent slips & twists as there are no tapes or flimsy arms to break
- » Lightweight & easy to carry

# Climb-It®



Aluminium  
Swingback Steps  
ATS05Z



Aluminium  
Platform Steps  
APS04Z



Aluminium  
Platform Steps  
APS08Z

### Information

IDEAL FOR  
MAINTENANCE  
APPLICATIONS

### Aluminium Swingback Steps

| No. of Treads | Open Height mm | Closed Height mm | Platform Height mm | Weight kg | Without Handrails |         | With Handrails |         |
|---------------|----------------|------------------|--------------------|-----------|-------------------|---------|----------------|---------|
|               |                |                  |                    |           | Model             | Price   | Model          | Price   |
| 4             | 790            | 900              | -                  | 2.5       | ATS04Z            | £69.20  | ATS14Z         | £104.60 |
| 5             | 1000           | 1140             | -                  | 3.4       | ATS05Z            | £79.95  | ATS15Z         | £115.40 |
| 6             | 1230           | 1380             | -                  | 4.5       | ATS06Z            | £87.55  | ATS16Z         | £122.95 |
| 7             | 1450           | 1620             | -                  | 5.1       | ATS07Z            | £95.50  | ATS17Z         | £136.20 |
| 8             | 1680           | 1860             | -                  | 6         | ATS08Z            | £105.00 | ATS18Z         | £145.70 |
| 10            | 2130           | 2340             | -                  | 6.6       | ATS10Z            | £133.55 | ATS110Z        | £180.40 |
| 12            | 2555           | 2820             | -                  | 7.3       | ATS12Z            | £145.20 | ATS112Z        | £192.05 |

### Aluminium Platform Steps

| No. of Treads | Open Height mm | Closed Height mm | Platform Height mm | Weight kg | Without Handrails |         | With Handrails |         |
|---------------|----------------|------------------|--------------------|-----------|-------------------|---------|----------------|---------|
|               |                |                  |                    |           | Model             | Price   | Model          | Price   |
| 3             | 1210           | 1360             | 590                | 4.2       | APS03Z            | £90.75  | APS13Z         | £126.20 |
| 4             | 1440           | 1595             | 810                | 4.5       | APS04Z            | £106.20 | APS14Z         | £141.60 |
| 5             | 1650           | 1830             | 1030               | 5.4       | APS05Z            | £114.85 | APS15Z         | £150.30 |
| 6             | 1870           | 2060             | 1250               | 6         | APS06Z            | £120.45 | APS16Z         | £155.90 |
| 7             | 2090           | 2295             | 1470               | 6.6       | APS07Z            | £131.90 | APS17Z         | £172.65 |
| 8             | 2310           | 2540             | 1690               | 7.25      | APS08Z            | £136.50 | APS18Z         | £177.25 |
| 10            | 2750           | 3010             | 2130               | 8.8       | APS10Z            | £161.25 | APS110Z        | £208.10 |
| 12            | 3190           | 3300             | 2570               | 9.5       | APS12Z            | £181.40 | APS112Z        | £228.25 |



## Aluminium & Glass Fibre Steps/Ladders

### Regina Special Aluminium Folding Steps

- » Certified to EN 131 Professional
- » A high quality professional aluminium stepladder complete with large safe hand rails
- » Benefits from sturdy deep treads welded to ensure maximum strength & longevity of performance
- » Integral tool tray in the guardrail, which enables safe storage of tools & materials when in use
- » Heavy-duty non-slip sturdy feet
- » Platform size: 280W x 255Dmm
- » Handrails are supplied loose for easy assembly



Tool Tray

SV-REGSP-5

£243.60



SV-REGSP-5

| No. of Treads | Platform Height mm | Overall Size - In Use<br>H x W x D mm | Overall Height when folded mm | Weight kg | Model       | Price   |
|---------------|--------------------|---------------------------------------|-------------------------------|-----------|-------------|---------|
| 5             | 1160               | 1800 x 490 x 1040                     | 2050                          | 8         | SV-REGSP-5  | £243.60 |
| 6             | 1390               | 2030 x 510 x 1210                     | 2300                          | 9         | SV-REGSP-6  | £259.35 |
| 8             | 1850               | 2490 x 570 x 1550                     | 2800                          | 11        | SV-REGSP-8  | £313.10 |
| 10            | 2300               | 2940 x 620 x 1870                     | 3300                          | 13.5      | SV-REGSP-10 | £361.30 |
| 12            | 2770               | 3410 x 670 x 2250                     | 3800                          | 16        | SV-REGSP-12 | £420.60 |

### Aluminium Wide Steps

- » Certified to EN 131 Professional
- » Enclosed hinge system provides extra stability & allows closure & storage in restricted space
- » Large handrails & 850mm guardrails for extra safety
- » The wheels allow easy movement around warehousing
- » Integral tool tray in the guardrail enabling safe storage of tools & materials when in use
- » Platform size: 330W x 250Dmm



ALT-193207

£424.85



Tilt & Push Handles



PROFILE OF DOUBLE TREAD SECTION designed to give maximum strength, durability & total reliability



| No. of Treads | Platform Height mm | Overall Size - In Use<br>H x W x D mm | Overall Height when folded mm | Weight kg | Model      | Price   |
|---------------|--------------------|---------------------------------------|-------------------------------|-----------|------------|---------|
| 6             | 1410               | 2272 x 620 x 1182                     | 2441                          | 16        | ALT-193206 | £369.50 |
| 7             | 1645               | 2507 x 650 x 1330                     | 2691                          | 18        | ALT-193207 | £424.85 |
| 9             | 2115               | 2977 x 710 x 1627                     | 3191                          | 24        | ALT-193209 | £487.75 |
| 11            | 2585               | 3447 x 770 x 1924                     | 3691                          | 27        | ALT-193211 | £562.30 |

ALT-193207

## Double Decker

- » Certified to EN 131 Professional
- » Integral toolholder, bucket hook & screw tray
- » A quality professional aluminium stepladder, light enough to facilitate easy movement & transportation
- » The aluminium platform features a red safety strip - indicator for maximum recommended step height & protective edge to prevent cuts & grazes
- » Patented large double step underneath the platform for safe & comfortable standing
- » The unit comes complete with heavy-duty sturdy rubber anti-slip feet to make this a superior, professional, stepladder



TOOL TRAY & BUCKET HOOK



UNIQUE DOUBLE STEP & RUBBER PLATFORM STRIP FOR EXTRA COMFORT

**BESTSELLER**

FROM ONLY  
£86.35



ALT-502105



| No. of Treads | Platform Height | O/A Size - In Use H x W x D mm | Folded Height mm | Wt kg | Model      | Price   |
|---------------|-----------------|--------------------------------|------------------|-------|------------|---------|
| 3             | 616mm           | 1244 x 470 x 723               | 1426             | 3.8   | ALT-502103 | £86.35  |
| 4             | 828mm           | 1461 x 496 x 869               | 1656             | 4.4   | ALT-502104 | £94.60  |
| 5             | 1041mm          | 1677 x 525 x 1016              | 1887             | 5     | ALT-502105 | £105.45 |
| 6             | 1253mm          | 1893 x 552 x 1163              | 2117             | 6.1   | ALT-502106 | £116.10 |
| 7             | 1465mm          | 2110 x 580 x 1309              | 2348             | 7.2   | ALT-502107 | £131.10 |
| 8             | 1677mm          | 2326 x 607 x 1456              | 2529             | 8.4   | ALT-502108 | £143.25 |

## Aluminium Wide Steps

- » Certified to EN 131 Professional
- » Wheels at the back of the unit make this range of steps easy to manoeuvre
- » The unit incorporates a safety chain at the front of the platform for increased safety
- » Platform size: 400D x 600W mm



PRICES  
HELD

**i Information**

IDEAL FOR MANY  
APPLICATIONS &  
INDUSTRIES

| No. of Treads | Open Height mm | Platform Height mm | Closed Height mm | Weight kg | Model  | Price   |
|---------------|----------------|--------------------|------------------|-----------|--------|---------|
| 2             | 1410           | 380                | 1570             | 6         | ALP02Z | £264.80 |
| 3             | 1620           | 610                | 1780             | 8         | ALP03Z | £285.05 |
| 4             | 1840           | 830                | 1980             | 9         | ALP04Z | £305.25 |
| 5             | 2050           | 1050               | 2220             | 10        | ALP05Z | £335.15 |
| 6             | 2260           | 1260               | 2490             | 11        | ALP06Z | £355.40 |
| 7             | 2470           | 1480               | 2730             | 12        | ALP07Z | £385.65 |
| 8             | 2700           | 1710               | 2960             | 13        | ALP08Z | £415.90 |



ALP04Z



PRICES  
HELD



ALS15Z

## Climb-It® Aluminium Library Steps

- » Manufactured from industrial strength aluminium
- » Non-slip treads & a large platform provide a safe working area
- » Available as a double sided step unit - call for details
- » Platform size: 460D x 415W mm

**Climb-It®**

### Information

STRAIGHT BACKED  
FOR CLOSER  
ACCESS



ALS04Z


| No. of Treads | Overall Size W x D mm | Platform Height mm | Units without Handrails |        |         | Units with Handrails |        |         |
|---------------|-----------------------|--------------------|-------------------------|--------|---------|----------------------|--------|---------|
|               |                       |                    | Weight                  | Model  | Price   | Weight               | Model  | Price   |
| 3             | 460 x 840             | 730                | 6.5 kg                  | ALS03Z | £163.15 | 9.5 kg               | ALS13Z | £290.05 |
| 4             | 480 x 970             | 890                | 8 kg                    | ALS04Z | £186.80 | 11 kg                | ALS14Z | £313.70 |
| 5             | 510 x 1090            | 1220               | 9 kg                    | ALS05Z | £210.45 | 12 kg                | ALS15Z | £337.35 |

## 3 Way Combination Ladder

- » Can be used as a stepladder with base stabiliser, extension ladder & as a stairwell ladder
- » Light, easy to use, store & transport
- » Stabiliser bar & secure locking hinge for added support & safety

WCL03Z

£107.65



WCL03Z in Stairwell Position

| Closed Length mm | Stepladder Height mm | Extended Length mm | Weight kg | Model  | Price   |
|------------------|----------------------|--------------------|-----------|--------|---------|
| 1760             | 1680                 | 2590               | 6         | WCL03Z | £107.65 |

PRICE  
HELD



WCL03Z Extended Ladder



WCL03Z Stepladder

## 5 Way Combination Ladder

- » Combines 2 single ladders, extension ladder, stepladder, work platform & stairwell platform
- » Complete with large non-slip platform (1470mm long) & handrail for increased safety



PRICE  
HELD



WCL05Z Stepladder



WCL05Z in Work Platform Position



WCL05Z in Stairwell Platform Position

WCL05Z

£170.85



WCL05Z Single Ladders




WCL05Z Extended Ladder

| No of Rungs | Base to Platform mm | Closed Height mm | Stepladder Height mm | Extended Length mm | Weight kg | Model  | Price   |
|-------------|---------------------|------------------|----------------------|--------------------|-----------|--------|---------|
| 2 x 6       | 970                 | 1690             | 1630                 | 2720               | 18        | WCL05Z | £170.85 |

## Vera

- » Certified to EN 131 Professional
- » Large platform size: 450 x 500mm
- » Integral tool tray in the guardrail
- » Welded ribbed aluminium, this quality folding warehouse stepladder is comfortable, sturdy & includes a large platform, which allows safe work at height
- » Equipped with two reinforcing arms, which prevent sudden unwanted opening or closing & are used to move the ladder via two 125mm rubber wheels



SV-VERA-6  
£539.95

SV-VERA-6

| No. of Treads | Platform Height mm | Overall Size - In Use H x W x D mm | Overall Height when folded mm | Weight kg | Model      | Price   |
|---------------|--------------------|------------------------------------|-------------------------------|-----------|------------|---------|
| 6             | 1400               | 2200 x 700 x 1640                  | 2460                          | 17        | SV-VERA-6  | £539.95 |
| 8             | 1900               | 2660 x 740 x 1970                  | 2970                          | 20        | SV-VERA-8  | £607.30 |
| 10            | 2300               | 3100 x 780 x 2340                  | 3460                          | 23        | SV-VERA-10 | £673.35 |
| 12            | 2800               | 3570 x 820 x 2700                  | 3940                          | 26        | SV-VERA-12 | £739.30 |

## Climb-It® Aluminium Warehouse Steps

- » Wheels at the back of the unit make this range of steps easy to manoeuvre
- » Constructed from aluminium with heavy duty back supports & side handrails
- » 8 step units & above are sent folded for delivery - easy to erect

**Climb-It®**

Information

IDEAL FOR MANY APPLICATIONS & INDUSTRIES



ALW05Z



ALW14Z

| No. of Treads | Platform Height mm | Width mm | Weight kg | Model  | Price   |
|---------------|--------------------|----------|-----------|--------|---------|
| 4             | 1000               | 510      | 10        | ALW04Z | £201.20 |
| 5             | 1220               | 530      | 11        | ALW05Z | £205.25 |
| 6             | 1460               | 560      | 13        | ALW06Z | £230.10 |
| 7             | 1710               | 580      | 15        | ALW07Z | £270.55 |
| 8             | 1950               | 610      | 16        | ALW08Z | £289.45 |
| 10            | 2440               | 660      | 20        | ALW10Z | £337.75 |
| 12            | 2930               | 710      | 24        | ALW12Z | £353.50 |
| 14            | 3420               | 760      | 27        | ALW14Z | £389.05 |



Aluminium & Glass Fibre Steps/Ladders

Multi Purpose Ladders



- >> Can be used as a stepladder with base stabiliser, extension ladder & as a platform ladder
- >> Complete with a removable platform (PL4X3Z only)
- >> Complete with stabilisers for extra stability
- >> Simple 'click lock' hinge system



| No. of Rungs | Platform Height mm | Stepladder Height mm | Extended Length mm | Weight kg | Model  | Price   |
|--------------|--------------------|----------------------|--------------------|-----------|--------|---------|
| 4 x 3 Steps  | 940                | 1750                 | 3570               | 14        | PL4X3Z | £140.55 |
| 4 x 4 Steps  | 1240               | 2270                 | 4670               | 15.5      | PL4X4Z | £189.00 |

Telescopic Ladder System

- >> Adjustable telescopic sections with simple 'click lock' hinge system
- >> Can be used as a stepladder, stairwell ladder & extension ladder
- >> Non-slip feet & splayed base give extra stability



FROM ONLY  
£207.60



| No. of Rungs | Stepladder Height mm | Extended Length mm | Weight kg | Model  | Price   |
|--------------|----------------------|--------------------|-----------|--------|---------|
| 4 x 3 Steps  | 1020 to 1600         | 2010 to 3200       | 11        | TL4X3Z | £207.60 |
| 4 x 4 Steps  | 1030 to 2170         | 3660 to 4430       | 14        | TL4X4Z | £265.50 |

## Extension Ladders

- » Certified to EN 131 Professional
- » Large comfortable 'D' shaped rungs
- » Rigid extruded box section stiles for added strength
- » Secure, non-slip grip with all round PVC moulded feet
- » Stabiliser bar for added safety



| No. of Rungs                  | Closed Height mm | Extended Height mm | Weight kg | Model  | Price   |
|-------------------------------|------------------|--------------------|-----------|--------|---------|
| Two Section Push Up Ladders   |                  |                    |           |        |         |
| 8                             | 2460             | 3300               | 10.5      | ELL208 | £124.75 |
| 10                            | 2960             | 4390               | 12.5      | ELL210 | £147.00 |
| 12                            | 3460             | 5525               | 16        | ELL212 | £176.85 |
| 14                            | 4080             | 6650               | 18        | ELL214 | £199.65 |
| 15                            | 4470             | 7800               | 21        | ELL215 | £224.55 |
| 17                            | 4920             | 8830               | 23.5      | ELL217 | £246.65 |
| Three Section Push Up Ladders |                  |                    |           |        |         |
| 8                             | 2460             | 5260               | 16.5      | ELL308 | £208.90 |
| 10                            | 2960             | 6890               | 18.5      | ELL310 | £240.15 |
| 12                            | 3460             | 7780               | 25.5      | ELL312 | £286.95 |

## Professional Combination Ladder

- » Certified to EN 131 Professional
- » This combination ladder can be used as a stepladder with base stabiliser, free standing combination ladder & as a 3 part extension ladder
- » Large comfortable rungs for comfort, strong box section stiles, large stabiliser bar & solid sidearms increase safety & stability

PRICES  
HELD

FROM ONLY  
£236.10



PCL306  
in A frame  
position



PCL306  
Extended



PCL306

| No. of Rungs | Closed Length mm | Extended Length mm | Overall Height in A position mm | Weight kg | Model  | Price   |
|--------------|------------------|--------------------|---------------------------------|-----------|--------|---------|
| 3 x 6        | 1860             | 4100               | 1780                            | 14.5      | PCL306 | £236.10 |
| 3 x 9        | 2690             | 6100               | 2570                            | 20.5      | PCL309 | £294.75 |
| 3 x 12       | 3540             | 8400               | 3360                            | 25        | PCL312 | £412.35 |



Climb-It® Glass Fibre Swingback Stepladders

- >> Certified to EN 131 Professional
- >> Rubber feet & aluminium side arms help prevent slips & twists as there are no tapes or flimsy arms to break
- >> Lightweight & easy to carry
- >> Integral tool tray incorporates a bucket hook & 110mm & 180mm recesses for holding paint cans



Complete with Integral Tool Tray

**i** Information  
INSULATED TO  
30,000 VOLTS



GFS34Z



GFS35Z



GFS33Z

| No. of Treads | Open Size<br>H x W x D mm | Folded<br>Height mm | Weight<br>kg | Model  | Price   |
|---------------|---------------------------|---------------------|--------------|--------|---------|
| 3             | 950 x 460 x 780           | 1060                | 5.5          | GFS33Z | £82.60  |
| 4             | 1190 x 490 x 890          | 1300                | 6.5          | GFS34Z | £99.10  |
| 5             | 1390 x 470 x 990          | 1560                | 7.5          | GFS35Z | £113.10 |

| No. of Treads | Open Size<br>H x W x D mm | Folded<br>Height mm | Weight<br>kg | Model  | Price   |
|---------------|---------------------------|---------------------|--------------|--------|---------|
| 6             | 1550 x 560 x 1230         | 1830                | 8.5          | GFS36Z | £127.45 |
| 7             | 1890 x 590 x 1340         | 2080                | 10           | GFS37Z | £141.40 |
| 8             | 2130 x 625 x 1500         | 2290                | 11           | GFS38Z | £158.25 |

## Climb-It® Glass Fibre Platform Stepladders

- » Certified to EN 131 Professional
- » Rubber feet & aluminium side arms help prevent slips & twists as there are no tapes or flimsy arms to break
- » Lightweight steps with high safety rail providing added safety when working at high levels
- » Integral tool tray incorporates a bucket hook & 110mm & 180mm recesses for holding paint cans



GFP44Z

GFP46Z

# Climb-It®

Information

INSULATED TO  
30,000 VOLTS

| No. of Treads | Platform Height mm | Open Size H x W x D mm | Folded Height mm | Wt kg | Model  | Price   |
|---------------|--------------------|------------------------|------------------|-------|--------|---------|
| 3             | 725                | 1350 x 490 x 810       | 1490             | 8     | GFP43Z | £120.40 |
| 4             | 950                | 1590 x 525 x 970       | 1740             | 9     | GFP44Z | £134.70 |
| 5             | 1190               | 1930 x 555 x 1130      | 1980             | 10    | GFP45Z | £149.65 |

| No. of Treads | Platform Height mm | Open Size H x W x D mm | Folded Height mm | Wt kg | Model  | Price   |
|---------------|--------------------|------------------------|------------------|-------|--------|---------|
| 6             | 1420               | 2054 x 585 x 1300      | 2260             | 11    | GFP46Z | £165.25 |
| 7             | 1650               | 2280 x 620 x 1460      | 2490             | 12    | GFP47Z | £181.40 |
| 8             | 1885               | 2530 x 650 x 1610      | 2740             | 14    | GFP48Z | £197.60 |



## Aluminium & Glass Fibre Steps/Ladders



SAFETY CHAIN

GLF24Z

PRICES HELD

### Glass Fibre Wide Steps

- » Certified to EN 131 Professional
- » Manufactured from a glass fibre frame with aluminium treads
- » Wheels at the back of the unit make this range of steps easy to manoeuvre
- » The unit incorporates a safety chain at the front of the platform for increased safety
- » Platform size: 400W x 600D mm



#### Information

INSULATED TO 25,000 VOLTS

| No. of Treads | Open Height mm | Platform Height mm | Closed Height mm | Weight kg | Model  | Price   |
|---------------|----------------|--------------------|------------------|-----------|--------|---------|
| 2             | 1410           | 385                | 1570             | 8         | GLF22Z | £299.10 |
| 3             | 1625           | 610                | 1750             | 9         | GLF23Z | £335.10 |
| 4             | 1855           | 835                | 2020             | 11        | GLF24Z | £371.10 |
| 5             | 2050           | 1050               | 2225             | 14        | GLF25Z | £420.05 |
| 6             | 2260           | 1260               | 2490             | 16        | GLF26Z | £456.05 |
| 7             | 2470           | 1480               | 2730             | 18        | GLF27Z | £492.05 |
| 8             | 2700           | 1710               | 2965             | 20        | GLF28Z | £528.05 |



GLF26Z

### V3 - Glass Fibre Ladder

- » Certified to EN 131 Professional
- » Locking mechanism to ensure increased safety
- » Roller wheels for ease of movement on a building/against a wall
- » Available for use as a stepladder, extension ladder or freestanding extension ladder

#### Information

INSULATED TO 100,000 VOLTS



Wall Wheels



SV-V3-3x8



### Glass Fibre Ladder

- » Available for use as a stepladder, extension ladder & freestanding extension ladder. Unique sliding mechanism makes conversion between modes easy
- » Manufactured from a glass fibre frame with aluminium rungs & nylon support strap
- » Non-slip rungs for comfort & safety
- » Wide base & heavy duty feet for stability & grip
- » Insulated to 10,000 volts
- » Ideal for use in an electrical environment

#### Information

INSULATED TO 10,000 VOLTS



PRICES HELD



GFL07Z

GFL07Z

| No. of Rungs | Closed Length mm | Extended Length mm | Overall Height in A position mm | Weight kg | Model      | Price   |
|--------------|------------------|--------------------|---------------------------------|-----------|------------|---------|
| 3 x 8        | 2400             | 5470               | 2300                            | 21        | SV-V3-3x8  | £516.15 |
| 3 x 10       | 3000             | 7450               | 2900                            | 32        | SV-V3-3x10 | £705.15 |

| No. of Rungs | Folded Height mm | Stepladder Height mm | Ext. Ladder Length mm | Weight kg | Model  | Price   |
|--------------|------------------|----------------------|-----------------------|-----------|--------|---------|
| 6            | 1770             | 2400                 | 3400                  | 13        | GFL06Z | £250.85 |
| 7            | 1900             | 3000                 | 4000                  | 14.5      | GFL07Z | £280.20 |

## Climb-It® Glass Fibre Podium Steps

- » Certified to EN 131 Professional
- » Rubber feet & aluminium side arms help prevent slips & twists
- » Large platform: 406W x 475Dmm
- » Podium steps with high safety rail, which is 950mm above the platform, provides added safety when working at high levels
- » Includes an integral tool tray
- » Wheels enable easy positioning of the Podium Steps in your work environment
- » Stabilisers are incorporated on the GFP55Z, GFP56Z, GFP57Z & GFP58Z - this gives increased safety & stability when working at height

# Climb-It®



High safety rail & easy action lifting barrier, positioned 950mm above the platform, provides added safety when working at high levels

### Information

INSULATED TO  
30,000 VOLTS

| No. of Treads | Platform Height mm | Open Size H x W x D mm | Model  | Price   |
|---------------|--------------------|------------------------|--------|---------|
| 3             | 805                | 1755 x 644 x 935       | GFP53Z | £232.50 |
| 4             | 1090               | 2040 x 684 x 1122      | GFP54Z | £265.40 |
| 5             | 1375               | 2325 x 724 x 1308      | GFP55Z | £315.45 |
| 6             | 1660               | 2610 x 764 x 1495      | GFP56Z | £339.80 |
| 7             | 1945               | 2895 x 804 x 1681      | GFP57Z | £366.20 |
| 8             | 2230               | 3180 x 844 x 1868      | GFP58Z | £405.00 |



NEW

### Information

LARGE 475mm  
DEEP WORKING  
PLATFORM

GFP55Z

Stabilisers on the 5, 6, 7 & 8 tread units give increased safety & stability when working at height



# Aluminium & Glass Fibre Steps/Ladders

## Ladder Stand-offs

- » Makes access for guttering & window maintenance so much easier
- » Quick & easy to fit to most ladder types
- » ASO25Z & LASO03 are for use on flat surfaces & the VSO24Z is for building corners as well



| Clearance                   | Weight kg | Model  | Price  |
|-----------------------------|-----------|--------|--------|
| V Type Ladder Stand Off     |           |        |        |
| 250 - 400mm                 | 2.4       | VSO24Z | £61.30 |
| Adjustable Ladder Stand Off |           |        |        |
| 430 - 610mm                 | 2.5       | ASO25Z | £56.30 |
| Universal Ladder Stand Off  |           |        |        |
| 355                         | 2.5       | LASO03 | £56.85 |

## Ladder Clamp


- » Secure ladders to your roof rack (padlocks not included)
- » Detachable - quick & easy to fit to most ladder types & roof racks



| Model  | Price  |
|--------|--------|
| LALC02 | £45.05 |

## Universal Roof Hook

- » Turns an extension ladder into a roof ladder
- » Detachable - quick & easy to fit to most ladder types
- » Wheels help move the ladder up the roof



| Model  | Price  |
|--------|--------|
| URH28Z | £56.85 |

## 3 Way Aluminium Steps

- » Aluminium combination ladders which can be used as a stepladder, extension ladder or freestanding extension ladder, as well as for use on stairwells
- » Euro 3 - features wall wheels & a base stabiliser
- » Luxe 3 - features wall wheels as standard & a unique patented adjustable stabiliser
- » Subject to availability



FROM ONLY  
£178.75

PRICES  
HELD



| No. of Rungs  | Closed Length mm | Extended Length mm | Overall Height in A position mm | Weight kg | Model           | Price   |
|---|------------------|--------------------|---------------------------------|-----------|-----------------|---------|
| Euro 3 - 3 Way Aluminium Ladder                                 |                  |                    |                                 |           |                 |         |
| 3 x 8   | 2400             | 5000               | 2300                            | 15        | SV-EUR3-3x8     | £178.75 |
| 3 x 10  | 3000             | 6300               | 2900                            | 20        | SV-EUR3-3x10    | £201.90 |
| 3 x 12  | 3500             | 8000               | 3400                            | 26        | SV-EUR3-3x12    | £244.60 |
| Luxe 3 - 3 Way Aluminium Ladder with Unique Patented Stabiliser |                  |                    |                                 |           |                 |         |
| 7+8+8   | 2550             | 5850               | 2400                            | 18.5      | SV-LX3-7+8+8    | £187.80 |
| 8+9+9   | 2850             | 6450               | 2700                            | 20        | SV-LX3-8+9+9    | £211.45 |
| 9+10+10   | 3100             | 7300               | 3000                            | 25        | SV-LX3-9+10+10  | £271.95 |
| 10+11+11  | 3400             | 8500               | 3300                            | 30        | SV-LX3-10+11+11 | £313.60 |

Telescopic Ladder

- >> **Certified to EN 131 standard**
- >> To open the unit lift from any step dependent on the height you are trying to achieve. The step can be adjusted all in one go or step by step to suit your requirements
- >> Folds quickly & easily for compact storage
- >> Controlled retraction to guard against trapped fingers
- >> One time release locking mechanism
- >> Manufactured in strong aluminium
- >> For safe use, do not stand on or above the red rung



FROM ONLY  
£199.95



Folds quickly & easily for compact storage. Simply push the buttons to close. The unit **has a flange in the legs which restricts air flow** and therefore gives controlled retraction to compact the unit smoothly from 3910mm extended height to 930mm closed height

| No. of Rungs | Extended Height mm | Closed Height mm | Weight kg | Model  | Price   |
|--------------|--------------------|------------------|-----------|--------|---------|
| 13           | 3910               | 930              | 14        | GXF18Z | £199.95 |

Telescopic Ladders

- >> To open the unit lift the top rung until the unit clicks into place. Then repeat until you have achieved your required height
- >> Fold quickly & easily for compact storage. Simply push the buttons on either side of each rung to close
- >> Manufactured in lightweight yet strong aluminium
- >> Subject to availability



PRICE  
HELD



GXF26Z  
Folded



Simply push the buttons together to close

| No. of Rungs | Extended Length mm | Closed Length mm | Weight kg | Model  | Price  |
|--------------|--------------------|------------------|-----------|--------|--------|
| 9            | 2610               | 800              | 8         | GXF26Z | £85.00 |

