

Drum, Cylinder & Spill Control

Drum Dolly

- » Design allows loading by overhead lifting
- » Suitable for moving standard 210L drums
- » Fitted with 4 x 75mm rubber swivel castors



DID16Y




Overall Size Dia. mm	Weight kg	Model	Price
616	7.5	DID16Y	£95.50

Drum Stands for 210 Litre Drums




FROM ONLY
£132.65

DH440Z



DH442S



DH445S



DH443Z
& DH439Z

- » Fully welded tubular steel construction for strength & durability
- » Model DH443Z: with nylon top rollers to allow drainage from the side bung
- » Models DH442S & DH445S: mobile on 2 x 100mm fixed wheels & 2 x 75mm swivel castors
- » Model DH445S: as per DH442S but with nylon top rollers to allow drainage from the side bung

Description	Overall Size L x W x H mm	Height Under Side of Drum mm	Roller Dia. mm	Weight kg	Model	Price
Static	865 x 595 x 350	280	-	5.4	DH440Z	£132.65
Mobile	865 x 595 x 385	315	-	14	DH442S	£254.40
Static	865 x 595 x 350	290	75mm	7.2	DH443Z	£194.00
Mobile	865 x 595 x 385	325	75mm	15.4	DH445S	£317.05
Drum Handle Lever - Designed for use with the above stands					DH439Z	£80.50

Drum Dollies

- » Design allows loading by overhead lifting
- » Quick & easy assembly
- » DID04Y height: 100mm. Suitable for drums no more than 295mm diameter
- » DID09Y handle height: 750mm. Suitable for moving standard 210 litre drums
- » Fitted with 4 x 75mm polyethylene swivel castors.
- » DID04Y - subject to availability

FROM ONLY
£40.90



DID04Y



DID09Y

Overall Size L x W mm	Weight kg	Model	Price
300 x 300	9	DID04Y	£40.90
615 x 615	10	DID09Y	£99.75

Hydraulic Drum Lifter

- >> CE Tested
- >> Designed to allow you to pick up & transport full or empty 210 litre steel & plastic drums
- >> Hydraulic pump smoothly lifts the drum, held firm by the top rim clamp
- >> The retractable clamp holds the drum securely & releases automatically
- >> Mobile on 2 x 180mm polyurethane wheels & a rear 125mm swivel polurethane castor

Information

CAN TRANSPORT PLASTIC DRUMS

NEW

DL388Y

£419.95



DL388Y

Overall Size L x W x H mm	Maximum Lift Height mm	Weight kg	Model	Price
820 x 785 x 1050	200	43	DL388Y	£419.95

Drum Tilter

- >> CE marked & plated
- >> Designed to allow you to pick up, transport & rotate full or empty 210L steel drums
- >> The saddle secures the drum
- >> Mobile on 2 x 180mm polyurethane wheels & a rear 75mm swivel castor



DT300P

£444.20



Drum locking mechanism



DT300P

Information

IDEAL FOR LOW LEVEL POURING



DT300P

Overall Size L x W x H mm	Weight kg	Model	Price
1420 x 900 x 1712	50	DT300P	£444.20

Drum Lifters

① Information

IDEAL FOR
MOVING DRUMS
FROM EURO &
UK PALLETS



- » CE marked & plated
- » Foot operated hydraulic pump
- » These units will load / unload 210L steel drums from pallets / ground with ease
- » The grip holds the top rim of the drum, the user then pumps the foot pedal to lift the drum
- » Wheel into position & lower accordingly
- » The foot pedal hinges up helping to prevent knocked shins whilst mobile
- » DLL03Z is easily manoeuvrable on 2 fixed, 2 swivel 130mm wheels, one with brake
- » DL450Y is mobile on 2 fixed & 2 swivel braked 125mm polyurethane castors
- » 450kg load capacity up to 500mm (DL450Y has a capacity of 350kg above this height)



DLL03Z
£1316.95




DLL03Z



Foot Pedal



DL450Y



Drum locking mechanism



DL450Y

Overall Size L x W x H mm	Lifting Height mm	Extended Height mm	Weight kg	Model	Price
1100 x 900 x 1250	500	1380	165	DLL03Z	£1316.95
940 x 1160 x 1980	1100	2320	165	DL450Y	£1429.90

Drum Handler

- » CE marked & plated
- » Designed to carry full or empty 210 litre steel drums
- » This unit smoothly lifts the drum (in 20mm increments) which is held firm by the clamp
- » Mobile on 2 fixed 130mm polyurethane wheels & 2 swivel 120mm polyurethane castors
- » Lifting height: 250mm



Drum locking mechanism

Information

IDEAL FOR
MOVING DRUMS
FROM EURO &
UK PALLETS

Overall Size L x W x H mm	Weight kg	Model	Price
812 x 1219 x 1100	50	DL250Y	£691.20



DL250Y

Drum Lifter

- » CE marked & plated
- » Designed to carry full or empty 210 litre steel drums
- » Foot operated hydraulic pump
- » Lifts a drum up to 740mm off the ground
- » This unit smoothly lifts the drum which is held firm by the clamp
- » Mobile on 2 fixed & 2 swivel 125mm nylon castors (1 braked)



Drum locking mechanism



Hydraulic pump action



Release mechanism



DL300Y
£817.95

Information

IDEAL FOR
MOVING DRUMS
FROM EURO &
UK PALLETS



Overall Size L x W x H mm	Weight kg	Model	Price
950 x 1200 x 1565	72	DL300Y	£817.95



DL300Y

Drum Transporter



- » CE marked & plated
- » Constructed from tubular steel this unit is designed to carry 210 litre steel drums. Adjustable drum hook enables varying sizes of drum to be carried. Max drum height: 1575mm

Overall Size W x H mm	Wheels	Weight kg	Model	Price
705 x 1575	2 x 350mm Cushion	31	DH446L	£471.10



Drum Transporter

- » CE marked & plated
- » Tubular steel construction designed to carry 210 litre steel drums
- » Drum is held in position by an adjustable hook
- » Mobile on 2 x 250mm solid rubber wheels & incorporates 2 x 160mm supporting rear castors
- » This unit is produced/balanced in such a way that it should only be used with full or empty drums

Overall Size H x W mm	Weight kg	Model	Price
1600 x 740	20	DH483J	£616.40

All Purpose Drum Handler



- » CE marked & plated
- » Designed to carry 210 litre steel drums
- » When positioned vertically, the drum handle locks onto the drum rim. On levering back, the toes engage the base of the drum
- » Mobile on 2 fixed 200mm cushion wheels & 2 swivel 75mm nylon castors

Overall Size L x W x H mm	Weight kg	Model	Price
800 x 635 x 450	32	DH451S	£558.80

Pallet Loader



- » CE marked & plated
- » Drum is held in position by the use of a sliding hook located down the centre of the trolley frame
- » Designed to load & unload standard 210 litre drums safely & efficiently from a pallet
- » Large hooped handles for easy handling
- » This unit is produced/balanced in such a way that it should only be used with full or empty drums
- » Mobile on 2 x 200mm & 2 x 250mm rubber wheels

Overall Size L x W x H mm	Weight kg	Model	Price
1800 x 610 x 1225	46	DH482L	£653.90

Drum Lifters

- » One person operation
- » CE marked & plated
- » Simply attach/hang the lifter on a hook from an overhead hoist or crane, saddle around the drum & raise to the desired height & position
- » For use with 210 litre steel drums
- » Model DLV02Z has a geared chain control. The 3 metre control chain can be locked to secure the drum in any position during transit & dispensing



DLV01Z

Information

IDEAL FOR LOW LEVEL POURING




DLV02Z

PRICES HELD

Description	Overall Size L x W x H mm	Weight kg	Model	Price
Standard	820 x 720 x 230	22	DLV01Z	£284.75
Geared	850 x 850 x 250	40	DLV02Z	£501.45

Fork Lift Drum Tilter

- » CE marked & plated
- » Can be operated without leaving the fork lift truck
- » Enables your fork truck to be used as a drum handler
- » Can easily lift, transport & tilt loaded drums
- » The 3 metre pull chain loop allows simple control from the driver seat
- » Fork distance: 620mm apart
- » Fork pockets: 65H x 180W mm



DLF05Z

PRICE HELD

Information

EASY OPERATION FROM YOUR FORK LIFT CAB

Overall Size L x W x H mm	Weight kg	Model	Price
1000 x 770 x 510	76	DLF05Z	£673.25

Taper Grip Drum Clamp

- » CE marked & plated
- » Suitable for use with 210 Litre steel drums
- » The steel jaws grip the rim of the drum, allowing the drums to be picked up or set down without spaces between them
- » Automatic grip lock will not open & ensures safe drum transportation
- » Grip head has different positions to fit different heights



DLC01Z

PRICES HELD

No. of Drums Held	Fork Spread	Overall Size L x W x H mm	Weight kg	Model	Price
1	560 mm	830 x 710 x 1000	60	DLC01Z	£626.30
2	605 mm	1030 x 850 x 1000	96	DLC02Z	£782.40

N.B. It is important for the safe use of this unit that the drum ring is not damaged & is strong enough to support its own weight



Plastic IBC Containers



PRICE
HELD

- » Long life, blow moulded polyethylene construction
- » UN packaging groups II & III
- » Available certified for hazardous goods
- » 4 Way fork truck/pallet truck entry
- » Complete with label plate 720L x 350H mm
- » Tolerant between -20°C to +60°C
- » 1000 litre capacity - stacks 2 high when full
- » Valve - 50mm & Filling opening - 150mm
- » Seal Type: standard EPDM (optional PCP, FKM Viton available) - please call for details

Overall Size W x D x H mm	Volume Litres	Weight kg	Model	Price
1200 x 1000 x 1175	1000	61	WIBC1000	£377.78

IBC Containment Pallets

- » Manufactured from polyethylene
- » Excellent chemical resistance
- » Fork pockets allowing easy positioning
- » Optional grid available for the PSP01Z - call for details



Information

STORE IBCs
IN A SAFE
ENVIRONMENT



Description	Overall Size L x W x H mm	Capacity Litre	Model	Price
Single	1490 x 2000 x 770	1100	PSP01Z	£786.70
Double	2450 x 1450 x 580	1140	PSP09Z	£1138.45

Drum & IBC Storage

- » Weatherproof for outside storage
- » RHS frame galvanised sheet cladding
- » Padlockable dual sliding doors for ease of access (padlock not included)
- » Benches & spill trays are available - see below for details

N.B. A forklift will be needed to unload these units



WC103Z

Information

COMPLY TO
OIL STORAGE
REGULATIONS
(England) 2001



WCD02Z



Storage Units

Overall Size L x W x H mm	Sump Cap. Litres	Weight kg	Model	Price
Drum Storage Unit - with Sump Base				
3150 x 2250 x 2360	780	950	WCD02Z	£5847.85
IBC Storage Unit - with Deep Sump Base				
3150 x 2250 x 2360	1200	970	WC103Z	£6024.25

Optional Accessories

Overall Size L x W x H mm	Weight kg	Model	Price
Bench (priced individually)			
1990 x 500 x 960	62	WCG02Z	£412.30
Spill Tray which sits on top of the above bench (priced individually) - Capacity - 48 Litres			
1990 x 500 x 50	-	WCG03Z	£137.60

Leak Diverters

- » Redirect roof or pipe leaks to prevent water damage
- » Deal with your nuisance ceiling leaks without disruption to the workplace until a permanent repair can be made. This device can be hung from the roof directly under leaks to catch rainwater & divert it to a convenient collection point, keeping it off the floor, reducing the potential for slips & falls whilst minimising damage to goods & machinery.
- » Adjustable hanging straps (not included) ensure easy levelling & positioning - call for details. Standard UK Hozelock fittings ensure water can be safely channelled into a suitable receptacle or other convenient area
- » Can be connected to a garden hose - not included




Overall Size W x L mm	Colour: Yellow		Colour: White	
	Model	Price	Model	Price
1000 x 1000	LD1X1Y	£35.00	LD1X1W	£35.00
2000 x 2000	LD2X2Y	£65.00	LD2X2W	£65.00
3000 x 3000	LD3X3Y	£110.00	LD3X3W	£110.00
1000 x 3000	LD1X3Y	£70.00	LD1X3W	£70.00



Instabund® with Deck Tiles

- » Lightweight, flexible & portable secondary containment bunds to contain spills & leaks
- » Complies with environmental legislation – ISO14001 & Oil Storage Regulations (OSR)
- » Corrosion resistant & easy to clean
- » No tools required for easy on site assembly
- » Instabund is easily carried in its own bag (tiles are loose)



Capacity Litres	Overall Size W x L x H mm	No of Decking Tiles	Model	Price
250	1000 x 1000 x 250	4	INB-22/DK22	£261.44
500	1000 x 2000 x 250	8	INB-24/DK24	£382.88
562	1500 x 1500 x 250	9	INB-33/DK33	£390.74
1000	2000 x 2000 x 250	16	INB-44/DK44	£595.76
1750	2000 x 3500 x 250	28	INB-47/DK47	£840.08
1875	2500 x 3000 x 250	30	INB-56/DK56	£915.80
3000	3000 x 4000 x 250	48	INB-68/DK68	£1037.28
3937	3500 x 4500 x 250	63	INB-79/DK79	£1180.18
3750	2500 x 6000 x 250	60	INB-512/DK512	£1271.60



Maintenance Spill Berms



- » Compact & flexible spill containment which deploys instantly in the shop or field
- » No assembly required - simply unfold & use
- » Encased urethane foam sidewalls offer easy roll-through access without the need for a ramp



Capacity Litres	Overall Size W x L x H mm	Folded Size W x L x H mm	Model	Price
19	600 x 600 x 51	762 x 762 x 51	28414	£127.66
38	600 x 600 x 102	762 x 762 x 102	28400	£210.84
38	600 x 1200 x 51	762 x 1372 x 51	28416	£131.57
76	600 x 1200 x 102	406 x 762 x 406	28402	£235.50
151	600 x 2400 x 102	711 x 711 x 406	28404	£297.96
76	1200 x 1200 x 51	762 x 762 x 152	28418	£184.35
151	1200 x 1200 x 102	508 x 610 x 406	28406	£281.37
227	1200 x 1800 x 102	610 x 610 x 406	28408	£366.32
151	1200 x 2400 x 51	762 x 762 x 305	28421	£308.18
303	1200 x 2400 x 102	914 x 914 x 406	28410	£380.21
167	1800 x 1800 x 51	610 x 610 x 406	28422	£343.36
341	1800 x 1800 x 102	965 x 965 x 406	28412	£469.73
511	3000 x 3400 x 51	711 x 711 x 406	28424	£389.50
833	3000 x 5500 x 51	762 x 762 x 406	28426	£524.51

Rigid-Lock QuickBerm®

- » Safe, drive-in spill containment for drums, IBC totes & tanks
- » Single piece construction - patented rigid-lock wall support system integral to berm provides unobstructed work space
- » Quick & easy setup - no assembly required
- » Durable PVC coated fabric withstands long term UV exposure - great for outdoor use



Capacity Litres	Overall Size W x L x H mm	Folded Size W x L x H mm	Model	Price
662	1200 x 1800 x 305	610 x 610 x 127	28512	£395.95
890	1200 x 2400 x 305	610 x 610 x 152	28514	£455.91
1344	1200 x 2400 x 305	610 x 610 x 305	28516	£555.44
1798	2400 x 2400 x 305	660 x 660 x 305	28518	£643.96

Capacity Litres	Overall Size W x L x H mm	Folded Size W x L x H mm	Model	Price
2820	3000 x 3000 x 305	711 x 711 x 305	28519	£858.45
5432	3700 x 4900 x 305	660 x 660 x 406	28524	£1274.19
7230	4900 x 4900 x 305	914 x 914 x 406	28528	£1561.38
11,318	6100 x 6100 x 305	965 x 965 x 559	28532	£2059.02

Flexi-trays

- » Made from rubberised plastic which gives strength & flexibility
- » Easy to wheel equipment into - the sides will just pop back up
- » Easily folded & stored. Contains any spilt liquid & is easily cleaned
- » SpillTector® Mats are available - please call for details



SDT5252

SDT1252

SDT1212

Information

DRIVE OVER THE TRAY & THE SIDES POP BACK UP

Description	Minimum Order Qty	Overall Size L x W x H mm	Model	Price each
Shallow Trays / Workmats				
-	4	520 x 520 x 50	STW5252	£23.65
-	3	1020 x 520 x 50	STW1252	£31.50
-	2	1020 x 1020 x 50	STW1212	£40.35
Shallow Dispensing Trays				
1 Grid	3	520 x 520 x 50	SDT5252	£30.55
2 Grids	2	1020 x 520 x 50	SDT1252	£42.35
4 Grids	2	1020 x 1020 x 50	SDT1212	£62.00
Deep Trays (SpillTector® Mats not included)				
-	3	520 x 700 x 100	DTW5270	£35.45
-	2	700 x 1030 x 100	DTW7013	£46.30



DTW7013 shown with a SpillTector® Mat which is also available - call for details



DTW7013 shown with SpillTector® Mat which is also available - call for details

Container Drip Trays

- » Made from 100% recycled polypropylene
- » Tough enough for all working environments
- » Re-usable drip & leak containment
- » Can be ordered in smaller quantities - call for details



CDT18Z

Overall Size L x W x H mm	Capacity Litres	Minimum Order Qty	Model	Price each
410 x 310 x 45	5	5	CDT05Z	£8.85
560 x 400 x 40	9	5	CDT09Z	£11.60
790 x 400 x 40	12	5	CDT12Z	£16.55
1000 x 400 x 40	15	5	CDT15Z	£17.80
1170 x 400 x 40	18	5	CDT18Z	£19.15
600 x 600 x 70	28	5	CDT28Z	£16.55
1100 x 550 x 40	25	4	CDT25Z	£25.90
8500 x 60	40	5	CDT40Z	£21.00



CDT40Z



CDT28Z

Container Bunded Storage

- » Integral grid allows the contents to be raised above the container base
- » Made from 100% recycled polypropylene
- » Tough enough for all work environments
- » Can be ordered in smaller quantities - call for details



PSP25Z



PSP22Z



PSP28Z



PSP31Z

Overall Size L x W x H mm	Capacity Litres	Minimum Order Qty	Model	Price
640 x 490 x 120	28	3	PSP22Z	£31.10
1000 x 550 x 150	60	2	PSP25Z	£49.65
1010 x 1000 x 120	100	2	PSP28Z	£70.35
1200 x 1200 x 120	120	-	PSP31Z	£89.55



Integral grid allows the contents to be raised above the container base

Container Spill Trays

- » Made from PE - 100% recycled
- » Can be used with / without platform
- » Stackable for easy transportation & storage
- » Non slip platform surface
- » Designed to fit on Euro pallets
- » Easy to clean
- » Can be ordered in smaller quantities - call for details



PSP99Z



PSP102Z

Overall Size L x W x H mm	Capacity Litres	Minimum Order Qty	Model	Price each
600 x 400 x 150	20	2	PSP98Z	£49.05
800 x 400 x 150	30	2	PSP99Z	£53.85
800 x 600 x 150	40	2	PSP100Z	£65.80
1000 x 600 x 170	60	-	PSP101Z	£80.15
1200 x 800 x 170	100	-	PSP102Z	£134.00

Bunded Work Floors

A range of polyethylene modular flooring panels, highly resistant to most chemicals & corrosion, these panels are designed to protect floors from spills.

- » 2 & 4 drum panels
- » Easy low level loading - 150mm
- » Removable grate allows easy access to sump contents
- » When the sumps are linked together they can be used to create bunded work/storage areas that meet the guidelines provided by the Environment Agency, Scottish Environment Protection Agency & the Environment & Heritage Service



PSF54Z & PSFR2Z



Information

IDEAL FOR USE WITH BOTH 25 & 205 LITRE DRUMS

Information

COMPLY TO ALL UK OIL STORAGE REGULATIONS

Description	Overall Size L x W x H mm	Capacity Litre	Model	Price
2 Drum	1600 x 800 x 150	121	PSF52Z	£207.90
4 Drum	1600 x 1600 x 150	239	PSF54Z	£298.00
Ramp for Above	1260 x 800 x 180	-	PSFR2Z	£138.35
4 Drum - Inline	2610 x 900 x 150	300	PSF55Z	£446.40
Ramp for Above	650 x 800 x 160	-	PSFR5Z	£145.25

PSF52Z

Sump Storage

- » Of polyethylene construction, these pallets are highly resistant to most chemicals & corrosion
- » Fork pockets allowing easy positioning



manufactured

Information

COMPLY TO ALL
UK OIL STORAGE
REGULATIONS



PSP04Z



PSP02Z



PSP02Z

No of Drums Held	Overall Size L x W x H mm	Capacity Litre	Model	Price
Two	1300 x 750 x 400	250	PSP02Z	£217.45
Four	1380 x 1290 x 280	245	PSP04Z	£255.85

Polyethylene Storage Cabinets



PEC25Z

- » Rotationally moulded from medium density polyethylene
- » Lightweight yet robust
- » Lockable
- » Broad band chemical compatability
- » Polyethylene shelves & grids



PEC07Z



PEC03Z

Description	External Size L x W x H mm	Sump Capacity	Colour Options	Weight kg	Model	Price
1 Door & 2 Shelves	545 x 440 x 990	30 Litres	Entire cabinet in Yellow (can be green on orders of 10 or more)	15	PEC03Z	£260.25
1 Door & 3 Shelves	650 x 570 x 1650	70 Litres		40	PEC07Z	£460.15
1 Door & Mesh Grid	920 x 720 x 1520	100 Litres		52	PEC10Z	£662.00
1 Door & Mesh Grid	920 x 720 x 1835	250 Litres		56	PEC25Z	£606.40
1 Door, 1 Shelf & Mesh Grid				60	PEC25ZS	£719.10

Polyethylene Vaults

» Roller shutter doors for ease of accessing your drums



PEC27H

i Information
COMPLY TO
OIL STORAGE
REGULATIONS
(ENGLAND) 2001



PEC27Z



PEC27S



Description	Overall Size L x W x H mm	Sump Capacity	Weight kg	Model	Price
Vault for 2 x 205L drums stored vertically	1490 x 999 x 1690	230 Litres	85	PEC27Z	£807.70
Vault with steel cradle for 1 x 205L drum			95	PEC27H	£1007.70
Vault with shelving (ideal for 5 & 25 Litre Drums)			90	PEC27S	£909.25

Bunded Drum Rack System


- » Drum rack to be used with drum rack base only
- » Ideal for easy dispensing & storage
- » Can store up to four 210 litre drums
- » Compatible with most forklifts



manufactured

Information

COMPLY TO ALL UK OIL STORAGE REGULATIONS



PSP06Z



PSP05Z

PSP07Z

Description	Overall Size L x W x H mm	Capacity Litres	Model	Price
Base Unit	1350 x 1370 x 630	500	PSP05Z	£443.90
Stacker Unit	940 x 1370 x 390	-	PSP06Z	£189.45
Base & Stacker Unit	1350 x 1370 x 1580	500	PSP07Z	£631.55

Covered Drum Storage System

- » Made from PE - 100% recycled
- » Ideal for easy dispensing & storage
- » Compatible with most forklifts



PSP21Z



PSP21Z



Information

COMPLY TO ALL UK OIL STORAGE REGULATIONS



PSP21Z

Description	Overall Size L x W x H mm	Capacity Litre	Model	Price
2 Drum	1565 x 995 x 2110	250	PSP21Z	£1061.70
4 Drum	1565 x 1620 x 2110	245	PSP41Z	£1343.10

Galvanised Sump Pallets



GDSP04

- » Fully welded galvanised steel construction with removable galvanised grid for ease of cleaning
- » Complete with 150mm wide fork hoops which are used to move the unit and keep the sump off the ground



GDSP04



Information

COMPLY TO
OIL STORAGE
REGULATIONS
(England) 2001

Description	Overall Size L x W x H mm	Sump Capacity	Weight kg	Model	Price
2 Drum Units	1220 x 815 x 393	225.5 litres	51	GDSP02	£367.75
4 Drum Units	1220 x 1220 x 463	440 litres	82	GDSP04	£457.50

Polyethylene Spill Pallets
with Steel Covers

- » Medium density polyethylene spill pallet with a 0.6mm galvanised steel powder coated cover with hinged doors
- » Hinged doors have retaining catches to hold them open & are lockable



PSP1140

Information

COMPLY TO
OIL STORAGE
REGULATIONS
(ENGLAND) 2001



PSP1100



Description	Overall Size W x L x H mm	Door Aperture H x W mm	Sump Capacity	Weight kg	Model	Price
Stores 4 Drums	1480 x 1385 x 1865	1390 x 1225	410 Litres	221	PSP0410	£1932.05
Stores 1 IBC	1425 x 1840 x 2405	1590 x 1165	1100 Litres	223	PSP1100	£2654.00
Stores 8 Drums or 2 IBC's	2625 x 1430 x 2110	1490 x 2365	1140 Litres	285	PSP1140	£3621.75

Sump Flooring

- » Versatile sump flooring to meet your requirements
- » Flush fitting seam welded floor panels
- » Safeguard the contents of the drums from potentially contaminating work areas should a drum fail



Information

COMPLY TO
OIL STORAGE
REGULATIONS
(England) 2001

2 x SF1001,
SF2301 & SR1051

Sump Capacity	Overall Size L x W x H mm	Model	Price
Sump Flooring			
263 Litres	1400 x 1250 x 160	SF1001	£849.65
347 Litres	2200 x 1050 x 160	*SF2301	£1338.70
525 Litres	2800 x 1250 x 160	*SF2831	£1717.35
Optional Ramp			
-	1000 x 500 x 160	SR1051	£303.00
Optional Safety Rail			
-	1000 x 40 x 1000	SR1000	£117.85
-	1250 x 40 x 1000	SR1250	£132.55

*A fork lift will be needed to unload these units



SF1001, SR1051
& 2 x SR1000


Heavy Duty Sump Pallets

- » Fully welded construction providing secure sump containment
- » Fitted with removable galvanised grid for ease of cleaning
- » Drum Storage Sump Pallets - when not in use the fork guides give a safe & secure lift


A fork lift will be needed to unload these units

Information

COMPLY TO
OIL STORAGE
REGULATIONS
(England) 2001



DSP04G



DSP08Z

Description		Overall Size L x W x H mm	Sump Capacity	Weight kg	Model	Price
Floor Sump Pallets						
2 Drum Units	Without Grid	1400 x 625 x 300	230 litres	40	DSP02Z	£357.00
	With Grid	1400 x 625 x 300	230 litres	70	DSP02G	£509.70
4 Drum Units	Without Grid	1400 x 1250 x 175	260 litres	60	DSP04Z	£416.75
	With Grid	1400 x 1250 x 175	260 litres	120	DSP04G	£724.25
Drum Storage Sump Pallets						
2 Drum Units	With Grid	1400 x 625 x 445	230 litres	80	DSP06Z	£608.70
4 Drum Units	With Grid	1400 x 1250 x 330	260 litres	130	DSP08Z	£828.50

Vertical Drum Store

- » Manufactured from heavy duty corrugated steel
 - » Enclosed on 3 sides to stop splash contamination
- A fork lift will be needed to unload these units



DH941Z



Horizontal Drum Store

- » Manufactured from heavy duty corrugated steel
 - » Enclosed on 3 sides to stop splash contamination
 - » Can be stacked 2 high
- A fork lift will be needed to unload these units



DH274Z

Sump Capacity	Overall Size W x D x H mm	Weight kg	Model	Price
250 Litres	820 x 820 x 1375	110	DH941Z	£999.40

Sump Capacity	Overall Size W x D x H mm	Weight kg	Model	Price
490 Litres	1645 x 1360 x 1900	175	DH274Z	£1608.30

Drum Storage Units

- » Ground clearance: 150mm
 - » Fork centres: 760mm
 - » Heavy duty drum storage units of fully welded construction
 - » Safe storage for 8, 10, 16 or 20 standard 210 litre drums, either palletised or loose loaded
 - » Heavy duty frame is rated at 3 tonnes distributed load over a 3 metre bay
 - » The 8 & 10 drum units are single tier & the 16 & 20 drum units are double tier
 - » Swaged & re-inforced robust sheet steel walls on 3 sides
 - » The sump units can be removed for steam cleaning & have removable galvanised grid floor panels
 - » Fork guides ensure safe & secure movement
 - » Blue powder coated finish
- N.B. A Forklift will be needed to unload these units.



DH916Z

Information

CONTROL OF POLLUTION
(OIL STORAGE) (ENGLAND)
REGULATIONS 2001



No of Drums	Overall Size W x D x H mm	Sump Capacity Litres	Weight kg	Model	Price
8	3000 x 1275 x 1535	865	420	DH908Z	£2762.55
10	3715 x 1275 x 1535	1112	440	DH910Z	£3566.75
16	3000 x 1275 x 3070	1729	830	DH916Z	£5394.90
20	3715 x 1275 x 3070	2223	860	DH920Z	£6401.50



DH910Z

Fully Enclosed Drum Stores




- » For use outside or where security is of importance. Doors have high & low level venting. 1 drum units are fitted with 1 door & 2 & 4 drum units have 2 doors - all with 3 point locking
 - » Vertical units are fitted with galvanised grid floors & horizontal units have an open topped sump
- N.B. A Forklift will be needed to unload these units.

No of Drums Stored	Storage Type	Sump Capacity Litres	Overall Size W x D X H mm	Weight kg	Model	Price
1	Vertical	234	800 x 800 x 1470	80	DH241Z	£1473.85
2		263	1510 x 750 x 1470	125	DH242Z	£1665.05
4		439	1510 x 1250 x 1470	150	DH244Z	£2524.45
1	Horizontal	233	1250 x 800 x 1280	80	DH201Z	£1675.15
2		439	1510 x 1250 x 1280	110	DH202Z	£2068.60
4		439	1510 x 1250 x 2170	150	DH204Z	£2221.65

Information

COMPLY TO
OIL STORAGE
REGULATIONS
(England) 2001



Drum Stores

- » For use outside or where security is of importance. Doors have high & low level venting - with 3 point locking
 - » Drums are set back to allow space to dispense liquids
- N.B. A Forklift will be needed to unload these units.

No of Drums Stored	Sump Capacity Litres	Overall Size W x D x H mm	Weight kg	Model	Price
6	631	2250 x 1350 x 2275	220	DH296Z	£4698.65

Drum & IBC Secure Stores



Manufactured in accordance with PPG 26 regulations as per the requirement of the Environment Agency

EDRIB1604

- » Base is manufactured from 3mm mild steel with RHS cross members & pressed ribs
- » Corner posts, shelf frames & main rails are rolled hollow section
- » The roof is pressed with suitable bracing & fully welded around the perimeter, while the back, side & door panels are pressed from 2mm mild steel sheet & corrugated where required
- » Fitted with crane lifting points (maximum 2000kg per lift point) & sliding doors
- » The floor area above the sump is covered with galvanised steel channel sections so that loose drums or pallets can be stored directly onto it, whilst the upper shelf is an open box section which is designed to support pallets. Grid mesh shelving is available - please call for details
- » Shot blasted before being painted (RAL 6029) for greater durability
- » EDRIB9624 - push back system above the sump, allowing the units to be pushed to the back of the units

Model	1	2	3	4
External Size: H x W x L mm	3295 x 1500 x 3000	3295 x 1500 x 5920	3295 x 1500 x 8840	3680 x 2800 x 8840
Sump Capacity: Litres	1125	2200	3300	6100
Capacity - 205 litre drums	16	32	48	96
or Capacity - 1000 litre IBC's	4	8	12	24
Doors	Double Sliding	Double Sliding	Triple Sliding	Triple Sliding
Model:	EDRIB1604	EDRIB3208	EDRIB4812	EDRIB9624
Price	£5404.45	£7515.60	£10,805.75	£18,891.80

Drum & IBC Secure Stores



EDRI B3208



Push Back Loading System
on the EDRI B9624



Manufactured in accordance
with PPG 26 regulations
as per the requirement of the
Environment Agency



EDRI B9624

This unit will be delivered by an articulated vehicle, therefore please ensure that a vehicle of this size can access your premises before ordering and advise us accordingly. You will require an appropriate size-capacity fork lift truck or Hiab unit to offload this item from the delivery vehicle. IMPORTANT: our standard delivery doesn't include any offloading due to insurance restrictions - if you require this service then please call for details. The unit must be positioned on a solid level surface, ideally concrete of circa 150mm in depth and 100mm bigger overall than the unit. The purpose of this is to ensure the unit does not settle unevenly when placed in position.

Cambuckle Clamping Wall Racks

- » Individual quick release webbing straps with adjustable cambuckle
- » These units can be used in pairs, top & bottom, for secure movement in transit



CB200Z

Cylinder Dia. mm	No of Cylinders Held	Overall Size W x D mm	Model	Price 1 Off	Price 2+ Off
180 - 270	2	720 x 190	CB200Z	£151.05	£147.65
	3	1036 x 190	CB300Z	£205.50	£203.75
	4	1352 x 190	CB400Z	£252.25	£250.50
205 - 305	2	835 x 230	CB210Z	£166.60	£163.20

Cylinder Stand

- » Base size: 520 x 400mm
- » Flat steel construction with solid sheet steel base
- » Hinged latches to enable easy positioning of the cylinder



CS202Z

Cylinder Dia. mm	Height mm	Weight kg	Model	Price
178	605	20	CS201Z	£264.95
230		21	CS202Z	£278.80
285		23	CS203Z	£293.55

Cylinder Storage

- » Fully welded complete with individual securing chains
- Single or Double Sided Floor Stands
- » Suitable for use with full height cylinders
- Low Height Floor Stand
- » For use with smaller type cylinders



Cylinder Dia. mm	No of Cylinders Held	Overall Size W x D x H mm	Model	Price
Single Sided Floor Stand				
180 - 270	2	618 x 350 x 922	CR725Z	£204.45
	3	924 x 350 x 922	CR735Z	£254.65
Low Height Double Sided Floor Stand				
100 - 180	4	440 x 465 x 610	CR740Z	£256.75
	6	656 x 465 x 610	CR760Z	£304.85
Double Sided Floor Stand				
180 - 270	4	618 x 544 x 922	CR745Z	£300.40
	6	924 x 544 x 922	CR765Z	£350.80

Wall Fixing Storage Racks & Double Sided Floor Stands

- » Fully welded complete with individual securing chains



Cyl. Dia. mm	No of Cyl. Held	Overall Size W x D mm	Painted Finish			Galvanised Finish		
			Model	Price 1 Off	Price 2+ Off	Model	Price 1 Off	Price 2+ Off
Storage Racks (Wall Fixing)								
Up To 180	2	720 x 190	CR301Z	£104.25	£100.55	CR351G	£135.75	£132.05
	3	1036 x 190	CR302Z	£127.80	£124.10	CR352G	£174.70	£171.00
Up To 270	2	720 x 190	CR303Z	£108.35	£104.65	CR353G	£139.45	£135.75
	3	1036 x 190	CR304Z	£131.80	£128.10	CR354G	£178.50	£174.80
Double Sided Floor Stands - 1000mm in Height								
Up To 180	4	410 x 500	CR401Z	£338.00	-	CR451G	£419.45	-
	6	590 x 500	CR402Z	£387.70	-	CR452G	£480.90	-
Up To 270	4	590 x 500	CR403Z	£361.20	-	CR453G	£443.10	-
	6	860 x 500	CR404Z	£410.80	-	CR454G	£504.30	-

Propane Cylinder Trolleys

- » Tubular steel powder coated trucks designed to safely manoeuvre 47kg propane cylinders
- » The max diameter of cradle supports is 380mm
- » Model CT103L is able to carry one 380mm cylinder & one 230mm cylinder
- » Models CT102L & CT103L are fitted with a rear castor which supports the laden trolley enabling full operator control when manoeuvring
- » CT101L & CT102L come with puncture proof front wheels



Cylinder Trolleys

- » Models TS177L & CT277L are designed to carry a maximum cylinder size of 286mm dia x 1575mm height. Tubular steel frame fitted with two 125mm rubber tyred rear support castors & 250mm puncture proof pneumatic front wheels
- » Cylinders are held in place with a retaining chain for added security when in use
- » Zinc plated models are ideal for use in damp environments
- » TS177L: painted frame
- » CT277L, CT201L & CT201P: zinc plated frame



Cylinder Dia. mm	Cylinder Cap Ltr	Wheels mm	Weight kg	Model	Price
286	40	250 / 125	20	TS177L	£454.10
286	40	250 / 125	20	CT277L	£488.80
140 - 250	10 / 20 / 40	200 Cushion	16	CT201L	£228.50
140 - 250	10 / 20 / 40	250 Puncture Proof	16	CT201P	£276.95

Cylinder Trolleys



- » This cylinder trolley incorporates a unique lifting toe plate, sliding upwards when the truck is placed up against a pallet to make the cylinders easier to slide off
- » The support frame is fitted with 2 swivel castors, making the unit easily manoeuvrable
- » The large wheels on the front of the unit make it easier to go over rough terrain



Max Cylinder Dia. mm	Overall Size L x W x H mm	Toe Plate Size L x D mm	Toe Plate Lifting Height mm	Wheels mm	Weight kg	Model	Price
240	700 x 610 x 1375	345 x 235	200	350 x 75 Cushion Roller Bearing 2 x 100mm Nylon Castors	30	CT209Y	£461.25

Welders Trolley



- » 2 rear castors provide extra stability, support & full operator control
- » Steel tubular frame is fitted with cylinder retaining chains & a welding rod holder
- » This unit is suitable for carrying 2 cylinders: 1 x oxygen cylinder 230mm dia x 1560mm high & 1 x acetylene cylinder 236mm dia x 1200mm high

Overall Size L x W x H mm	Wheels mm	Weight kg	Model	Price
760 x 760 x 1090	350 x 75 Cushion Roller Bearing	31	TS171L	£501.55

Cylinder Pallet Cages



- » Fully welded construction with supporting sides & central sections
- » Non-slip steel floor to aid the safe loading & unloading of cylinders
- » Complete with retaining chain/strap
- » Models GCP01/2Z are suitable for transporting cylinders by pallet truck with width across forks of 680mm. Model GCP03Z is suitable for transportation by fork lift only

Overall Size L x W x H mm	No of Cylinders held	Weight kg	Model	Price
555 x 480 x 1010	2 - Max Dia. 275mm	20	GCP01Z	£439.95
1100 x 480 x 1010	4 - Max Dia. 275mm	40	GCP02Z	£548.70
1200 x 1050 x 995	9 x 286mm / 12 x 229mm / 20 x 178mm	120	GCP03Z	£1181.50

Cylinder Trolleys

- » Cylinder trolleys which easily convert from a sack truck to a 4 wheel sack truck for ergonomic use
- » Designed to transport oxygen & acetylene cylinders
- » Complete with chain to secure the cylinders to the trolley
- » Mobile on 2 x 200mm wheels & 2 x 75mm swivel braked castors



NEW

FROM ONLY
£198.00

Information

CARRY OXYGEN
& ACETYLENE
CYLINDERS
EASILY & SAFELY



CTF20Y in
Sack Truck
mode



CTF12Y in
Sack Truck
mode



CTF12Y as 4
Wheel Sack
Truck



CTF20Y as 4
Wheel Sack
Truck

Holds / Transports	Overall Size L x W x H mm	Folded Size H x W x D mm	Weight kg	Model	Price
1 x 140 to 300mm Cylinder	1010 x 430 x 910	1165 x 430 x 480	18	CTF12Y	£198.00
2 x 140 to 300mm Cylinder	1010 x 720 x 910	1165 x 720 x 480	25	CTF20Y	£284.00

Oxygen Cylinder Trolleys

- » Manufactured in accordance with BS2718, 1979
- » Specially designed for carrying oxygen cylinders, ideal for use in hospitals
- » The tubular frame has a sheet steel base & retaining straps to hold the cylinder in position
- » Fitted with anti-static metal centred wheels & front 100mm non-marking corner buffers



Maximum Cylinder Size mm	Overall Size L x W x H mm	Retaining Strap Heights mm	Wheels mm	Weight kg	Model	Price
140	420 x 400 x 1100	220 / 675	125	8	TS178L	£324.70
175	460 x 410 x 1100	220 / 675	250	13	TS179L	£446.75
230	470 x 480 x 1100	270 / 920	250	14	TS180L	£462.90

TS180L



TS179L



TS178L



Dispensing Bottles

- » Heavy duty polyethylene bottles, use to dispense liquids directly on to work single handed
- » The brass valves are self closing & leak proof
- » The body of the bottle is contoured & textured to aid grip



Capacity Litres	Overall Size Dia x H mm	Model	Price
0.12	57 x 140	14002	£45.17
0.24	79 x 140	14004	£35.89
1	102 x 267	14010	£38.32

Plunger Cans

- » Manufactured from chemically resistant Ryton® & brass
- » Used to safely moisten wipes, cleaning wipes etc with solvent
- » Any surplus solvent drains back into the can



Capacity Litres	Overall Size Dia x H mm	Model	Price
0.5	125 x 133	10008	£41.38
1	185 x 143	10108	£45.78
2	185 x 187	10208	£45.78
4	185 x 267	10308	£50.25

Polyethylene Cans

- » Resistant to tough acids & corrosives as well as heat
- » Self close lid, pressure relief mechanism & dual density flame arrester



Capacity Litres	Overall Size L x W x H mm	Model	Price
2	117 x 194 x 241	14065Z	£56.25
4	117 x 194 x 324	14160Z	£62.06

All products on this page are:



Type I Steel Cans

- » Cans upto 1L size have a trigger release handle & 4L onwards have a swinging handle for easier carrying
- » Suitable for corrosive flammable liquids

Capacity Litres	Overall Size Dia x H mm	Model	Price
0.5	117 x 172	10001	£64.87
1	117 x 210	10101Z	£59.93
7.5	241 x 349	7120100Z	£42.10
9.5	298 x 292	7125100Z	£44.93
19	298 x 429	7150100Z	£45.67
Polypropylene Funnels for 4L Can & above		11202Y	£13.80



Type II Accuflow™ Steel Cans

- » Innovative manifold automatically vents for smooth, plug free pouring
- » Safe-squeeze trigger gives you maximum control when pouring
- » Stainless steel flame arrester dissipates heat to prevent flashback ignition

Capacity Litres	Overall Size Dia x H mm	Hose Dia x L mm	Model	Price
4	241 x 267	16 x 229	7210120Z	£73.23
7.5	241 x 337		7220120Z	£73.96
9.5	298 x 305		7225130Z	£74.68
19	298 x 445	25 x 229	7250130Z	£75.39

Oily Waste Cans

- » Foot operated self closing lid
- » Safe disposal of used wipes, rags & cloths
- » Lid opens no more than 60° & closes when released. This ensures that flammable liquids present on the wipes or rags are not in contact with ignition sources

Capacity Litres	Overall Size Dia x H mm	Model	Price
20	302 x 403	09100	£61.52
34	354 x 464	09300	£68.73
52	408 x 514	09500	£82.56
80	467 x 595	09700	£113.72



Information

PERFORATED BASE FOR GOOD AIR CIRCULATION

Liquid Disposal Safety Cans

- » High density polyethylene disposal cans provide superior chemical resistance & leak protection
- » Spring loaded sealed cap, normally closed, automatically vents between 3 & 5 psig (0.2 & 0.35 bar)
- » Stainless steel handle & hardware with latch-catch system hold the cap in the open position for easy filling & pouring
- » Large mouth opening features a built-in stainless steel flame arrester to guard against outside ignition
- » Current carrying, patented carbon insert embedded in the container allows for proper grounding
- » Broad base design provides stability & resists accidental tip over



Capacity Litres	Overall Size Dia x H mm	Model	Price
7.5	305 x 375	14762Z	£113.57
19	305 x 508	14765Z	£114.37

All products on this page are:







Bench Cans

- » Easy means of cleaning small parts in solvent
- » Simply place work on spring loaded, perforated dasher plate, press down, agitate, then release to return dasher to drain position
- » Plated steel dasher also works as an effective flame arrester to reduce the risk of fire flashback
- » Hinged cover minimizes evaporation losses & protected rim reduces the possibility of hand injury



Capacity Litres	Overall Size Dia x H mm	Model	Price
1	124 x 140	10175	£45.70
2	238 x 83	10295	£50.23
4	238 x 114	10375	£51.31
8	292 x 149	10575	£83.71
Parts basket for 10375		11171	£22.00



Dip Tanks

- » For cleaning parts & sub-assemblies where the volume of work does not warrant a larger rinse tank
- » Dip tank covers stay open for convenient access; self-closing mechanism & fusible link metals at 74°C to snap the cover shut in case of fire



Capacity Litres	Overall Size Dia x H mm	Model	Price
4	238 x 140	27601	£65.67
8	238 x 254	27602	£68.68
19	349 x 330	27605	£84.34
30	397 x 362	27608	£95.35

EVO Recycled® Absorbents



- » Made in the UK from 85% recycled natural fibres
- » Weight for weight the most Oil absorbent pad in Europe
- » Lowest carbon footprint of any absorbent pad in Europe
- » Tough & soft, high loft construction for maximum usability
- » Low linting construction for bench top use



EVO-S08



EVO-S20



EVO-P15



EVO-P100



EVO-P100X

Information
IDEAL FOR
OIL SPILLS



EVO-P20X



EVO-D5



EVO-R3030



EVO-R3820X



Sheet/Roll Size L x W x H mm	Pack Quantity	Packaging	Model	Price
Socks				
1200 x 80	20	Poly-wrapped	EVO-S20	£45.42
3000 x 80	8	Poly-wrapped	EVO-S08	£45.42
Pads (Triple Loft, Oil preferential)				
400 x 500 x 10	50	Poly-wrapped	EVO-P50	£26.58
400 x 500 x 10	50	Dispenser Box	EVO-P50X	£28.75
400 x 500 x 10	100	Poly-wrapped	EVO-P100	£49.27
400 x 500 x 10	100	Dispenser Box	EVO-P100X	£51.42
400 x 500 x 10	20	Dispenser Box	EVO-P20X	£15.00
400 x 500 x 10	15	Clip-Top Bag	EVO-P15	£8.58

Sheet/Roll Size L x W mm	Pack Quantity	Packaging	Model	Price
Drum-top Pads (with cutout for drum pump)				
560 dia.	5	Clip-Top Bag	EVO-D5	£10.75
Rolls (Quick Rip Perforated)				
300 x 30M	1	Poly-wrapped	EVO-R3030	£23.67
380 x 20M	1	Dispenser Box	EVO-R3820X	£27.98
380 x 40M	1	Poly-wrapped	EVO-R3840	£36.58
500 x 40M	1	Poly-wrapped	EVO-R5040	£47.50

Spill Kits



ABK25

ABK50

ABK100



Information

IDEAL FOR
OIL SPILLS



OSK20CT



OSK50



OSK90RY



OSK240



OSKE

Description	Contents	Oil & Fuel Kit		General Kit		Chemical Kit	
		Model	Price	Model	Price	Model	Price
AdBlue Spill Kits							
25 Litre Kit	3 x 120cm socks, 10 pads & 1 disposable bag	-	-	ABK25	£22.50	-	-
50 Litre Kit	2 x 120cm socks, 25 pads & 1 disposable bag	-	-	ABK50	£61.25	-	-
100 Litre Kit	5 x 120cm socks, 40 pads & 3 disposable bags	-	-	ABK100	£106.58	-	-
Tanker & Vehicle Spill Kit							
20 Litre Kit	2 x 120cm socks, 10 pads & 1 disposable bag	OSK20CT	£19.33	GSK20CT	£19.33	CSK20CT	£26.92
30 Litre Kit	3 x 120cm socks, 40 pads & 3 disposable bags	OSK30CT	£26.92	GSK30CT	£26.92	CSK30CT	£32.15
Shoulder Bag Spill Kit complete with Shoulder Bag							
50 Litre Kit	2 x 300cm socks, 25 pads & 1 disposable bag	OSK50	£61.58	GSK50	£61.58	CSK50	£71.58
Workshop Spill Kit complete with Clip-top Bin							
90 Litre Kit	4 x 300cm socks, 40 pads & 3 disposable bags	OSK90RY	£110.42	GSK90RY	£110.42	CSK90RY	£132.92
Workshop Spill Kit complete with Wheeled Bin							
240 Litre Kit	12 x 300cm socks, 100 double-weight pads & 4 disposable bags	OSK240	£230.83	GSK240	£230.83	CSK240	£284.17
Locker Spill Kit complete with Locker							
-	12 x 300cm socks, 100 pads & 4 disposable bags	OSKE	£456.58	GSKE	£456.58	CSKE	£496.25

Lower Value Orders May Incur a Handling Charge