



ALL FORT SECURE ACCESS STEPS ARE...

1



... TRIPLE WELDED FOR MAXIMUM SAFETY, ON ALL TREADS

2



... POWDER COATED FOR A DURABLE FINISH, EVEN ON THE LARGEST 18 TREAD STEPS

3



...TESTED IN EXCESS OF THE LOAD CAPACITY

4



... HEAVY DUTY SHRINK WRAPPED FOR PROTECTION

EACH STEP IS INDIVIDUALLY CHECKED BEFORE DESPATCH.

ARE YOUR WAREHOUSE STEPS CERTIFIED TO EN 131?

Following the introduction of part 7 to the EN 131 standard there is growing interest in tested warehouse steps. Heavy duty warehouse steps were previously covered within the European BGI637 standard and this standard was effectively incorporated into the scope of EN 131-7 in September 2013. This, together with the previous levels of parts 1 to 3 of the EN 131 standard, has defined criteria for design, test and certification across a wide spectrum of step units. We have a vast range of UK manufactured steps which are tested to the EN 131 standard and the EN 14183 standard and users are becoming increasingly interested in using products that have the benefit of conformance and certification. No longer can manufacturers & suppliers say that there is no British standard.

We have been the only UK manufacturer of Safety Steps which are accredited to the European GS & DGUV Standard for many years and elements of these relevant standards have been incorporated into our design and test criteria for all of our UK manufactured steps. This is so we can ensure that the necessary levels of product strength, durability and stability are achieved. Our manufacturing processes all take place under controlled conditions conforming to BS EN ISO 9001:2015 ensuring product conformity is verified.



manufactured



Fort® Stable BS EN 14183 Steps

- » Certified to BS EN 14183
- » Platform size: 200D x 396W mm
- » Open mesh treads facilitate safe use with muddy boots & in dirty environments
- » Robust, ergonomic & heavy duty grey rubber non-marking grounding feet make these units extremely stable



Information

EXTREMELY
STABLE IN USE

GS3002G
Galvanised
Finish

GS3012M



Safety, Strength & Durability



Why Choose Me?

- ✓ Equipment for low level access is important for comfort & safety
- ✓ Open mesh treads & a galvanised option mean these units can be used in most environments

GS3113M
In Use

GS3013M

| Description | Platform Height mm | Overall Size H x W x D mm | Weight kg | Painted Finish | | Galvanised Finish | |
|-------------------------------------|--------------------|---------------------------|-----------|----------------|---------|-------------------|---------|
| | | | | Model | Price | Model | Price |
| 2 Tread without Handrail | 400 | 436 x 450 x 606 | 7 | GS3002M | £93.60 | GS3002G | £106.75 |
| 2 Tread with Handrail | | 990 x 450 x 606 | 7 | GS3012M | £108.70 | GS3012G | £125.20 |
| 2 Tread with Handrail & Rear Wheels | | 990 x 450 x 686 | 8 | GS3112M | £121.80 | GS3112G | £138.25 |
| 3 Tread without Handrail | 600 | 636 x 450 x 806 | 11 | GS3003M | £130.45 | GS3003G | £150.15 |
| 3 Tread with Handrail | | 1190 x 450 x 806 | 11 | GS3013M | £148.25 | GS3013G | £171.25 |
| 3 Tread with Handrail & Rear Wheels | | 1190 x 450 x 886 | 12 | GS3113M | £161.10 | GS3113G | £184.15 |

Fort® Heavy Duty Handy Steps



- » Certified to BS EN 14183
- » Fitted with non-marking rubber feet & all weather non-slip injection moulded treads
- » Tread size: 400W x 200D mm

| Description | Platform Height mm | Overall Size H x W x D mm | Wt kg | Model | Price |
|-------------------|--------------------|---------------------------|-------|--------|---------|
| 1 Tread | 270 | 270 x 460 x 370 | 3 | GS301Z | £78.50 |
| 1 Tread with post | 270 | 1020 x 460 x 370 | 4 | GS311Z | £119.85 |
| 2 Tread | 430 | 430 x 520 x 550 | 5 | GS302Z | £118.35 |
| 2 Tread with post | 430 | 1330 x 520 x 550 | 6 | GS312Z | £160.70 |

Fort® Handy Steps



- » Certified to BS EN 14183
- » Fully welded tubular steel, with a looped handle
- » Fitted with non-marking rubber feet & all weather non-slip injection moulded treads
- » Handle height: 650mm

| Platform Height mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|--------------------|---------------------------|-----------|--------|---------|
| 400 | 1060 x 520 x 555 | 8 | HS322Z | £150.05 |

Fort® Double Sided Steps

- » All weather non-slip injection moulded treads
- » Mobile models are fitted with 4 x 80mm sprung weight reactive retractable swivel castors
- » Tread size: 400 x 200mm



| Description | Platform Height | Overall Size H x W x D mm | Weight kg | Model | Price |
|-----------------------------|-----------------|---------------------------|-----------|--------|---------|
| Static 2 Tread w/out handle | 500 mm | 555 x 460 x 610 | 11 | HS3212 | £305.30 |
| Static 2 Tread with handle | 500 mm | 1255 x 460 x 610 | 13 | HS3312 | £365.60 |
| Mobile 2 Tread w/out handle | 500 mm | 575 x 490 x 610 | 11 | MS7212 | £465.80 |
| Mobile 2 Tread with handle | 500 mm | 1245 x 490 x 610 | 13 | MS7312 | £526.50 |

Fort® Mobile Step - Tilt & Pull

- » Double sided tubular steel unit
- » Resilient anti-slip treads, two swivel castors & a handle on one side



| Platform Height | Overall Size H x W x D mm | Tread Size mm | Weight kg | Model | Price |
|-----------------|---------------------------|---------------|-----------|--------|---------|
| 390 mm | 1120 x 400 x 410 | 290 x 160 | 7 | HS9222 | £218.10 |

Fort® Buttress BS EN 14183 Steps

- » Certified to BS EN 14183
- » Graduated widths & a 45° easy slope comfort angle makes these steps strong, comfortable & stable
- » The 2 step unit is static on 4 landing feet but can easily be carried. 3-5 step units are mobile on 2 x 150mm rear wheels which enable 'tilt & pull'
- » Platform sizes: 2 tread - 400H x 630W x 250Dmm
3 tread - 600H x 600W x 250Dmm
4 tread - 800H x 550W x 250Dmm
5 tread - 1000H x 500W x 250Dmm
- » Available with 4 tread options; mesh, non-slip phenolic, aluminium & galvanised



FROM ONLY
£153.30



Safety, Strength & Durability



BS9003R &
BS9103



BS9003R &
BS9103



BS9004A



BS9002M

Why Choose Me?

- ✓ Equipment for low level access is important for comfort & safety
- ✓ Extra large treads are ideal for comfort & stability over extended periods
- ✓ Optional handles allow for different applications



COLOUR OPTIONS

- Red
 - Blue
 - Grey
- specify when ordering

| No. of Treads | Overall Size H x W x D mm | Wt kg | Painted Tubular Steel Steps | | | | | | | | Galvanised Steps | | | |
|---------------|------------------------------|----------|-----------------------------|---------|----------------|---------|-----------------|---------|-------------------|---------|------------------|---------|-------------------|---------|
| | | | Mesh Tread | | Phenolic Tread | | Aluminium Tread | | Handrails to Suit | | Galvanised Tread | | Handrails to Suit | |
| | | | Model | Price | Model | Price | Model | Price | Model | Price | Model | Price | Model | Price |
| 2 | 400 x 760 x 600 | 10 | BS9002M | £153.30 | BS9002R | £157.10 | BS9002A | £158.80 | BS9102 | £39.55* | BS9002G | £166.20 | BS9102G | £43.25* |
| 3 | 600 x 900 x 800 | 18 | BS9003M | £267.15 | BS9003R | £274.55 | BS9003A | £278.20 | BS9103 | £39.55* | BS9003G | £290.60 | BS9103G | £43.25* |
| 4 | 800 x 900 x 1000 | 24 | BS9004M | £325.55 | BS9004R | £332.95 | BS9004A | £336.55 | BS9104 | £45.85* | BS9004G | £366.40 | BS9104G | £50.00* |
| 5 | 1000 x 900 x 1200 | 30 | BS9005M | £382.05 | BS9005R | £389.45 | BS9005A | £393.20 | BS9105 | £51.95* | BS9005G | £416.10 | BS9105G | £56.35* |

*prices applicable when ordering with the Fort Buttress Steps. Order charges will apply if ordered on their own.

Fort® Machine Steps

- » Platform size: 550 x 300mm
- » Fully welded construction with wide aluminium treads
- » The optional handrail & the wheel facility means that these units are quick & easy to position into the required place



Safety, Strength & Durability



MCS03Z

Wheels can be positioned inside the frame when not in use



MCS04Z, MCSHR4 & MCS01W



MCS05Z



| No. of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|------------------------------------|--------------------|---------------------------|-----------|--------|---------|
| 2 | 400 | 400 x 665 x 660 | 12 | MCS02Z | £243.85 |
| Optional Handrail to suit - MCS02Z | | | | MCSHR2 | £47.50* |
| 3 | 600 | 600 x 715 x 800 | 16 | MCS03Z | £322.40 |
| Optional Handrail to suit - MCS03Z | | | | MCSHR3 | £52.90* |
| 4 | 800 | 800 x 765 x 1010 | 20 | MCS04Z | £413.25 |
| Optional Handrail to suit - MCS04Z | | | | MCSHR4 | £59.30* |
| 5 | 1000 | 1000 x 815 x 1220 | 25 | MCS05Z | £503.15 |
| Optional Handrail to suit - MCS05Z | | | | MCSHR5 | £64.85* |
| Optional Wheels - Factory Fitted | | | | MCS01W | £67.95* |

*prices applicable when ordering with the Fort Machine Steps. Order charges will apply if ordered on their own.

Fort® Handy Steps

- » Strong steel frame
- » Nestable, lightweight static steps
- » All weather non-slip injection moulded treads



HS302Z



HS301Z



Safety, Strength & Durability

All weather, non-slip, injection moulded treads



| No. of Treads | Overall Size H x W x D mm | Weight kg | Model | Price 1 Off | Price (each) 2+ |
|---------------|---------------------------|-----------|--------|-------------|-----------------|
| 1 | 285 x 400 x 400 | 3 | HS301Z | £73.05 | £66.25 |
| 2 | 405 x 415 x 730 | 5 | HS302Z | £112.75 | £107.30 |
| 2 with post | 1400 x 415 x 730 | 5.5 | HS312Z | £136.40 | £130.95 |



HS312Z

Fort® Tilt & Pull Steps

- » Available as a standard version or as a model which is Certified to BS EN 14183
- » Tread size: 400 x 150mm
- » Top tread size: 400 x 200mm
- » Wheels fitted at front enabling the steps to be tilted forwards
- » Fitted with rubber feet & 2 x 75mm grey rubber tyred wheels
- » Standard version fitted with resilient anti-slip treads with tread clamps. Available in blue only.
- » BS EN 14183 version is fitted with phenolic non-slip treads. Frame available in red, blue, yellow or green - please specify when ordering

FROM ONLY
£157.70



Safety, Strength & Durability




manufactured



BS EN 14183
COLOUR
OPTIONS

- Red
- Blue
- Yellow
- Green

specify when ordering



BS EN 14183 Model
GS2003R



BS EN 14183 Model
GS2004R



WS2002, WS2003
& WS2004

Resilient anti-slip treads with tread clamps

Resilient anti-slip treads which are clamped to the steel tread by a high visibility yellow strip to prevent the edges peeling



| No. of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|---|--------------------|---------------------------|-----------|---------|---------|
| Standard Version - Anti-slip treads with tread clamps | | | | | |
| 2 | 500 | 1050 x 470 x 630 | 10 | WS2002 | £157.70 |
| 3 | 750 | 1300 x 490 x 800 | 12 | WS2003 | £202.65 |
| 4 | 1000 | 1700 x 565 x 1005 | 16 | WS2004 | £270.95 |
| BS EN 14183 Version - Phenolic Treads | | | | | |
| 2 | 470 | 1070 x 490 x 580 | 10 | GS2002R | £239.05 |
| 3 | 705 | 1410 x 520 x 745 | 12 | GS2003R | £318.50 |
| 4 | 940 | 1650 x 540 x 910 | 16 | GS2004R | £422.30 |

Standard Model
WS2003 - Tilted

Stainless Steel Fort® Tilt & Pull Steps

- » Tread size: 400 x 160mm
- » Platform size: 400 x 200mm
- » Constructed from grade 304 stainless steel
- » Grey non-marking rubber wheels at the front of the units enable the steps to be tilted forwards & wheeled into position
- » Treads are covered in a resilient anti-slip surface



Safety, Strength & Durability



FROM ONLY
£675.75

SS2004

SS2003

SS2002

| No. of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|---------------|--------------------|---------------------------|-----------|--------|----------|
| 2 | 500 | 1055 x 455 x 620 | 10 | SS2002 | £675.75 |
| 3 | 750 | 1300 x 480 x 790 | 12 | SS2003 | £990.15 |
| 4 | 1000 | 1700 x 550 x 980 | 16 | SS2004 | £1238.95 |

Fort® Arrow BS EN 131 Professional Stainless Steel Steps

- » Certified to BS EN 131 Professional
- » Manufactured from grade 304 tubular stainless steel with non-slip tread plate
- » Units are easy to manoeuvre on the 2 wheels - simply use the handles to lift the front & wheel into position
- » A retro fit grip lift mechanism is available - see page 485 for details
- » Tread size: 500W x 150Dmm
 - » Platform size: 500W x 300Dmm
- » 2 x 150mm nylon wheels
 - » 600mm high rear handrail



Safety, Strength & Durability



GS0604S

| No. of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|---|--------------------|---------------------------|-----------|---------|----------|
| 3 | 750 | 1450 x 640 x 1110 | 27 | GS0603S | £1200.20 |
| 4 | 1000 | 1700 x 670 x 1220 | 30 | GS0604S | £1469.65 |
| 5 | 1250 | 1950 x 700 x 1535 | 34 | GS0605S | £1659.40 |
| 6 | 1500 | 2200 x 730 x 1745 | 38 | GS0606S | £1931.35 |
| 7 | 1750 | 2450 x 760 x 1955 | 43 | GS0607S | £2360.35 |
| 8 | 2000 | 2700 x 790 x 2165 | 49 | GS0608S | £2587.50 |
| Optional Grip Lift Mechanism (factory fitted) | | | | MS0600 | £99.60 |

Fort® Domed Feet Steps

- » Tread size: 400W x 150D mm
- » These steps glide easily across floors, but once body weight is applied they stay firmly in position



WS512



WS510



BLUE ONLY

COLOUR OPTIONS

- Red
 - Blue
 - Yellow
- specify when ordering



WS513



WS514



Safety, Strength & Durability



Specially designed, impact resistant, steel domed feet



The design incorporates a heavy duty pressed steel dome with an annular flange to facilitate the mounting of a moulded plastic rim which is shrink fitted for ultimate durability. The turned out rim gives significantly increased lateral strength & protection from side impact forces. These castors are fitted to the Fort Mobile Steps shown on pages 469 to 473

Resilient anti-slip treads with tread clamps

Resilient anti-slip treads which are clamped to the steel tread by a high visibility yellow strip to prevent the edges peeling



Why Choose Me?

- ✓ Bestselling range of domed feet steps
- ✓ Impact resistant domed feet that are welded, not bolted & do not break (subject to normal use)
- ✓ The anti-slip treads on the WS models have the following advantages over rubber treads: Do not peel up; Are REACH compliant; Provide more grip when exposed to liquids




WS513



WS515

| Description | Platform Height mm | Platform Size W x D mm | Overall Size H x W x D mm | Weight kg | Mesh Treads | | Anti-Slip Treads | |
|------------------------------|--------------------|------------------------|---------------------------|-----------|-------------|---------|------------------|---------|
| | | | | | Model | Price | Model | Price |
| 2 Tread without handrail | 500 | 400 x 300 | 580 x 560 x 575 | 8 | WM510 | £208.00 | WS510 | £223.50 |
| 2 Tread with looped handrail | | | 1200 x 560 x 575 | 9 | WM511 | £241.90 | WS511 | £259.95 |
| 2 Tread with full handrail | | | 1200 x 560 x 575 | 10 | WM512 | £254.65 | WS512 | £273.70 |
| 3 Tread with full handrail | 750 | | 1460 x 560 x 725 | 13 | WM513 | £299.20 | WS513 | £321.90 |
| 4 Tread with full handrail | 1000 | | 1710 x 560 x 875 | 16 | WM514 | £353.45 | WS514 | £379.45 |
| 5 Tread with full handrail | 1250 | | 1960 x 610 x 1025 | 21 | WM515 | £420.30 | WS515 | £451.25 |

Fort® Easy Glide Domed Feet Steps



COLOUR
OPTIONS

Red

Blue

Light Grey

Green

specify when ordering

All weather, non-slip,
injected moulded treads



Specially designed, impact
resistant, steel domed feet



The design incorporates a heavy duty pressed steel dome with an annular flange to facilitate the mounting of a moulded plastic rim which is shrink fitted for ultimate durability. The turned out rim gives significantly increased lateral strength & protection from side impact forces. These castors are fitted to the Fort Mobile Steps shown on pages 469 to 473



MEG514


manufactured




Safety, Strength & Durability



MEG513



MEG515

| Description | Platform Height mm | Platform W x D mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|------------------------------|--------------------|-------------------|---------------------------|-----------|--------|---------|
| 2 Tread with looped handrail | 500 | 400 x 300 | 1210 x 560 x 640 | 10 | MEG511 | £336.65 |
| 2 Tread with full handrail | 500 | 400 x 300 | 1210 x 560 x 640 | 11 | MEG512 | £351.00 |
| 3 Tread with full handrail | 750 | 400 x 300 | 1450 x 560 x 840 | 14 | MEG513 | £393.90 |
| 4 Tread with full handrail | 1000 | 400 x 300 | 1700 x 560 x 1040 | 17 | MEG514 | £452.00 |
| 5 Tread with full handrail | 1250 | 450 x 300 | 1950 x 610 x 1360 | 21 | MEG515 | £545.65 |

Fort® Easy Glide Range of Mobile Steps

- » Certified to BS EN 131 Professional
- » Expanded steel mesh treads or all weather, non-slip, injection moulded treads
- » Tread size: 400 x 200mm



BLUE ONLY



GSE513



Safety, Strength & Durability

FROM ONLY
£354.45

COLOUR OPTIONS

- Red
 - Blue
 - Light Grey
 - Green
- specify when ordering



GSE515M

Specially designed, impact resistant, steel domed feet



The design incorporates a heavy duty pressed steel dome with an annular flange to facilitate the mounting of a moulded plastic rim which is shrink fitted for ultimate durability. The turned out rim gives significantly increased lateral strength & protection from side impact forces. These castors are fitted to the Fort Mobile Steps shown on pages 469 to 473



Expanded steel mesh treads or all weather, non-slip, injected moulded treads



GSE514



GSE512M

Why Choose Me?

- ✓ Impact resistant domed feet that are welded, not bolted & do not break (subject to normal use)
- ✓ All weather, non-slip, injected moulded tread version available
- ✓ Design gives stability whilst enabling you to get close enough to prevent over-reaching



| No. of Treads | Platform Height mm | Platform Size W x D mm | Overall Size H x W x D mm | Weight kg | Mesh Treads | | Injected Moulded Treads | |
|---------------|--------------------|------------------------|---------------------------|-----------|-------------|---------|-------------------------|---------|
| | | | | | Model | Price | Model | Price |
| 2 | 500 | 400 x 300 | 1185 x 560 x 640 | 12 | GSE512M | £354.45 | GSE512 | £366.65 |
| 3 | 750 | 400 x 300 | 1435 x 560 x 855 | 15 | GSE513M | £398.00 | GSE513 | £414.30 |
| 4 | 1000 | 400 x 300 | 1685 x 570 x 1065 | 18 | GSE514M | £456.25 | GSE514 | £476.75 |
| 5 | 1250 | 450 x 300 | 1935 x 610 x 1275 | 23 | GSE515M | £555.20 | GSE515 | £577.10 |

Fort® Premier Range of Mobile Steps



MS6014

» All weather non-slip injection moulded treads

» Tread size: 400 x 200mm

COLOUR OPTIONS

- Red
- Blue
- Light Grey
- Green

specify when ordering



IMPACT RESISTANT



MS6012 & MS002Z

FROM ONLY

£369.55



MS6013

Specially designed, impact resistant, steel domed feet


The design incorporates a heavy duty pressed steel dome with an annular flange to facilitate the mounting of a moulded plastic rim which is shrink fitted for ultimate durability. The turned out rim gives significantly increased lateral strength & protection from side impact forces. These castors are fitted to the Fort Mobile Steps shown on pages 469 to 473

All weather, non-slip, injected moulded treads



Why Choose Me?

- ✓ Impact resistant domed feet that are welded, not bolted & do not break (subject to normal use)
- ✓ Extra deep comfort platform of 400mm (3 tread & above)
- ✓ All weather, non-slip, injected moulded treads





Safety, Strength & Durability

| No. of Treads | Platform Height mm | Platform Size W x D mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|--|--------------------|------------------------|---------------------------|-----------|--------|---------|
| 2 | 508 | 400 x 200 | 605 x 560 x 640 | 7 | MS6012 | £369.55 |
| 3 | 762 | 400 x 400 | 1445 x 560 x 860 | 13 | MS6013 | £528.30 |
| 4 | 1016 | 400 x 400 | 1690 x 560 x 1060 | 20 | MS6014 | £678.05 |
| 5 | 1290 | 400 x 400 | 1955 x 615 x 1450 | 25 | MS6015 | £846.15 |
| Optional extra safety post with handgrip for two step model - Height from floor: 1350 mm | | | | | MS002Z | £26.70* |



MS6015

*price applicable when ordering with the Fort Premier Range of Mobile Steps. Order charges will apply if ordered on their own.

Fort® 'Gamma' BS EN 131 Professional Steps

- » Certified to BS EN 131 Professional
- » Platform size: 410W x 410D mm
- » Tread size: 415W x 145D mm
- » These steps glide easily across floors, but once body weight is applied they stay firmly in position
- » 1000mm high handrail for greater user safety
- » Available with Mesh, Phenolic or Aluminium Treads



MS1704R



MS1702A

COLOUR OPTIONS

- Red
- Blue
- Grey

specify when ordering



MS1706M

Specially designed, impact resistant, steel domed feet



The design incorporates a heavy duty pressed steel dome with an annular flange to facilitate the mounting of a moulded plastic rim which is shrink fitted for ultimate durability. The turned out rim gives significantly increased lateral strength & protection from side impact forces. These castors are fitted to the Fort Mobile Steps shown on pages 469 to 473

Why Choose Me?

- ✓ Only range of domed feet steps to go up to a 6 tread
- ✓ Impact resistant domed feet that are welded, not bolted & do not break (subject to normal use)
- ✓ Extra large comfort platform of 410 x 410mm
- ✓ 1000mm platform rail prevents over reaching



Safety, Strength & Durability



| No of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Mesh Treads | | Phenolic Treads | | Aluminium Treads | |
|--------------|--------------------|---------------------------|-----------|-------------|---------|-----------------|---------|------------------|---------|
| | | | | Model | Price | Model | Price | Model | Price |
| 2 | 500 | 1500 x 570 x 670 | 18 | MS1702M | £380.55 | MS1702R | £388.45 | MS1702A | £412.05 |
| 3 | 750 | 1750 x 610 x 830 | 22 | MS1703M | £427.15 | MS1703R | £438.15 | MS1703A | £450.80 |
| 4 | 1000 | 2000 x 760 x 1000 | 26 | MS1704M | £484.15 | MS1704R | £498.30 | MS1704A | £515.65 |
| 5 | 1250 | 2250 x 930 x 1120 | 29 | MS1705M | £559.25 | MS1705R | £576.60 | MS1705A | £595.50 |
| 6 | 1500 | 2500 x 1100 x 1280 | 33 | MS1706M | £628.85 | MS1706R | £649.40 | MS1706A | £668.30 |

Fort® Weight Reactive BS EN 131 Professional Mobile Steps

- » Certified to BS EN 131 Professional (GS7012 is certified to BS EN 14183)
- » All weather non-slip injected moulded treads
- » Tread size: 400W x 200D mm

FROM ONLY
£479.40



COLOUR
OPTIONS

- Red
- Blue

specify when ordering



GS7013



GS7014



GS7012



Safety, Strength & Durability

All weather, non-slip,
injection moulded treads



Spring loaded castors



Mobile on 4 spring loaded 80mm swivel castors. When body weight is applied the castors retract leaving the steps firm & safe on rubber feet

| Description | Platform Height mm | Platform W x D mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|---------------------|--------------------|-------------------|---------------------------|-----------|--------|---------|
| 2 Tread with handle | 470 | 400 x 200 | 1330 x 510 x 620 | 15 | GS7012 | £479.40 |
| 3 Tread | 735 | 400 x 400 | 1445 x 620 x 870 | 17 | GS7013 | £594.90 |
| 4 Tread | 980 | 400 x 400 | 1690 x 650 x 1040 | 23 | GS7014 | £751.50 |
| 5 Tread | 1225 | 400 x 400 | 1940 x 670 x 1440 | 28 | GS7015 | £885.35 |

Why Choose Me?

- ✓ When in use the castors & feet give 8 points of contact with the floor to give extra stability
- ✓ All weather, non-slip, injected moulded tread version available



Fort® Weight Reactive Steps

>> Tread size: 400W x 150D mm



**FROM STOCK
ANTI-SLIP ONLY**
5 & 6 TREAD UNITS
ARE ON EXTENDED
LEAD TIME

**FROM ONLY
£296.75**



WS7014



WM7013



WM7015

Spring loaded castors



Mobile on 4 spring loaded 75mm swivel castors. When body weight is applied the castors retract leaving the steps firm & safe on rubber feet

Resilient anti-slip treads with tread clamps.

Resilient anti-slip treads which are clamped to the steel tread by a high visibility yellow strip to prevent the edges peeling



Safety, Strength & Durability



Why Choose Me?

- ✓ When in use the castors & feet give 8 points of contact with the floor to give extra stability
- ✓ The anti-slip treads on the WS models have the following advantages over rubber treads: Do not peel up; Are REACH compliant; Provide more grip when exposed to liquids



WM7010



WS7011



WS7012

| Description | Platform Height mm | Platform Size W x D mm | Overall Size H x W x D mm | Weight kg | Mesh Treads | | Anti-Slip Treads | |
|------------------------------|--------------------|------------------------|---------------------------|-----------|-------------|---------|------------------|---------|
| | | | | | Model | Price | Model | Price |
| 2 Tread without handrail | 500 | 400 x 300 | 580 x 540 x 510 | 10 | WM7010 | £296.75 | WS7010 | £319.50 |
| 2 Tread with looped handrail | | | 1230 x 540 x 510 | 11 | WM7011 | £313.10 | WS7011 | £336.95 |
| 2 Tread with full handrail | | | 1230 x 540 x 510 | 12 | WM7012 | £326.45 | WS7012 | £351.50 |
| 3 Tread with full handrail | 750 | | 1480 x 540 x 720 | 17 | WM7013 | £365.15 | WS7013 | £393.00 |
| 4 Tread with full handrail | 1000 | | 1730 x 550 x 870 | 20 | WM7014 | £413.80 | WS7014 | £444.75 |
| 5 Tread with full handrail | 1250 | | 1980 x 665 x 1020 | 25 | WM7015 | £455.75 | WS7015 | £489.75 |
| 6 Tread with full handrail | 1500 | | 2230 x 750 x 1170 | 28 | WM7016 | £500.00 | WS7016 | £537.00 |



SP1204A

'The Universal' Fort® Steps

- » Certified to BS EN 14183
- » 140mm deep treads
- » Large working platform size: 450W x 550Dmm
- » 1000mm high platform handrail with mid rail & kick rail
- » Mobile on 2 x swivel braked 125mm rubber castors & spring loaded 75mm weight reactive rubber castors. Brake facility on the 125mm rear castors gives extra security when working for long periods in one position
- » Safety chain facility with snap/lock carbine hooks at the entrance to the platform gives you greater safety when working above head height



Safety, Strength & Durability

COLOUR OPTIONS

- Yellow
 - Blue
- specify when ordering

FROM ONLY
£438.05

TREAD OPTIONS



- Phenolic (non-slip)
- Aluminium (non-slip)
- Expanded Steel Mesh



Safety Chain



| No of Treads | Overall Size H x W x D mm | Platform Height mm | Weight kg | Expanded Steel Treads | | Phenolic Treads | | Aluminium Treads | |
|--------------|---------------------------|--------------------|-----------|-----------------------|---------|-----------------|---------|------------------|---------|
| | | | | Model | Price | Model | Price | Model | Price |
| 2 | 1480 x 720 x 950 | 480 | 24 | SP1202M | £438.05 | SP1202R | £461.85 | SP1202A | £477.75 |
| 3 | 1720 x 740 x 1085 | 720 | 27 | SP1203M | £493.90 | SP1203R | £523.65 | SP1203A | £539.50 |
| 4 | 1960 x 760 x 1220 | 960 | 31 | SP1204M | £561.20 | SP1204R | £595.05 | SP1204A | £601.00 |



FGS7808M



Fort® Quick Folding BS EN 131 Professional Steps

- » Certified to BS EN 131 Professional
- » Platform size: 450W x 300Dmm
- » 2 x 200mm black rubber tyred wheels
- » Expanded steel tread size: 450W x 145Dmm
- » Folds & unfolds without the use of nuts & bolts
- » Constructed from tubular steel with two handles at the front, fitted with knuckle guard hand grips



Safety, Strength & Durability

FROM ONLY
£812.30



FGS7805M
Folded

| No of Treads | Platform Height mm | Overall Size - In Use H x W x D mm | Overall Size - Folded H x W x D mm | Weight kg | Model | Price |
|--------------|--------------------|------------------------------------|------------------------------------|-----------|----------|----------|
| 4 | 1000 | 1700 x 650 x 1310 | 930 x 650 x 1830 | 40 | FGS7804M | £812.30 |
| 5 | 1250 | 1950 x 690 x 1520 | 930 x 690 x 2120 | 45 | FGS7805M | £923.90 |
| 6 | 1500 | 2200 x 720 x 1730 | 930 x 720 x 2410 | 50 | FGS7806M | £1027.55 |
| 7 | 1750 | 2450 x 770 x 1940 | 930 x 770 x 2700 | 55 | FGS7807M | £1127.95 |
| 8 | 2000 | 2700 x 790 x 2150 | 930 x 790 x 2990 | 60 | FGS7808M | £1229.10 |

Fort® 'Duplex' Weight Reactive Mobile Steps



- » Unique 'frame within a frame' design for maximum stability
- » Standard or BS EN 131 Professional version available
- » Fitted with 4 sprung retractable 100mm swivel castors
When body weight is added the castors retract, leaving the steps stable & safe on rubber feet

| No of Treads | Platform Height mm | Overall Size H x W x D mm | Platform Size W x D mm | Tread Size W x D mm | Weight kg | Model | Price |
|---|--------------------|---------------------------|------------------------|---------------------|-----------|---------|----------|
| 1 Standard Version - Expanded Steel Treads Available in Blue with a Blue Inner Frame | | | | | | | |
| 3 | 665 | 1585 x 480 x 740 | 335 x 205 | 335 x 132 | 17 | MS5931M | £404.15 |
| 4 | 880 | 1800 x 480 x 870 | | | 21 | MS5941M | £433.30 |
| 5 | 1195 | 2195 x 680 x 960 | 530 x 255 | 530 x 165 | 28 | MS5951M | £561.40 |
| 6 | 1310 | 2310 x 680 x 1110 | | | 33 | MS5961M | £595.85 |
| 2 Standard Version - Phenolic non-slip Treads Available in Blue, Red or Light Grey with a Yellow Inner Frame - please specify colour when ordering | | | | | | | |
| 3 | 645 | 1828 x 470 x 840 | 380 x 300 | 380 x 150 | 20 | MSD103 | £597.75 |
| 4 | 870 | 1828 x 470 x 840 | | | 24 | MSD104 | £637.70 |
| 5 | 1090 | 2310 x 660 x 1120 | 530 x 300 | 530 x 150 | 30 | MSD105 | £720.05 |
| 6 | 1310 | 2310 x 660 x 1120 | | | 40 | MSD106 | £778.10 |
| 3 BS EN 131 Professional Version - Phenolic non-slip Treads Available in Blue, Red or Light Grey with a Yellow Inner Frame - please specify colour when ordering | | | | | | | |
| 3 | 690 | 1780 x 560 x 790 | 380 x 300 | 380 x 150 | 30 | GS5931 | £684.75 |
| 4 | 920 | 2015 x 560 x 1000 | | | 35 | GS5941 | £779.80 |
| 5 | 1150 | 2240 x 760 x 1210 | 530 x 300 | 530 x 150 | 45 | GS5951 | £905.40 |
| 6 | 1380 | 2480 x 760 x 1420 | | | 50 | GS5961 | £1004.35 |

Why Choose Me?

'Frame within a Frame' weight reactive steps

When your body weight is applied the uniquely designed inner frame will lower, resting all 4 non-slip rubber feet on the ground. This immobilises the wheels giving maximum stability & safety



Castors sit on the floor making these units easily manoeuvrable



When body weight is applied the rubber feet sit on the floor to stop the unit from moving

Fort® Tilt 'N' Push Mobile Steps



- >> Certified to BS EN 131 Professional version available
- >> Features a large working top platform: 490 x 600mm
- >> The steps have two handles at the front, fitted with knuckle guard hand grips for lifting. These units are then mobile on two fixed rear nylon 100mm castors
- >> Platform rail height: 1000mm
- >> Tread size: 490 x 160mm



MS7806G




Optional Inward Opening Gate - MS700Z

GS7815P



Safety, Strength & Durability

| No of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Galvanised Units | | Blue Painted Units | |
|--|--------------------|------------------------------|--------------|------------------|----------|--------------------|----------|
| | | | | Model | Price | Model | Price |
| Standard Version | | | | | | | |
| 3 | 750 | 1750 x 660 x 1235 | 43 | MS7803G | £883.40 | MS7813P | £746.55 |
| 4 | 1000 | 2000 x 660 x 1420 | 48 | MS7804G | £1100.50 | MS7814P | £950.15 |
| 5 | 1250 | 2250 x 660 x 1605 | 54 | MS7805G | £1297.75 | MS7815P | £1134.55 |
| 6 | 1500 | 2500 x 660 x 1790 | 60 | MS7806G | £1484.60 | MS7816P | £1307.75 |
| Inward Opening Gate - factory fitted to the rear | | | | MS700Z | £171.60 | MS710Z | £157.35 |
| Retro-fit Lifting Barrier (see page 487 for details) | | | | SB781MS | £92.85 | SB780MS | £77.20 |
| BS EN 131 Professional Version | | | | | | | |
| 3 | 750 | 1750 x 820 x 1235 | 43 | GS7803G | £937.65 | GS7813P | £796.90 |
| 4 | 1000 | 2000 x 820 x 1420 | 48 | GS7804G | £1167.35 | GS7814P | £1012.50 |
| 5 | 1250 | 2250 x 1020 x 1605 | 54 | GS7805G | £1377.50 | GS7815P | £1208.50 |
| 6 | 1500 | 2500 x 1120 x 1790 | 60 | GS7806G | £1577.00 | GS7816P | £1393.25 |
| Inward Opening Gate - factory fitted to the rear | | | | GS700Z | £171.60 | GS710Z | £157.35 |
| Retro-fit Lifting Barrier (see page 487 for details) | | | | SB781GS | £92.85 | SB780GS | £77.20 |



MS7814P fitted with MS710Z

Fort® Dock Steps

- » Certified to BS EN 14183
- » Fitted with lift handles which incorporate knuckle guard hand grips & 2 x 150mm rubber tyred wheels which make these units extremely manoeuvrable
- » Open rear allows step through access to a loading bay or lorry etc
- » Tread depth: 145mm
- » Platform size: 400W x 300D mm



FROM STOCK



FROM ONLY
£251.55



GSD702R



GSD703G
Galvanised Finish



GSD704M



GSD704M
In Use



Safety, Strength & Durability



Why Choose Me?

- ✓ Open rear allows easy step through access to loading bays & vehicles
- ✓ Great for loading & unloading
- ✓ Easy to manoeuvre & economical design



Open rear allows step through access to a Loading Bay or Lorry etc

| No of Treads | Platform Height mm | Overall Size H x W x D mm | Mesh Treads | | | Phenolic Non-slip Treads | | |
|----------------------|--------------------|------------------------------|-------------|---------|---------|--------------------------|---------|---------|
| | | | Weight | Model | Price | Weight | Model | Price |
| Powder Coated Finish | | | | | | | | |
| 2 | 500 | 1210 x 480 x 685 | 16 kg | GSD702M | £251.55 | 17 kg | GSD702R | £259.10 |
| 3 | 750 | 1460 x 510 x 857 | 18 kg | GSD703M | £299.45 | 19 kg | GSD703R | £309.55 |
| 4 | 1000 | 1710 x 540 x 1020 | 20 kg | GSD704M | £356.35 | 21 kg | GSD704R | £370.40 |
| Galvanised Finish | | | | | | | | |
| 2 | 500 | 1210 x 480 x 685 | 18 kg | GSD702G | £269.95 | - | - | - |
| 3 | 750 | 1460 x 510 x 857 | 20 kg | GSD703G | £323.40 | - | - | - |
| 4 | 1000 | 1710 x 540 x 1020 | 22 kg | GSD704G | £385.85 | - | - | - |



Fort® 'Wheel' BS EN 131 Professional Mobile Steps




- » Certified to BS EN 131 Professional
- » Fitted with lift handles which incorporate knuckle guard hand grips & 2 x 150mm rubber tyred wheels which make these units extremely manoeuvrable
- » Platform size: 400W x 300D mm
- » Tread depth: 145mm



Safety, Strength & Durability

| No of Treads | Platform Height mm | Overall Size H x W x D mm | Expanded Steel Treads | | | Phenolic Non-slip Treads | | |
|--------------|--------------------|---------------------------|-----------------------|---------|---------|--------------------------|---------|---------|
| | | | Weight | Model | Price | Weight | Model | Price |
| 2 | 500 | 1210 x 540 x 820 | 18 kg | GSW702M | £247.70 | 19 kg | GSW702R | £260.30 |
| 3 | 750 | 1460 x 570 x 1032 | 20 kg | GSW703M | £296.10 | 21 kg | GSW703R | £316.90 |
| 4 | 1000 | 1710 x 600 x 1244 | 22 kg | GSW704M | £354.00 | 23 kg | GSW704R | £386.40 |
| 5 | 1250 | 1960 x 630 x 1456 | 24 kg | GSW705M | £411.55 | 25 kg | GSW705R | £459.65 |
| 6 | 1500 | 2210 x 660 x 1668 | 26 kg | GSW706M | £471.55 | 27 kg | GSW706R | £539.30 |
| 7 | 1750 | 2460 x 690 x 1880 | 28 kg | GSW707M | £543.80 | 29 kg | GSW707R | £631.95 |
| 8 | 2000 | 2710 x 720 x 2029 | 30 kg | GSW708M | £602.85 | 31 kg | GSW708R | £715.05 |



FROM ONLY
£399.65



GS0605



GS0608 & MS0600

Fort® Arrow Mobile Steps

- » Certified to BS EN 131 Professional
- » Units are easy to manoeuvre on the 2 wheels - simply use the handles to lift the front & wheel into position
- » Resilient anti-slip treads
- » Tread size: 500W x 150Dmm
- » Platform size: 500W x 300Dmm
- » 600mm high rear handrail
- » 2 x 150mm nylon wheels



Safety, Strength & Durability

| No of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|---|--------------------|---------------------------|-----------|--------|---------|
| 3 | 750 | 1450 x 640 x 1110 | 26 | GS0603 | £399.65 |
| 4 | 1000 | 1700 x 670 x 1220 | 29 | GS0604 | £443.70 |
| 5 | 1250 | 1950 x 700 x 1535 | 32 | GS0605 | £508.70 |
| 6 | 1500 | 2200 x 730 x 1745 | 36 | GS0606 | £558.40 |
| 7 | 1750 | 2450 x 760 x 1955 | 41 | GS0607 | £638.45 |
| 8 | 2000 | 2700 x 790 x 2165 | 44 | GS0608 | £689.85 |
| Optional Retro Grip Lift Mechanism - see page 483 for details | | | | MS0600 | £99.60 |



GS0603

Fort® 'Spring'
BS EN 131 Professional
Mobile Steps

- » Certified to BS EN 131 Professional
- » Platform size: 400W x 300Dmm
- » Tread depth: 145mm



GSS702R

Spring loaded castors



Mobile on 2 spring loaded 75mm swivel castors & 2 x 150mm rubber tyred wheels. When body weight is applied the castors retract leaving the steps firm & safe on rubber feet



GSS704M



Safety, Strength & Durability



GSS708R

FROM ONLY
£285.70

Why Choose Me?

- ✓ The tallest weight reactive step available, up to an 8 tread & 2m platform height
- ✓ Combines the flexibility and manoeuvrability of weight reactive sprung castors with the added height of a traditional warehouse step



| No of Treads | Platform Height mm | Overall Size H x W x D mm | Expanded Steel Treads | | | Phenolic Non-slip Treads | | |
|--------------|--------------------|---------------------------|-----------------------|---------|---------|--------------------------|---------|---------|
| | | | Weight | Model | Price | Weight | Model | Price |
| 2 | 500 | 1210 x 540 x 820 | 18 kg | GSS702M | £285.70 | 19 kg | GSS702R | £298.40 |
| 3 | 750 | 1460 x 570 x 1032 | 20 kg | GSS703M | £334.15 | 21 kg | GSS703R | £354.95 |
| 4 | 1000 | 1710 x 600 x 1244 | 22 kg | GSS704M | £391.95 | 23 kg | GSS704R | £424.60 |
| 5 | 1250 | 1960 x 630 x 1456 | 24 kg | GSS705M | £449.55 | 25 kg | GSS705R | £497.90 |
| 6 | 1500 | 2210 x 660 x 1668 | 26 kg | GSS706M | £509.65 | 27 kg | GSS706R | £577.35 |
| 7 | 1750 | 2460 x 690 x 1880 | 28 kg | GSS707M | £581.80 | 29 kg | GSS707R | £669.95 |
| 8 | 2000 | 2710 x 720 x 2029 | 30 kg | GSS708M | £640.90 | 31 kg | GSS708R | £753.10 |

Fort® 'Delta' BS EN 131 Professional Mobile Steps



MS1805M & MS1800Z

- >> Certified to BS EN 131 Professional
- >> Platform size: 500W x 400D mm
- >> Tread size: 500W x 145D mm
- >> 2-6 Tread Units: Mobile on 2 rear wheels 150mm dia & 2 front spring loaded castors to achieve weight reactive function. Units move freely when pushed (unmounted) & stand firmly on ground once they are in use
- >> 7-10 Tread Units: Made mobile on 150mm wheels & the use of a unique grip lift mechanism facilitating movement on 75mm retractable castors
- >> Available with Expanded Steel, Phenolic or Aluminium Treads



MS1809M



Safety, Strength & Durability



Why Choose Me?

- ✓ Combines the flexibility and manoeuvrability of weight reactive sprung castors with the biggest platform available on a weight reactive step - up to a 6 tread
- ✓ 7 tread and above features our unique grip lift mechanism for speed, ease & safety (preventing ascent in mobile mode)



| No of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Expanded Steel Treads | | Phenolic Treads | | Aluminium Treads | |
|--------------|--------------------|---------------------------|-----------|-----------------------|----------|-----------------|----------|------------------|----------|
| | | | | Model | Price | Model | Price | Model | Price |
| 2 | 460 | 1460 x 700 x 670 | 22 | MS1802M | £389.20 | MS1802R | £397.10 | MS1802A | £414.45 |
| 3 | 690 | 1690 x 720 x 855 | 26 | MS1803M | £450.10 | MS1803R | £462.65 | MS1803A | £484.70 |
| 4 | 920 | 1920 x 750 x 1055 | 29 | MS1804M | £490.00 | MS1804R | £508.95 | MS1804A | £537.25 |
| 5 | 1150 | 2150 x 840 x 1175 | 33 | MS1805M | £531.65 | MS1805R | £558.45 | MS1805A | £591.55 |
| 6 | 1380 | 2380 x 1030 x 1315 | 41 | MS1806M | £583.80 | MS1806R | £615.35 | MS1806A | £653.15 |
| 7 | 1610 | 2610 x 1160 x 1490 | 51 | MS1807M | £684.20 | MS1807R | £796.00 | MS1807A | £761.40 |
| 8 | 1840 | 2840 x 1160 x 1630 | 63 | MS1808M | £734.05 | MS1808R | £868.00 | MS1808A | £823.90 |
| 9 | 2070 | 3070 x 1160 x 1765 | 75 | MS1809M | £992.85 | MS1809R | £1051.10 | MS1809A | £1093.65 |
| 10 | 2300 | 3300 x 1160 x 1900 | 87 | MS1810M | £1067.70 | MS1810R | £1122.80 | MS1810A | £1181.10 |

Fort® Atlas Steps

- » Platform size: 550W x 380Dmm
- » Tread depth: 145mm
- » Features our unique grip lift mechanism for speed, ease & safety (preventing ascent in mobile mode)
- » Mobile on 2 x 160mm rubber wheels & 2 x 100mm swivel nylon castors



MS1205M

Unique Grip Lift Mechanism



Safety, Strength & Durability

PLEASE CHECK THE OVERALL HEIGHT BEFORE ORDERING

Why Choose Me?

- ✓ Box section profile - more steel gives greater stability & strength
- ✓ Features our unique grip lift mechanism for speed, ease & safety (preventing ascent in mobile mode)
- ✓ 1000mm platform rail prevents over reaching



FROM ONLY
£421.30

MS1210M

| No of Treads | Platform Height mm | Overall Size H x W x D mm | Expanded Steel Treads | | |
|--------------|--------------------|------------------------------|-----------------------|---------|----------|
| | | | Weight | Model | Price |
| 3 | 750 | 1750 x 690 x 810 | 32 kg | MS1203M | £421.30 |
| 4 | 1000 | 2000 x 690 x 870 | 36 kg | MS1204M | £484.40 |
| 5 | 1250 | 2250 x 780 x 1130 | 40 kg | MS1205M | £597.95 |
| 6 | 1500 | 2500 x 780 x 1290 | 44 kg | MS1206M | £689.25 |
| 7 | 1750 | 2750 x 880 x 1450 | 48 kg | MS1207M | £794.30 |
| 8 | 2000 | 3000 x 930 x 1610 | 52 kg | MS1208M | £851.60 |
| 9 | 2250 | 3250 x 980 x 1770 | 56 kg | MS1209M | £931.25 |
| 10 | 2500 | 3500 x 1030 x 1930 | 62 kg | MS1210M | £1069.40 |
| 11 | 2750 | 3750 x 1080 x 2090 | 68 kg | MS1211M | £1193.75 |
| 12 | 3000 | 4000 x 1130 x 2250 | 74 kg | MS1212M | £1304.45 |
| 13 | 3250 | 4250 x 1180 x 2410 | 87 kg | MS1213M | £1388.00 |
| 14 | 3500 | 4500 x 1230 x 2570 | 93 kg | MS1214M | £1533.10 |
| 15 | 3750 | 4750 x 1280 x 2730 | 99 kg | MS1215M | £1602.20 |

Fort® Heavy Duty 'Vantage' BS EN 131 Professional Mobile Steps

- » Certified to BS EN 131 Professional
- » Tread size: 490W x 160Dmm
- » Platform size: 540W x 500Dmm
- » Available with a choice of either phenolic non-slip treads or expanded steel mesh treads
- » Standard comfort ladder angle of 54°
- » Fitted with lever operated retractable front castors & a safety bar to deter access to the steps when they are in the mobile position
- » 6 step units & above are sent folded for delivery - easy to erect
- » Platform handrail height: 1000mm
- » Mobile on 2 x 200mm rubber wheels & 2 x 100mm swivel nylon castors



Optional **retro-fit lifting barrier** to the front (entry) of the platform of these steps. Also available for steps on pages 478 & 486

| Model | Price |
|---------|--------|
| SB980GS | £77.20 |

PLEASE CHECK THE OVERALL HEIGHT BEFORE ORDERING




GS9805R & SG500Z

OPTIONAL SECURITY GATE
A Padlockable security gate (as shown above) can be factory fitted to the bottom of these steps

| Model | Price |
|--------|---------|
| SG500Z | £213.15 |

Why Choose Me?

- ✓ Box section profile - more steel gives greater stability & strength for industrial performance
- ✓ 1000mm platform rail prevents over reaching
- ✓ Extra width at base gives even greater stability



GS9808M
£1589.00



GS9808M



Safety, Strength & Durability

| No of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Expanded Steel Treads | | Phenolic Non-slip Treads | |
|--------------|--------------------|---------------------------|-----------|-----------------------|----------|--------------------------|----------|
| | | | | Model | Price | Model | Price |
| 3 | 690 | 1690 x 780 x 954 | 25 | GS9803M | £622.45 | GS9803R | £635.10 |
| 4 | 920 | 1920 x 780 x 1121 | 35 | GS9804M | £797.20 | GS9804R | £811.80 |
| 5 | 1150 | 2150 x 910 x 1288 | 45 | GS9805M | £889.15 | GS9805R | £907.20 |
| 6 | 1380 | 2380 x 960 x 1425 | 55 | GS9806M | £1141.90 | GS9806R | £1161.25 |
| 7 | 1610 | 2610 x 1010 x 1622 | 65 | GS9807M | £1381.05 | GS9807R | £1400.60 |
| 8 | 1840 | 2840 x 1060 x 1789 | 75 | GS9808M | £1589.00 | GS9808R | £1613.35 |
| 9 | 2070 | 3070 x 1140 x 1956 | 86 | GS9809M | £1832.25 | GS9809R | £1858.85 |
| 10 | 2300 | 3300 x 1220 x 2130 | 96 | GS9810M | £2054.70 | GS9810R | £2082.35 |
| 11 | 2530 | 3530 x 1270 x 2290 | 111 | GS9811M | £2405.85 | GS9811R | £2437.20 |
| 12 | 2760 | 3760 x 1370 x 2457 | 127 | GS9812M | £2661.85 | GS9812R | £2695.20 |
| 13 | 2990 | 3990 x 1460 x 2650 | 142 | GS9813M | £3163.30 | GS9813R | £3199.85 |
| 14 | 3220 | 4220 x 1540 x 2791 | 158 | GS9814M | £3501.70 | GS9814R | £3540.30 |
| 15 | 3450 | 4450 x 1565 x 2975 | 173 | GS9815M | £3877.90 | GS9815R | £3918.50 |

Fort® Heavy Duty 'Vantage' Mobile Steps

- » Tread size: 490W x 165Dmm
- » Features our unique grip lift mechanism for speed, ease & safety (preventing ascent in mobile mode)
- » 6 step units & above are sent folded for delivery - Easy to erect
- » Platform handrail height: 1000mm
- » Mobile on 2 x 200mm rubber wheels & 2 x 100mm swivel nylon castors



Safety, Strength & Durability



Optional **retro-fit lifting barrier** to the front (entry) of the platform of these steps. Also available for steps on pages 478 & 486

Barrier only recommended for use with MS99 range due to the restricted area on the MS98 platform

| Model | Price |
|---------|--------|
| SB990MS | £77.20 |

OPTIONAL INWARD OPENING GATE

To allow access from the rear of the platform an inward opening gate can be factory fitted to the rear of the platform handrail



| Model | Price |
|--------|---------|
| MS500Z | £167.70 |



Unique Grip Lift Mechanism

MS9808M

Why Choose Me?

- ✓ Box section profile - more steel gives greater stability & strength for industrial performance
- ✓ 1000mm platform rail prevents over reaching

PLEASE CHECK THE OVERALL HEIGHT BEFORE ORDERING

| No of Treads | Weight kg | Platform Height mm | Platform Size: 460mm Depth x 540mm Width | | | | Platform size: 590mm Depth x 540mm Width | | | | | |
|--------------|-----------|--------------------|--|-----------------------|----------|--------------------------|--|---------------------------|-----------------------|----------|--------------------------|----------|
| | | | Overall Size H x W x D mm | Expanded Steel Treads | | Phenolic Non-slip Treads | | Overall Size H x W x D mm | Expanded Steel Treads | | Phenolic Non-slip Treads | |
| | | | | Model | Price | Model | Price | | Model | Price | Model | Price |
| 3 | 37 | 690 | 1690 x 700 x 890 | MS9803M | £520.70 | MS9803R | £531.85 | 1690 x 700 x 1060 | MS9903M | £562.90 | MS9903R | £578.55 |
| 4 | 41 | 920 | 1920 x 700 x 1100 | MS9804M | £646.10 | MS9804R | £659.40 | 1920 x 700 x 1270 | MS9904M | £688.15 | MS9904R | £706.10 |
| 5 | 45 | 1150 | 2150 x 700 x 1200 | MS9805M | £771.60 | MS9805R | £787.30 | 2150 x 700 x 1370 | MS9905M | £813.60 | MS9905R | £833.70 |
| 6 | 49 | 1380 | 2380 x 700 x 1370 | MS9806M | £896.75 | MS9806R | £919.15 | 2380 x 700 x 1540 | MS9906M | £940.40 | MS9906R | £967.45 |
| 7 | 53 | 1610 | 2610 x 700 x 1530 | MS9807M | £1022.00 | MS9807R | £1042.10 | 2610 x 700 x 1700 | MS9907M | £1066.00 | MS9907R | £1090.70 |
| 8 | 57 | 1840 | 2840 x 700 x 1700 | MS9808M | £1147.35 | MS9808R | £1169.80 | 2840 x 700 x 1870 | MS9908M | £1192.85 | MS9908R | £1219.85 |
| 9 | 65 | 2070 | 3070 x 700 x 1860 | MS9809M | £1272.80 | MS9809R | £1297.40 | 3070 x 700 x 2030 | MS9909M | £1330.45 | MS9909R | £1359.50 |
| 10 | 70 | 2300 | 3300 x 700 x 2020 | MS9810M | £1424.00 | MS9810R | £1450.85 | 3300 x 700 x 2190 | MS9910M | £1481.80 | MS9910R | £1513.20 |
| 11 | 76 | 2530 | 3530 x 800 x 2190 | MS9811M | £1561.45 | MS9811R | £1590.55 | 3530 x 800 x 2360 | MS9911M | £1619.10 | MS9911R | £1652.85 |
| 12 | 82 | 2760 | 3760 x 800 x 2360 | MS9812M | £1719.70 | MS9812R | £1751.05 | 3760 x 800 x 2530 | MS9912M | £1777.25 | MS9912R | £1813.15 |
| 13 | 89 | 2990 | 3990 x 1150 x 2520 | MS9813M | £1888.15 | MS9813R | £1921.80 | 3990 x 1150 x 2690 | MS9913M | £1946.00 | MS9913R | £1984.15 |
| 14 | 92 | 3220 | 4220 x 1230 x 2690 | MS9814M | £2056.80 | MS9814R | £2092.85 | 4220 x 1230 x 2860 | MS9914M | £2114.45 | MS9914R | £2154.85 |
| 15 | 95 | 3450 | 4450 x 1230 x 2850 | MS9815M | £2225.60 | MS9815R | £2263.75 | 4450 x 1230 x 3020 | MS9915M | £2283.20 | MS9915R | £2325.90 |
| 16 | 101 | 3680 | 4680 x 1230 x 2920 | MS9816M | £2376.80 | MS9816R | £2417.15 | 4680 x 1230 x 3190 | MS9916M | £2434.50 | MS9916R | £2479.40 |
| 17 | 108 | 3910 | 4910 x 1400 x 3180 | MS9817M | £2528.10 | MS9817R | £2570.60 | 4910 x 1400 x 3350 | MS9917M | £2585.95 | MS9917R | £2633.00 |
| 18 | 117 | 4140 | 5140 x 1400 x 3350 | MS9818M | £2679.35 | MS9818R | £2706.45 | 5140 x 1400 x 3520 | MS9918M | £2737.20 | MS9918R | £2786.55 |

Fort® Heavy Duty 'Elite' BS EN 131 Professional Mobile Steps



GS9309A

£2073.50

- » Certified to BS EN 131 Professional
- » Tread size: 490W x 128Dmm
- » Large working top platform: 540W x 590Dmm
- » Heavy duty steel framed mobile steps
- » Lifting step feature deters access until steps are safely grounded
- » Ladder angle of 60°
- » 6 step units & above are sent folded for delivery - easy to erect



manufactured



Safety, Strength & Durability

PLEASE CHECK THE OVERALL HEIGHT BEFORE ORDERING

OPTIONAL EXTRAS

Tool Tray & Wire Mesh Baskets which hook onto the guard rail (also applies to page 487)



Optional retro-fit lifting barrier to the front (entry) of the platform of these steps. See page 487 for details.

3 to 5 Tread - SB931GS - £77.20
6 to 15 Tread - SB930GS - £77.20


GS9306M

TREAD OPTIONS

- Phenolic (non-slip)
- Aluminium (non-slip)
- Expanded Steel Mesh

Why Choose Me?

- ✓ Box section profile - more steel gives greater stability & strength for industrial performance
- ✓ 60° angle gives a shorter overall depth & smaller turning circle
- ✓ 1000mm platform rail prevents over reaching
- ✓ Extra width at base gives even greater stability



| Description | Overall Size L x W x H mm | Model | Price |
|---|---------------------------|--------|----------|
| Wire Mesh Basket for GS93 Step | 615 x 260 x 210 | BSK93M | £128.85* |
| Tool tray for GS93 Step | 615 x 260 x 210 | BSK93T | £135.25* |
| Wire Mesh Basket for 490W mm Steps - page 487 | 650 x 260 x 210 | BSK58M | £128.85* |
| Tool Tray for 490W mm Steps - page 487 | 650 x 260 x 210 | BSK58T | £135.90* |
| Wire Mesh Basket for 770W mm Steps - page 487 | 895 x 260 x 210 | BSK69M | £135.25* |
| Tool Tray for 770W mm Steps - page 487 | 895 x 260 x 210 | BSK69T | £141.50* |

*prices applicable when ordering with the Fort 'Elite' Steps. Order charges will apply if ordered on their own.

| No of Treads | Weight kg | Platform Height mm | Overall Size H x W x D mm | Phenolic Non-slip Treads | | Expanded Steel Treads | | Aluminium Treads | |
|--------------|-----------|--------------------|---------------------------|--------------------------|----------|-----------------------|----------|------------------|----------|
| | | | | Model | Price | Model | Price | Model | Price |
| 3 | 44 | 690 | 1790 x 680 x 972 | GS9303R | £791.55 | GS9303M | £791.55 | GS9303A | £957.65 |
| 4 | 50 | 920 | 2020 x 680 x 1104 | GS9304R | £876.85 | GS9304M | £876.85 | GS9304A | £1121.05 |
| 5 | 56 | 1150 | 2250 x 910 x 1237 | GS9305R | £961.50 | GS9305M | £961.50 | GS9305A | £1301.20 |
| 6 | 68 | 1380 | 2480 x 960 x 1370 | GS9306R | £1186.35 | GS9306M | £1186.35 | GS9306A | £1515.45 |
| 7 | 77 | 1610 | 2710 x 1010 x 1503 | GS9307R | £1365.50 | GS9307M | £1365.50 | GS9307A | £1704.75 |
| 8 | 87 | 1840 | 2940 x 1060 x 1635 | GS9308R | £1548.30 | GS9308M | £1548.30 | GS9308A | £1891.60 |
| 9 | 96 | 2070 | 3170 x 1110 x 1768 | GS9309R | £1709.45 | GS9309M | £1709.45 | GS9309A | £2073.50 |
| 10 | 105 | 2300 | 3400 x 1160 x 1901 | GS9310R | £1942.50 | GS9310M | £1942.50 | GS9310A | £2281.80 |
| 11 | 114 | 2530 | 3630 x 1210 x 2034 | GS9311R | £2239.00 | GS9311M | £2239.00 | GS9311A | £2547.00 |
| 12 | 123 | 2760 | 3860 x 1260 x 2167 | GS9312R | £2449.30 | GS9312M | £2449.30 | GS9312A | £2757.00 |
| 13 | 132 | 2990 | 4090 x 1370 x 2299 | GS9313R | £2861.60 | GS9313M | £2861.60 | GS9313A | £3002.90 |
| 14 | 140 | 3220 | 4320 x 1420 x 2432 | GS9314R | £3071.35 | GS9314M | £3071.35 | GS9314A | £3241.00 |
| 15 | 149 | 3450 | 4550 x 1425 x 2565 | GS9315R | £3281.95 | GS9315M | £3281.95 | GS9315A | £3483.70 |



UNIQUE BOTTOM SWINGING STEP

This feature lifts the bottom step preventing access while the unit is mobile. Handle mechanism is fitted to the right hand side as standard

Fort® Heavy Duty 'Elite' Mobile Steps

- » Large working top platform: either 600D x 540W mm or extra wide 600D x 820W mm
- » Wide *770mm tread models also available on 11-18 steps
- » Strongly constructed steps highly manoeuvrable & stable
- » The units incorporate kick boards on 3 sides of the platform
- » 6 step units & above are sent folded for delivery - easy to erect



Safety, Strength & Durability

Why Choose Me?

- ✓ Extra large platform sizes of 600x540 or 600x820mm



UNIQUE BOTTOM SWINGING STEP

This feature lifts the bottom step preventing access while the unit is mobile. This also helps prevent knocked shins

OPTIONAL EXTRAS



Optional **retro-fit lifting barrier** to the front (entry) of the platform of these steps. Also for steps on pages 478 & 486

| Model | Price |
|---------|--------|
| SB580MS | £77.20 |

REAR INWARD OPENING GATE

To allow access from the rear of the platform an inward opening gate can be factory fitted to the rear of the platform handrail

| To Suit | Model | Price |
|------------|--------|---------|
| 490mm Wide | MS500Z | £167.70 |
| To Suit | Model | Price |
| 770mm Wide | MS600Z | £182.30 |

TOOL TRAY/WIRE MESH BASKET
Please see page 486 for details



manufactured



MS5822

£1376.45



MS5822

MS5831

£1568.75



MS5831

PLEASE CHECK THE OVERALL HEIGHT BEFORE ORDERING

| No of Treads | Weight kg | Platform Height | Overall Size H x W x D mm | Phenolic Non-slip Treads | | Expanded Steel Treads | | Aluminium Treads | |
|---|-----------|-----------------|------------------------------|--------------------------|----------|-----------------------|----------|------------------|----------|
| | | | | Model | Price | Model | Price | Model | Price |
| Platform Size: 600D x 540W mm Tread Size: 160D x 490W mm | | | | | | | | | |
| 3 | 25 | 690mm | 1690 x 700 x 1060 | MS5781 | £673.35 | MS5782 | £673.35 | MS5783 | £788.20 |
| 4 | 35 | 920mm | 1920 x 700 x 1270 | MS5791 | £833.20 | MS5792 | £833.20 | MS5793 | £964.40 |
| 5 | 45 | 1150mm | 2150 x 700 x 1370 | MS5801 | £917.35 | MS5802 | £917.35 | MS5803 | £1063.20 |
| 6 | 55 | 1380mm | 2380 x 700 x 1540 | MS5811 | £1146.60 | MS5812 | £1146.60 | MS5813 | £1311.90 |
| 7 | 65 | 1610mm | 2610 x 700 x 1700 | MS5821 | £1376.45 | MS5822 | £1376.45 | MS5823 | £1559.65 |
| 8 | 75 | 1840mm | 2840 x 700 x 1870 | MS5831 | £1568.75 | MS5832 | £1568.75 | MS5833 | £1769.65 |
| 9 | 85 | 2070mm | 3070 x 700 x 2030 | MS5841 | £1798.00 | MS5842 | £1798.00 | MS5843 | £2018.15 |
| 10 | 95 | 2300mm | 3300 x 700 x 2190 | MS5851 | £1991.20 | MS5852 | £1991.20 | MS5853 | £2228.15 |
| 11 | 110 | 2530mm | 3530 x 800 x 2360 | MS5861 | £2269.30 | MS5862 | £2269.30 | MS5863 | £2524.50 |
| 12 | 125 | 2760mm | 3760 x 800 x 2530 | MS5871 | £2479.55 | MS5872 | £2479.55 | MS5873 | £2753.00 |
| 13 | 140 | 2990mm | 3990 x 1150 x 2690 | MS5881 | £2951.55 | MS5882 | £2951.55 | MS5883 | £3249.25 |
| 14 | 155 | 3220mm | 4220 x 1230 x 2860 | MS5891 | £3245.50 | MS5892 | £3245.50 | MS5893 | £3563.30 |
| 15 | 170 | 3450mm | 4450 x 1230 x 3020 | MS5901 | £3579.15 | MS5902 | £3579.15 | MS5903 | £3916.85 |
| 16 | 185 | 3680mm | 4680 x 1230 x 3190 | MS5111 | £3950.30 | MS5112 | £3950.30 | MS5113 | £4307.25 |
| 17 | 200 | 3910mm | 4910 x 1400 x 3350 | MS5121 | £4345.45 | MS5122 | £4345.45 | MS5123 | £4731.85 |
| 18 | 215 | 4140mm | 5140 x 1400 x 3520 | MS5131 | £4770.30 | MS5132 | £4770.30 | MS5133 | £5200.65 |
| Platform Size: 600D x 820W mm Tread Size: 160D x 770W mm | | | | | | | | | |
| *11 | 150 | 2530mm | 3530 x 950 x 2360 | MS6961 | £2712.65 | MS6962 | £2712.65 | MS6963 | £3017.10 |
| *12 | 170 | 2760mm | 3760 x 950 x 2530 | MS6971 | £2993.05 | MS6972 | £2993.05 | MS6973 | £3318.55 |
| *13 | 190 | 2990mm | 3990 x 1150 x 2690 | MS6981 | £3528.15 | MS6982 | £3528.15 | MS6983 | £3881.20 |
| *14 | 210 | 3220mm | 4220 x 1230 x 2860 | MS6991 | £3898.75 | MS6992 | £3898.75 | MS6993 | £4275.25 |
| *15 | 230 | 3450mm | 4450 x 1230 x 3020 | MS6901 | £4302.75 | MS6902 | £4302.75 | MS6903 | £4702.05 |
| *16 | 250 | 3680mm | 4680 x 1230 x 3190 | MS6911 | £4701.60 | MS6912 | £4701.60 | MS6913 | £5130.05 |
| *17 | 270 | 3910mm | 4910 x 1400 x 3350 | MS6921 | £5133.65 | MS6922 | £5133.65 | MS6923 | £5591.60 |
| *18 | 280 | 4140mm | 5140 x 1400 x 3520 | MS6931 | £5603.00 | MS6932 | £5603.00 | MS6933 | £6090.30 |

Fort® Easy Steer Mobile Steps

- » Unique six wheel design enables the step to virtually turn within its own length
- » Fitted with lever operated retractable castors & a safety bar which deters access to the steps when in the mobile position
- » Handle mechanism is fitted to the right hand side as standard
- » Standard comfort ladder angle of 54°
- » Expanded steel mesh treads & platform
- » Folded for delivery - easy to erect
- » Tread size: 490W x 160Dmm
- » Platform size: 540W x 460Dmm
- » Platform handrail height: 1000mm
- » Wheels: 4 x 100mm fixed nylon castors
2 x 100mm swivel nylon castors

FROM ONLY
£1382.05



Safety, Strength & Durability

Why Choose Me?

- ✓ Unique six wheel design reduces the turning circle by circa 50%



ES9809M

PLEASE CHECK THE OVERALL HEIGHT BEFORE ORDERING

| No of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|--------------|--------------------|---------------------------|-----------|---------|----------|
| 7 | 1610 | 2610 x 720 x 1440 | 64 | ES9807M | £1382.05 |
| 8 | 1840 | 2840 x 720 x 1600 | 74 | ES9808M | £1574.35 |
| 9 | 2070 | 3070 x 720 x 1790 | 84 | ES9809M | £1803.55 |
| 10 | 2300 | 3300 x 720 x 1950 | 94 | ES9810M | £1996.70 |
| 11 | 2530 | 3530 x 820 x 2110 | 109 | ES9811M | £2274.85 |
| 12 | 2760 | 3760 x 820 x 2270 | 124 | ES9812M | £2467.25 |
| 13 | 2990 | 3990 x 1170 x 2430 | 139 | ES9813M | £2938.85 |
| 14 | 3220 | 4220 x 1250 x 2590 | 154 | ES9814M | £3232.85 |
| 15 | 3450 | 4450 x 1250 x 2750 | 169 | ES9815M | £3559.35 |
| 16 | 3680 | 4680 x 1250 x 2910 | 184 | ES9816M | £3901.35 |
| 17 | 3910 | 4910 x 1420 x 3070 | 199 | ES9817M | £4297.00 |
| 18 | 4140 | 5140 x 1420 x 3230 | 214 | ES9818M | £4721.70 |



Fort® Wide Tread 'Spartan' Mobile Steps

- » Extra wide treads: 750W x 180Dmm
- » Platform sizes:
3 to 9 steps - 800W x 400Dmm
10 to 15 steps - 800W x 460Dmm
- » Easy slope 48° angle which is for use in areas where there is space available, enabling you to turn around & descend the steps facing forward
- » Welded expanded steel platform & treads with full handrails either side of the steps
- » The units incorporate kick boards on 3 sides of the platform & knee rails around the platform
- » Mobile on 2 x 200mm black rubber tyred wheels & 2 x 125mm rubber tyred castors mounted on the easy action unique grip lift mechanism
- » 6 step units & above are sent folded for delivery - easy to erect
- » Platform handrail height: 1000mm



MS4107
£1095.85



RETRO-FIT LIFTING BARRIER

Optional barrier fitted to the front (entry) of the platform of this range of steps

| Model | Price |
|---------|--------|
| SB410GS | £88.70 |

Why Choose Me?

- ✓ Extra wide treads & platform
- ✓ Easy slope 48° angle so the steps can be descended like normal stairs
- ✓ Features our unique grip lift mechanism for speed, ease & safety (preventing ascent in mobile mode)



MS4107

| No of Treads | Platform Height mm | Overall Size H x W x D mm | Weight kg | Model | Price |
|--------------|--------------------|---------------------------|-----------|--------|----------|
| 3 | 690 | 1690 x 960 x 1065 | 42 | MS4103 | £527.95 |
| 4 | 920 | 1920 x 960 x 1270 | 51 | MS4104 | £706.20 |
| 5 | 1150 | 2150 x 960 x 1475 | 69 | MS4105 | £836.80 |
| 6 | 1380 | 2380 x 980 x 1680 | 82 | MS4106 | £965.60 |
| 7 | 1610 | 2610 x 1030 x 1885 | 96 | MS4107 | £1095.85 |
| 8 | 1840 | 2840 x 1080 x 2090 | 109 | MS4108 | £1231.65 |
| 9 | 2070 | 3070 x 1130 x 2295 | 123 | MS4109 | £1358.85 |
| 10 | 2300 | 3300 x 1180 x 2560 | 136 | MS4110 | £1485.95 |
| 11 | 2530 | 3530 x 1230 x 2765 | 154 | MS4111 | £1612.90 |
| 12 | 2760 | 3760 x 1280 x 2970 | 173 | MS4112 | £1740.05 |
| 13 | 2990 | 3990 x 1320 x 3175 | 192 | MS4113 | £2083.30 |
| 14 | 3220 | 4220 x 1360 x 3380 | 211 | MS4114 | £2241.65 |
| 15 | 3450 | 4450 x 1400 x 3585 | 230 | MS4115 | £2393.20 |



Safety, Strength & Durability

PLEASE CHECK THE OVERALL
HEIGHT BEFORE ORDERING

Fort® Wide Tread 'Trojan S' BS EN 131 Professional Mobile Steps

- » Certified to BS EN 131 Professional
- » Extra wide treads:-
Easy slope - 48°: 750W x 180Dmm
Standard slope - 54°: 750W x 160Dmm
- » Platform size: 800W x 500Dmm
- » There are two versions available: easy slope 48° angle which is for use in areas where there is space available, enabling the user to turn around & descend the steps facing forward. Standard slope 54° angle for use in areas where space is limited
- » The units incorporate kick boards on 3 sides of the platform
- » Platform handrail height: 1000mm
- » 6 step units & above are sent folded for delivery. Easy to erect
- » Fitted with lever operated, retractable castors & safety bar



PLEASE CHECK THE OVERALL HEIGHT BEFORE ORDERING



REAR INWARD OPENING GATE

To allow access from the rear of the platform an inward opening gate can be factory fitted to the rear of the platform handrail

| Model | Price |
|--------|---------|
| GS400Z | £182.30 |



FROM ONLY
£793.75

Lever Operated
Retractable Castors
& Safety Bar

Why Choose Me?

- ✓ Extra wide treads & 500mm deep comfort platform
- ✓ Easy slope version can be descended like normal stairs
- ✓ Option of a rear inward opening gate to create a walkthrough

| No of Treads | Platform Height mm | Standard Slope Version - 54° angle | | | | Easy Slope Version - 48° angle | | | |
|--|--------------------|------------------------------------|-----------|--------|----------|--------------------------------|-----------|--------|----------|
| | | Overall Size H x W x D mm | Weight kg | Model | Price | Overall Size H x W x D mm | Weight kg | Model | Price |
| Fort Wide Tread Grey 'Trojan S' Mobile Steps - Mobile on 2 x 200mm Black Rubber tyred wheels & 2 x 125mm Rubber castors with lever operated retractable castors & a safety bar | | | | | | | | | |
| 3 | 690 | 1690 x 1000 x 1095 | 42 | GS4003 | £793.75 | 1690 x 1000 x 1125 | 45 | GS4103 | £832.40 |
| 4 | 920 | 1920 x 960 x 1260 | 50 | GS4004 | £1008.85 | 1920 x 960 x 1310 | 55 | GS4104 | £1061.40 |
| 5 | 1150 | 2150 x 960 x 1430 | 69 | GS4005 | £1136.90 | 2150 x 960 x 1515 | 74 | GS4105 | £1203.65 |
| 6 | 1380 | 2380 x 980 x 1595 | 82 | GS4006 | £1377.70 | 2380 x 980 x 1725 | 88 | GS4106 | £1504.00 |
| 7 | 1610 | 2610 x 1030 x 1765 | 96 | GS4007 | £1649.45 | 2610 x 1030 x 1930 | 103 | GS4107 | £1799.90 |
| 8 | 1840 | 2840 x 1080 x 1930 | 112 | GS4008 | £1883.70 | 2840 x 1080 x 2140 | 117 | GS4108 | £2049.60 |
| 9 | 2070 | 3070 x 1130 x 2095 | 123 | GS4009 | £2150.30 | 3070 x 1130 x 2345 | 132 | GS4109 | £2339.60 |
| 10 | 2300 | 3300 x 1180 x 2265 | 136 | GS4010 | £2397.45 | 3300 x 1180 x 2555 | 146 | GS4110 | £2593.70 |
| 11 | 2530 | 3530 x 1230 x 2430 | 146 | GS4011 | £2719.85 | 3530 x 1230 x 2760 | 166 | GS4111 | £2930.40 |
| 12 | 2760 | 3760 x 1280 x 2600 | 175 | GS4012 | £2961.45 | 3760 x 1280 x 2965 | 186 | GS4112 | £3200.05 |

Fort® Wide Tread 'Trojan' BS EN 131 Professional Mobile Steps

- » Certified to BS EN 131 Professional
- » Extra wide treads:-
Easy slope - 48°: 750W x 180Dmm
Standard slope - 54°: 750W x 160Dmm
- » Platform size: 800W x 500Dmm
- » There are two versions available: easy slope 48° angle which is for use in areas where there is space available, enabling the user to turn around & descend the steps facing forward. Standard slope 54° angle for use in areas where space is limited
- » The units incorporate kick boards on 3 sides of the platform
- » Platform handrail height: 1000mm
- » 6 step units & above are sent folded for delivery. Easy to erect
- » Features our unique grip lift mechanism for speed, ease & safety (preventing ascent in mobile mode)

FROM ONLY
£645.65



GS1108M

Unique Grip Lift Mechanism

PLEASE CHECK THE OVERALL HEIGHT BEFORE ORDERING



Safety, Strength & Durability

Why Choose Me?

- ✓ Extra wide treads & 500mm deep comfort platform
- ✓ Features our unique grip lift mechanism for speed, ease & safety (preventing ascent in mobile mode)
- ✓ Easy slope version can be descended like normal stairs



| No of Treads | Platform Height mm | Standard Slope Version - 54° angle | | | | | | Easy Slope Version - 48° angle | | | | | |
|---|--------------------|------------------------------------|-------|--------------------------|----------|-----------------------|----------|--------------------------------|-------|--------------------------|----------|-----------------------|----------|
| | | Overall Size H x W x D mm | Wt kg | Phenolic Non-slip Treads | | Expanded Steel Treads | | Overall Size H x W x D mm | Wt kg | Phenolic Non-slip Treads | | Expanded Steel Treads | |
| | | | | Model | Price | Model | Price | | | Model | Price | Model | Price |
| Fort Wide Tread Blue 'Trojan' Mobile Steps - Mobile on 2 x 200mm Black Rubber tyred wheels & 2 x 125mm Rubber tyred castors with a unique Grip Lift Mechanism | | | | | | | | | | | | | |
| 3 | 690 | 1790 x 960 x 1165 | 40 | GS1003R | £654.70 | GS1003M | £645.65 | 1790 x 960 x 1195 | 42 | GS1103R | £670.00 | GS1103M | £661.15 |
| 4 | 920 | 2020 x 960 x 1330 | 48 | GS1004R | £796.35 | GS1004M | £785.50 | 2020 x 960 x 1380 | 51 | GS1104R | £826.35 | GS1104M | £815.65 |
| 5 | 1150 | 2250 x 960 x 1500 | 65 | GS1005R | £934.65 | GS1005M | £922.00 | 2250 x 960 x 1585 | 69 | GS1105R | £991.20 | GS1105M | £978.60 |
| 6 | 1380 | 2460 x 980 x 1665 | 78 | GS1006R | £1126.80 | GS1006M | £1112.45 | 2480 x 980 x 1795 | 82 | GS1106R | £1211.85 | GS1106M | £1197.55 |
| 7 | 1610 | 2710 x 1030 x 1835 | 91 | GS1007R | £1319.10 | GS1007M | £1303.05 | 2710 x 1030 x 1835 | 96 | GS1107R | £1402.75 | GS1107M | £1386.45 |
| 8 | 1840 | 2940 x 1080 x 2000 | 103 | GS1008R | £1509.80 | GS1008M | £1491.80 | 2940 x 1080 x 2000 | 109 | GS1108R | £1596.35 | GS1108M | £1578.65 |
| 9 | 2070 | 3170 x 1130 x 2165 | 117 | GS1009R | £1703.65 | GS1009M | £1683.90 | 3170 x 1130 x 2165 | 123 | GS1109R | £1792.10 | GS1109M | £1772.40 |
| 10 | 2300 | 3400 x 1180 x 2335 | 129 | GS1010R | £1901.00 | GS1010M | £1879.40 | 3400 x 1180 x 2335 | 136 | GS1110R | £1990.85 | GS1110M | £1969.35 |
| 11 | 2530 | 3630 x 1230 x 2500 | 146 | GS1011R | £2091.50 | GS1011M | £2068.20 | 3630 x 1230 x 2500 | 154 | GS1111R | £2179.95 | GS1111M | £2156.60 |
| 12 | 2760 | 3860 x 1280 x 2670 | 164 | GS1012R | £2283.80 | GS1012M | £2258.70 | 3860 x 1280 x 2670 | 173 | GS1112R | £2375.45 | GS1112M | £2350.30 |

Fort® Easy Slope Platforms

- » Easy slope 48° incline - for safe & easy use
- » Platform size: 800W x 1200Dmm
- » Extra wide treads: 750W x 180Dmm
- » Features our unique grip lift mechanism for speed, ease & safety (preventing ascent in mobile mode)
- » Expanded steel mesh treads & platform
- » Mobile on 2 x 200mm rubber wheels & 2 x 125mm rubber castors

Standard Fort Easy Slope Platforms

- » Removable platform chains on three sides for access

BS EN 131 Professional Fort Easy Slope Platforms

- » Certified to BS EN 131 Professional
- » Inward opening gates on 3 sides of the platform



Safety, Strength & Durability



MS9106M



Optional retro-fit lifting barrier to the front (entry) of the platform of the BS EN 131 Professional Version

| Model | Price |
|---------|--------|
| SB910GS | £88.70 |



GS9108M

| No of Treads | Platform Height mm | Standard Version - Powder Coated Blue or Galvanised Finish | | | | | BS EN 131 Version - Powder Coated Grey | | | | |
|--------------|--------------------|--|-----------|---------------|---------|----------|--|-----------|---------------|---------|----------|
| | | Overall Size H x W x D mm | Weight kg | Finish | Model | Price | Overall Size H x W x D mm | Weight kg | Finish | Model | Price |
| 2 | 460 | - | - | - | - | - | 1460 x 960 x 1479 | 62 | Powder Coated | GS9102M | £1201.35 |
| 3 | 690 | 1690 x 950 x 1826 | 74 | Powder Coated | MS9103M | £864.40 | 1690 x 960 x 1686 | 72 | Powder Coated | GS9103M | £1414.40 |
| | | | | Galvanised | MS9103G | £949.15 | - | - | - | - | - |
| 4 | 920 | 1920 x 950 x 2033 | 82 | Powder Coated | MS9104M | £937.20 | 1920 x 960 x 1893 | 82 | Powder Coated | GS9104M | £1627.50 |
| | | | | Galvanised | MS9104G | £1030.90 | - | - | - | - | - |
| 5 | 1150 | 2150 x 950 x 2240 | 90 | Powder Coated | MS9105M | £1010.00 | 2150 x 960 x 2100 | 101 | Powder Coated | GS9105M | £1840.60 |
| | | | | Galvanised | MS9105G | £1114.90 | - | - | - | - | - |
| 6 | 1380 | 2380 x 950 x 2447 | 98 | Powder Coated | MS9106M | £1106.90 | 2380 x 980 x 2307 | 115 | Powder Coated | GS9106M | £2053.40 |
| | | | | Galvanised | MS9106G | £1223.00 | - | - | - | - | - |
| 7 | 1610 | - | - | - | - | - | 2610 x 1030 x 2514 | 130 | Powder Coated | GS9107M | £2316.95 |
| 8 | 1840 | - | - | - | - | - | 2840 x 1080 x 2721 | 144 | Powder Coated | GS9108M | £2580.45 |

Fort® Service Platforms

- » Ideal for access to mezzanine floors & for servicing large plant machinery/automotive equipment
- » Two versions available: easy slope 48° angle enabling the user to descend the steps facing forward. Standard slope 54° angle for use in areas where space is limited
- » Extra large platform size: 800W x 1700Dmm
- » Extra wide treads: 750W x 182Dmm
- » Expanded steel mesh treads & platform
- » Mobile on 2 x 200mm rubber wheels & 2 x 125mm rubber castors
- » Complete with fixed handrail at the end of the platform & 1 hook-on platform handrail which can be fitted on either side of the platform (handrail with centre rail for 2 to 6 tread units & handrail with centre & toe rail for 7 to 10 treads)
- » 7 step units & above are sent folded for delivery - easy to erect



Why Choose Me?

- ✓ Ideal for use with mezzanine floors & large machinery
- ✓ Features our unique grip lift mechanism for speed, ease & safety (preventing ascent in mobile mode)
- ✓ Huge platform size of 800W x 1700D
- ✓ Easy slope version can be descended like normal stairs



Hook on Handrail - MSPX02



MSP9304 & 2 x MSPX03

Accessories

| Description | Model | Price |
|--|--------|--------|
| Double Rail Hook on Handrail to suit 2 to 6 tread | MSPX01 | £77.35 |
| Triple Rail Hook on Handrail to suit 7 to 10 tread | MSPX02 | £93.55 |
| Platform Extension to suit 2 to 6 tread | MSPX03 | £70.40 |
| Platform Extension to suit 7 to 10 tread | MSPX04 | £93.55 |

Platform Extension MSPX03 or MSPX04. Used to bridge the gap between the step platform & anything you are trying to access

MSP9210 & 1 x MSPX04

| No of Treads | Platform Height mm | Standard Slope Version - 54° Angle | | | | Easy Slope Version - 48° Angle | | | |
|--------------|--------------------|------------------------------------|-----------|---------|----------|--------------------------------|-----------|---------|----------|
| | | Overall Size H x W x D mm | Weight kg | Model | Price | Overall Size H x W x D mm | Weight kg | Model | Price |
| 2 | 500 | 1580 x 960 x 2015 | 97 | MSP9202 | £1022.05 | 1580 x 960 x 2058 | 98 | MSP9302 | £1025.60 |
| 3 | 750 | 1830 x 960 x 2197 | 107 | MSP9203 | £1097.00 | 1830 x 960 x 2283 | 108 | MSP9303 | £1101.20 |
| 4 | 1000 | 2080 x 960 x 2379 | 117 | MSP9204 | £1183.25 | 2080 x 960 x 2508 | 118 | MSP9304 | £1186.75 |
| 5 | 1250 | 2330 x 980 x 2561 | 127 | MSP9205 | £1359.45 | 2330 x 980 x 2805 | 128 | MSP9305 | £1365.45 |
| 6 | 1500 | 2580 x 1030 x 2743 | 137 | MSP9206 | £1485.90 | 2580 x 1030 x 3030 | 138 | MSP9306 | £1532.60 |
| 7 | 1750 | 2830 x 1080 x 2925 | 147 | MSP9207 | £1646.40 | 2830 x 1080 x 3255 | 148 | MSP9307 | £1654.70 |
| 8 | 2000 | 3080 x 1130 x 3107 | 157 | MSP9208 | £1804.55 | 3080 x 1130 x 3480 | 158 | MSP9308 | £1814.05 |
| 9 | 2250 | 3330 x 1180 x 3289 | 167 | MSP9209 | £1935.40 | 3330 x 1180 x 3705 | 168 | MSP9309 | £1943.65 |
| 10 | 2500 | 3580 x 1230 x 3471 | 177 | MSP9210 | £2064.35 | 3580 x 1230 x 3930 | 178 | MSP9310 | £2075.05 |