

G-TRUCK® Premium Pallet Trucks

G-TRUCK®



GPT1054P

GPT1554P

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum
One service visit per annum & a PEWER inspection
Price: £40.00 per truck & per annum (any parts are extra)
PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement
FULL NATIONWIDE COVERAGE OF UK MAINLAND

Close up of Entry/Exit Rollers & Tandem Rollers



Fork Length mm	Width over Forks mm	Pallet Type	Weight kg	Model	Price (each) 1 Off	Price (each) 2+
1000	540	Euro & GKN/CHEP/UK	55.5	GPT1054P	£325.00	£320.00
1150	540	Euro & GKN/CHEP/UK	60.5	GPT1554P	£325.00	£320.00
1000	680	GKN/CHEP/UK	57.5	GPT1068P	£340.00	£335.00
1150	680	GKN/CHEP/UK	62.5	GPT1568P	£340.00	£335.00

Narrow Aisle Pallet Trucks

- » 2000kg capacity
- » Fork width: 160mm
- » Overall height: 1160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Highly manoeuvrable through full 180°

Information

IDEAL FOR NARROW AISLE APPLICATIONS

Fork Length mm	Width over Forks mm	Weight kg	Model	Price
800	450	58	GX205N	£459.05
900	450	58	GX206N	£459.05
1000	450	59	GX207N	£459.05
1220	450	60	GX209N	£459.05



PRICES HELD



G-TRUCK® Pro Pallet Trucks



2500kg
evenly
distributed

7 day
delivery

TÜV
PRODUCT SERVICE

CE **GS**
Geprüfte
Sicherheit
Approved Safety

G-TRUCK®

2 YR
GUARANTEE

CAN BE USED WITH

GKN/CHP/UK
1000 x 1200mm
Closed Pallets

Euro
800 x 1200mm
Open Pallets

Information

2500KG
LOAD CAPACITY

FROM ONLY
£296.70

GPT1054S

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 200mm & lowered height of forks: 85mm
- » Complete with entry & exit rollers
- » Ergonomically designed handle with a 3 position control lever
- » Manufactured to the recognised European GS standard
- » Mobile on 200mm nylon steering wheels & 85mm nylon single front rollers

GPT1154S

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum
One service visit per annum & a PEWER inspection
Price: £40.00 per truck & per annum (any parts are extra)
PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement
FULL NATIONWIDE COVERAGE OF UK MAINLAND

Fork Length mm	Width over Forks mm	Pallet Type	Weight kg	Model	Price (each) 1+	Price (each) 3+
1000	540	Euro & GKN/CHP/UK	55.5	GPT1054S	£301.70	£296.70
1150	540	Euro & GKN/CHP/UK	60.5	GPT1154S	£301.70	£296.70
1000	680	GKN/CHP/UK	57.5	GPT1068S	£311.70	£308.35
1150	680	GKN/CHP/UK	62.5	GPT1168S	£311.70	£308.35

PRICES HELD

Low Profile Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 165mm
- » Lowered height of forks: 55mm
- » Manufactured to the recognised European GS standard
- » Mobile on 180 x 50mm red polyurethane steering wheels & 50 x 70mm tandem front rollers
- » Ideal for moving crates, vending machines, appliances etc



LPPT1054

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1000	540	Euro & GKN/CHEP/UK	LPPT1054	£562.50
	680	GKN/CHEP/UK	LPPT1068	£598.25
1150	540	Euro & GKN/CHEP/UK	LPPT1554	£562.50
	680	GKN/CHEP/UK	LPPT1568	£598.25

Printers Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 200mm nylon steering wheels & 85mm nylon front rollers (picture shows tandem front rollers which are available upon request)
- » 3 position trigger (lift, lower & neutral)



GN0845

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
600	450	Printers	GN0645	£442.90
800	450	Printers	GN0845	£442.90
1000	450	Printers	GN1045	£442.90

Braked Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Complete with entry & exit rollers
- » Mobile on 200mm nylon steering wheels & 80mm nylon front rollers
- » Progressive braking system & parking brake facility. With the braking device, the walking speed can be controlled by hand. When you pull the brake lever in upward direction, the brake works. You can use the brake no matter if the truck is moving or not
- » Other sizes available - call for details

PRICES HELD



GN685BPT

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1000	550	Euro & GKN/CHEP/UK	GN550BPT	£614.30
	685	GKN/CHEP/UK	GN685BPT	£614.30

Quick Lift Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 200mm polyurethane steering wheels & 85mm nylon front rollers
- » 3 position trigger (lift, lower & neutral) with a comfortable rubber gripped handle
- » Quick lift pump action speeds up pallet movement in busy work places like parcel/pallet distribution & couriers etc
- » Quick lift function up to 300kg weight




QLPT1554

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	QLPT1554	£400.00
	685	GKN/CHEP/UK	QLPT1568	£415.90

Long Fork Pallet Trucks

- » Conform to EN 1757-2
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 200mm nylon steering wheels & 85mm nylon front rollers
- » 3 position trigger (lift, lower & neutral) with a comfortable rubber gripped handle



Fork Length mm	Width over Forks mm	Pallet Type	Fork Spacing mm	Model	Price
1500	540	Euro & GKN/CHEP/UK	220	GN1554	£527.00
1500	685	GKN/CHEP/UK	365	GN1568	£552.40
1800	540	Euro & GKN/CHEP/UK	220	GN1854	£552.40
1800	685	GKN/CHEP/UK	365	GN1868	£579.40
2000	540	Euro & GKN/CHEP/UK	220	GN2054	£579.40
2000	685	GKN/CHEP/UK	365	GN2068	£603.20

PRICES HELD



Heavy Duty Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 200mm nylon steering wheels & 85mm nylon front rollers
- » 3 position trigger (lift, lower & neutral) with a comfortable rubber gripped handle

PRICES HELD



Extra Heavy Duty Pallet Truck

- » Conform to EN 1757-2
- » Fork width: 210mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 90mm
- » Mobile on 200mm steel steering wheels & 80mm steel front rollers
- » 3 position trigger (lift, lower & neutral)



PRICES HELD

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	HDPT301554	£531.75
1150	680	GKN/CHEP/UK	HDPT301568	£555.60



Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	580	Euro & GKN/CHEP/UK	HDPT501558	£1393.70

Robust Industrial Pallet Truck Scale



Information

MAX CAPACITY OF
2000KG BY 1KG
INCREMENTS

- » Large 25mm LCD display for easy reading, keyboard with zero & tare functions
- » Powered by 4 x AA easily available batteries
- » Operating time of approximately 80 hours in continuous use or 3 months in normal use thanks to its auto switch-off function



Large 25mm LCD Display with
4 easily available AA batteries



PRICES
HELD

Fork Length mm	Width over Forks mm	Weight kg	Model	Price
1150	550	120	GTPWN	£995.00
Optional Upgrade for accuracy - 2000kg x 0.5kg			GTPWNIP05	£65.00
Optional ISO:9000 Calibration Certificate			ISO-CERT	£35.00

Heavy Duty Pallet Truck Scale

- » The ultimate heavy duty pallet truck scale is extremely accurate, featuring a triple weigh range, which changes automatically:
 - 0 - 500kg by 0.2kg increments
 - 500 - 1000kg by 0.5kg increments
 - 1000 - 2000kg by 1kg increments
- » Large 25mm LCD display, IP68 rated indicator housing in stainless steel
- » Supplied with battery charger which gives an operating time of approx. 60 hours in continuous use, thanks to its auto switch-off function
- » Rubber steering wheels & polyurethane double loading front rollers



PRICES
HELD



Fork Length mm	Width over Forks mm	Weight kg	Model	Price
1150	550	120	GTPWLK	£1195.00
1240	680	125	GTPWLKW	£1450.00
Optional Thermal Printer			GTRP	£185.00
Optional spare battery for pack - 24/7 use			GTPWBKB	£85.00
Optional ISO:9000 Calibration Certificate			ISO-CERT	£35.00

GTPWLK



STAINLESS STEEL & ATEX MODELS ARE AVAILABLE - CALL FOR DETAILS

Weigh Scale Pallet Truck

- » Conform to EN 1757-2
- » CE marked & plated
- » Fork width: 182mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 200 x 50mm polyurethane steering wheels & 74 x 70mm tandem rollers
- » Accuracy (+/- 0.5% and in 2kg increments)
- » Electronic lifting height indication in display
- » Highly reliable - all components are compact, designed for mobile use & low power usage
- » Water & dust proof to IP65. IP65 allows the pallet truck to be used outside or on lorries & can be cleaned with water (under normal pressure). The load cells in the forks have an even protection level
- » Power supply - built in rechargeable batteries give up to 70 hours use from one charge

Information

WEIGHING
ACCURACY TO
+/- 0.5% & in
2kg increments



WPT57H Weigh Scale Display

PRICES
HELD



WPT57H

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	545	Euro & GKN/CHEP/UK	WPT57H	£773.05

Premium Weigh Scale Pallet Truck

- » Conform to EN 1757-2
- » CE marked & plated
- » Fork width: 160mm
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Mobile on 180 x 50mm polyurethane steering wheels & 74 x 70mm tandem rollers
- » High accuracy (+/- 0.1% and in 0.5kg increments)
- » Electronic lifting height indication in display
- » Highly reliable - all components are compact, designed for mobile use & low power usage
- » Water & dust proof to IP65. IP65 allows the pallet truck to be used outside or on lorries & can be cleaned with water (under normal pressure). The load cells in the forks have an even protection level
- » Power supply - fitted with rechargeable batteries. The battery will last 70-80 hours & to re-charge simply plug to the mains (cable included). Charging takes approx. 4hrs.



Information

HIGH WEIGHING
ACCURACY TO
+/- 0.1% & in
0.5kg increments



PRICES
HELD

VULCAN®



Weigh Scale Display

PWS1270

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	PWS1157	£1169.85
1220	690	GKN/CHEP/UK	PWS1270	£1234.95

PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the below agreement
One service visit per annum, a PEWER inspection & Calibration - Price: £96.00 per truck & per annum (any parts are extra)

Semi Powered Pallet Truck

- » Conform to EN 1757-1
- » Fork width: 54mm
- » Raised height of forks: 205mm
- » Lowered height of forks: 85mm
- » Modern, compact & light design makes this unit suitable for application in a variety of warehouses, supermarkets & even on large lorries
- » Brand new Lithium maintenance-free, pollution free battery that is slower discharging & requires significantly shorter time to recharge
- » 400W motor driven without the need for pushing or pulling.
- » Maximum driving speed of 4.8 km/h
- » CURTIS controller unit with a nonpolar speed controller
- » Incorporates stabilising wheels either side of the drive wheel arrangement
- » Mobile on 150mm polyurethane steering wheels & 80 x 60mm polyurethane tandem rollers
- » Power supply: 24V/30A. Complete with 13amp single phase 3 pin charging plug
- » 8 hours average runtime and 3 hours runtime for continuous use
- » Spare battery available - call for details
- » The Pallet Truck can be used as a normal Pallet Truck by disengaging the brake lever

PRICE
HELD

1800kg
evenly
distributed

7 day
delivery



Information

FAST CHARGE
ONLY 3.5 HOURS

CAN BE USED WITH



GKN/CHEP/UK
1000 x 1200mm
Closed Pallets

Euro
800 x 1200mm
Open Pallets



BATTERY IS EXCLUDED
FROM THE GUARANTEE

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum

One service visit per annum & a PEWER inspection
Price: £130.00 per truck & per annum (any parts are extra)

PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement
FULL NATIONWIDE COVERAGE OF UK MAINLAND



Battery Life
Indicator

Easy to remove
Lithium battery



Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	SPPT40	£1341.30

Fully Powered Pallet Truck with Lithium Battery

- » Conform to EN 1757-1
- » Fork width: 48mm
- » Raised height of forks: 115mm
- » Lowered height of forks: 80mm
- » Modern, compact & light design makes these units suitable for application in a variety of warehouses, supermarkets & even on large lorries
- » Incredibly smooth travel & lift combined with multi-functional controls greatly help reduce product damage & increase productivity
- » Open design of the truck makes battery removal & installation easier
- » Electric lifting function saves operator effort; manual lowering function can adjust lowering speed through handle angle
- » Auxiliary wheels on two sides increases truck stability
- » CURTIS controller unit with a nonpolar speed controller

NEW

up to
1500kg
evenly
distributed

10 day
delivery



FPPT40



FPPT30

CAN BE USED WITH



GKN/CHEP/UK
1000 x 1200mm
Closed Pallets



Euro
800 x 1200mm
Open Pallets



BATTERY IS EXCLUDED
FROM THE GUARANTEE

① Information

CURTIS
CONTROLLER
UNIT & A
NONPOLAR SPEED
CONTROLLER

Capacity kg	Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1200	1150	540	Euro & GKN/CHEP/UK	FPPT30	£1500.00
1500	1150	540	Euro & GKN/CHEP/UK	FPPT40	£1563.50

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum

One service visit per annum & a PEWER inspection
Price: £165.00 per truck & per annum (any parts are extra)

PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement

FULL NATIONWIDE COVERAGE OF UK MAINLAND

Fully Powered Pallet Truck

① Information

CURTIS
CONTROLLER
UNIT & A
NONPOLAR SPEED
CONTROLLER

TÜV
PRODUCT SERVICE

CE GS
geprüfte
Sicherheit
Approved Safety

PRICE
HELD

- >> Conform to EN 1757-1
- >> Fork width: 167mm
- >> Raised height of forks: 205mm
- >> Lowered height of forks: 85mm
- >> 400W motor driven without the need for pushing or pulling. Maximum driving speed of 4.5 km/h
- >> CURTIS controller unit with a nonpolar speed controller
- >> Incorporates stabilising wheels either side of the drive wheel arrangement
- >> Mobile on 250mm polyurethane steering wheels & 80 x 70mm polyurethane tandem rollers
- >> Power supply: 2 x 12/80Ah. Complete with 13amp single phase 3 pin charging plug
- >> Other fork lengths & widths available - please call for details

1500kg
evenly
distributed

7 day
delivery

2YR
GUARANTEE




Battery Life Indicator & Key

FPPT10



Control Panel

CAN BE USED WITH



GKN/CHEP/UK
1000 x 1200mm
Closed Pallets

Euro
800 x 1200mm
Open Pallets

DC15

FPPT10

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum

One service visit per annum & a PEWER inspection
Price: £165.00 per truck & per annum (any parts are extra)

PLEASE NOTE: In order for us to offer a 2 year guarantee your Pallet Truck must be serviced within the above agreement

FULL NATIONWIDE COVERAGE OF UK MAINLAND

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	FPPT10	£2127.00

Premium Fully Powered Pallet Trucks

- » Conform to EN 1757-1
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Approved acceleration enhances efficient pallet entry & exit. Nonpolar control is programmable for specific tasks or operator skill levels
- » High quality hydraulic pump ensures little noise & maximum durability
- » Drive unit incorporates an electro magnetic brake that is spring applied & electrically released. The brake is activated by the control handle
- » Ergonomically designed control handle
- » Mobile on 252mm steering wheels & 84mm tandem rollers
- » 3000kg option available
- please call for details

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum

One service visit per annum & a PEWER inspection

Price: £165.00 per truck & per annum (any parts are extra)

PLEASE NOTE: In order for us to offer a 2 year guarantee your

Pallet Truck must be serviced within the above agreement

FULL NATIONWIDE COVERAGE OF UK MAINLAND

VULCAN®

CAN BE USED WITH



GKN/CHEP/UK
1000 x 1200mm
Closed Pallets



Euro
800 x 1200mm
Open Pallets

TÜV
PRODUCT SERVICE



FPPT20 &
FPPTLSA



Control
Panel

FPPT20 &
FPPTLSA



Load Cap. kg	Fork Length mm	Fork Width mm	Width over Forks mm	Pallet Type	Model	Price
2000	1150	160	540	Euro & GKN/CHEP/UK	FPPT20	£5295.25
Optional Driver Platform & Side Protection Bars					FPPTLSA	£690.50

Galvanised Pallet Trucks

- » Conform to EN 1757-2
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Complete with entry & exit rollers
- » Mobile on 200 x 50mm nylon steering wheels & 80 x 70mm nylon front rollers
- » Corrosion resistant - ideal for use in wet & damp conditions
- » Fork width: 160mm



GAPT1154

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	GAPT1154	£663.75
	680	GKN/CHEP/UK	GAPT1168	£693.35

Stainless Steel Pallet Trucks

- » Conform to EN 1757-2
- » Raised height of forks: 200mm
- » Lowered height of forks: 85mm
- » Grade 304 stainless chassis & pump unit
- » Suitable for food & pharmaceutical use
- » Mobile on 200mm nylon steering wheels & 85mm nylon front rollers
- » 3 position trigger (lift, lower & neutral)



SSPT1554

Fork Length mm	Width over Forks mm	Pallet Type	Model	Price
1150	540	Euro & GKN/CHEP/UK	SSPT1554	£2491.10
1220	685	GKN/CHEP/UK	SSPT1568	£2544.65

Rough Terrain Pallet Truck

- » Conform to EN 1757-2
- » CE marked & plated
- » Lowered height of forks: 50mm
- » Adjustable forks (up to 580mm wide) adapt to a maximum pallet width of 1200mm
- » Ideal for rough terrain outdoor applications such as building sites, agricultural environments etc
- » Mobile on pneumatic wheels mounted on hubs with sealed bearings
- » Hydraulic lifting system with integrated hand pump
- » 2000kg & a 1200kg electric version available - please call for details



GZR11N

Overall Size W x L x H mm	Fork Length mm	Weight kg	Model	Price
1640 x 1413 x 800	890	173	GZR11N	£1201.60

Reel Handling Pallet Trucks

- » Conform to EN 1757-2
- » CE marked & plated
- » Designed to carry horizontal loads such as rolls, reels, cable drums etc
- » Strong & robust chassis which is reinforced at the 'A' frame & the legs are strengthened along their length
- » Hydraulic pump with a slow lowering hand control valve. A 3 position control lever provides fingertip control of all hydraulic system functions with the handle in any position
- » Mobile on 200 x 50mm steering wheels & 82 x 70mm roller tandems
- » Other fork lengths available - call for details



RHPT0500



To Suit Reel Size	Fork Length mm	Fork Width mm	Model	Price
400/600	1000	760	RHPT0500	£674.65
600/800		850	RHPT0700	£692.10
800/1200		1000	RHPT1000	£725.40
1200/1600		1150	RHPT1500	£777.80

High Lift Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 800mm
- » Lowered height of forks: 85mm
- » Mobile on 180 x 50mm nylon steering wheels & 74 x 50mm front rollers
- » Stabilising bars automatically come into operation to prevent the unit moving
- » Automatically slow descending speed to prevent damage of your goods

VULCAN®



PRICES
HELD

CAN BE
USED WITH



Euro
800 x 1200mm
Open Pallets



HLPT1755
Half Height



HLPT1755
Full Height

Fork Length mm	Width over Forks mm	Pallet Type	Weight kg	Model	Price
1170	540	Euro	95	HLPT1755	£660.75
	685	Euro	115	HLPT1768	£660.75

PLEASE NOTE: In order for us to offer a 2 year guarantee your High Lift Pallet Truck must be serviced within the agreement below:
One service visit per annum & a LOLER inspection - Price: £120.00 per truck & per annum (any parts are extra)

Electric High Lift Pallet Trucks

- » Conform to EN 1757-2
- » Fork width: 160mm
- » Raised height of forks: 800mm
- » Lowered height of forks: 85mm
- » Mobile on 180 x 55mm steering wheels & 75 x 50mm front rollers
- » Adjustable stabilising bars come into operation to prevent the unit moving
- » Battery & charger included: Battery - 12v/60Ah
- » Lifting motor power: 0.8kw
- » Manual operation included

VULCAN®



Information

MANUAL &
ELECTRIC
LIFT/LOWER
FOR PRECISE
POSITIONING



PHL54H
Full Height



Stabilising bars
prevent the unit
moving whilst in use



PHL54H
Lowered

Fork Length mm	Width over Forks mm	Pallet Type	Weight kg	Model	Price
1170	540	Euro	125	PHL54H	£1641.30
	680	Euro	136	PHL68H	£1755.60

PLEASE NOTE: In order for us to offer a 2 year guarantee your Electric High Lift Pallet Truck must be serviced within the agreement below:
One service visit per annum & a LOLER inspection - Price: £120.00 per truck & per annum (any parts are extra)

Scissor Lift Tables



MLTD80Y

- >> Conforms to EN 1757-4
- >> These units are elevated by pump action foot pedal & lowered by hand operated release trigger
- >> Mobile on 2 fixed & 2 swivel braked castors with wheel guards



FROM ONLY
£299.70

Load Capacity	Platform Size mm	Lowered Height mm	Max Lift Height mm	Wheels	Model	Price
Single Scissor						
150 kg	700 x 450	255	720	100 x 25mm Polyurethane Castor	MLTS15Y	£299.70
300 kg	850 x 500	280	880	125 x 40mm Polyurethane Castor	MLTS30Y	£377.15
500 kg	850 x 500	280	880	125 x 40mm Polyurethane Castor	MLTS50Y	£478.60
Double Scissor						
350 kg	910 x 500	350	1300	125 x 40mm Polyurethane Castor	MLTD35Y	£551.05
500 kg	910 x 500	360	1500	125 x 40mm Polyurethane Castor	MLTD50Y	£578.60
800 kg	1200 x 610	450	1500	125 x 40mm Polyurethane Castor	MLTD80Y	£710.75
1000 kg	1200 x 610	500	1700	125 x 40mm Polyurethane Castor	MLTD100Y	£885.75

Winch Scissor Lift Table



WLT30Y

- >> Conforms to EN 1757-4
- >> These units are elevated by using the hand operated winch mechanism
- >> Mobile on 2 fixed & 2 swivel 125mm braked castors



Information

FIND YOUR PERFECT WORKING POSITION EASILY BY ADJUSTING THE HAND OPERATED WINCH MECHANISM

Load Capacity	Platform Size mm	Lowered Height mm	Max Lift Height mm	Model	Price
300 kg	950 x 600	440	1000	WLT30Y	£377.15
500 kg	950 x 600	550	1000	WLT50Y	£520.00

Premium Scissor Lift Tables

- » These units are elevated by pump action foot pedal & lowered by hand operated release trigger
- » Comply to EN1570:2011
- » Mobile on 2 fixed & 2 swivel braked castors with wheel guards
- » Handles supplied loose
- » SL150Y incorporates a folding handle
- » CE marked

Information

REPAIR & MAINTENANCE
SERVICE AVAILABLE
SEE BELOW FOR DETAILS



BESTSELLER

150kg
evenly
distributed

FROM ONLY
£366.50



SL150Y



SLD35Y

350kg
evenly
distributed



SL300Y
Part Elevated

300kg
evenly
distributed

In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum
HAND SCISSOR LIFT TABLE

One service visit per annum & a LOLER inspection
Price: £120.00 per truck, per annum

FULL NATIONWIDE COVERAGE OF UK MAINLAND

Load Capacity	Platform Size mm	Pedal Strokes to Elevate	Lowered Height mm	Max Lift Height mm	Wheels	Weight kg	Model	Price (each) 1 Off	Price (each) 2+
Single Scissor									
150 kg	750 x 450	25	225	740	100mm PVC Tyre with a Nylon Centre	49	SL150Y	£389.20	£366.50
300 kg	850 x 500	32	340	900	127mm Polyurethane Tyre with a Steel Centre	87	SL300Y	£499.50	£473.30
500 kg	850 x 500	45	340	900		91	SL500Y	£534.10	£506.60
Double Scissor									
350 kg	910 x 500	55	348	1300	127mm Polyurethane Tyre / Steel Centre	115	SLD35Y	£622.45	£592.40

Large Load Movers



- » Load is raised & can be easily moved around in any direction, even in the tightest of areas
- » Incorporates a 5M securing strap to secure your loads to the units



LLM18H



LLM06M


Information

IDEAL FOR BULKY & HEAVY WEIGHT ITEMS


Load Capacity kg	Lift	Max Lift Height mm	Toe Plate Size D x W mm	Wheels	Overall Size L x W x H mm	Weight kg	Model (pairs)	Price (pairs)
600	Manual	300	120 x 225	125mm Polyurethane	570 x 390 x 780	25	LLM06M	£612.90
1800	Hydraulic	250	60 x 600	150mm Polyurethane	680 x 420 x 1070	86	LLM18H	£997.50

Lifters/Transporters


- » Conform to EN 1757-2
- » Carry out a range of functions in production, warehousing environments
- » Simple controls all mounted within easy reach of the operator
- » Attachments are easily & quickly changed with simple tools
- » Built in battery allows the truck to be charged from any convenient 13 amp socket
- » Mobile on 100mm steering wheels (fitted with foot pedal brakes) & 80mm tandem rollers
- » Load centre: 300mm
- » Lift motor: 24v / 0.37Kw
- » N.B load capacities may alter depending on what accessories are used with the Lifter




Roll & Coil Handler



Roller Bed Platform




Work Platform



Drum & Roll Turner



Jib Crane Arm



Bevelled Platform



PRICES HELD

Description	Model	Price
Roll & Coil Handler	LTMLRCH	£178.60
Work Platform	LTMLWP	£303.20
Jib Crane Arm	LTMLJCA	£301.60
Roller Bed Platform	LTMLRBP	£582.55
Drum & Roll Turner	LTMLDRT	£1577.80
Bevelled Platform	LTMLBP	£404.80

Load Cap. kg	Lift Height mm	Overall Size H x W x L mm	Lift Speed cm / sec	Battery v / Ah	Weight kg	Model	Price
100	1500	1920 x 560 x 1045	8.3 / 6	2 x 12 / 17	86	LTML086	£3228.60
100	2000	2420 x 560 x 1045	8.3 / 6	2 x 12 / 17	115	LTML115	£3665.10
100	2300	2920 x 560 x 1045	8.3 / 6	2 x 12 / 17	144	LTML144	£4082.55
200	1500	1920 x 560 x 1045	8.3 / 4.2	2 x 12 / 40	106	LTML106	£4082.55
200	2000	2420 x 560 x 1045	8.3 / 4.2	2 x 12 / 40	135	LTML135	£4236.55
200	2300	2920 x 560 x 1045	8.3 / 4.2	2 x 12 / 40	164	LTML164	£4720.65

LTML115

Hydraulic Lifter

- » CE marked & plated
- » Conforms to EN 1757-1:2001
- » Lifting is controlled by a hydraulic pump which can be either hand operated or foot operated
- » Complete with a removable yellow platform
- » Mobile on 2 swivel 130mm braked polyurethane castors with wheel guards & 2 x 75mm front polyurethane rollers



ML400L shown with Platform

ML400L without Platform

Load Capacity kg	Lifting Height per stroke	Lifting Height mm	Overall Size H x W x L mm	Fork Length mm	Width over Forks mm	Weight kg	Model	Price
400	22 mm	1500	1720 x 590 x 1100	650	540	85	ML400L	£853.45

Mini Lifters

- » Conform to EN 1757-2
- » Designed for ultimate flexibility & able to carry out a huge range of functions
- » Complete with a removable work platform (removable with the use of simple tools leaving two forks underneath)
- » Electric models: automatic electronic overload protection systems
- » Manual model: operated via hand winch, with auto brake system
- » Choice of easy to change options available: bevelled platform, drum & roll turner, roll & coil handler & roller bed - please call for details
- » Mobile on 125mm steering wheels with foot guards & 75mm rollers
- » 24v/20Ah battery with a built-in charger



Remote Control for the MLE03Y



Winch System for the MLM01Y

PRICES HELD



MLM01Y

MLE03Y

Information

MANY OPTIONAL ACCESSORIES AVAILABLE. PLEASE CALL FOR DETAILS



Model	Load Capacity kg	Load Centre mm	Lift Height mm	Platform Size W x L mm	Overall Size L x W x H mm	Model	Price
Manual	100	235	1500	470 x 600	840 x 600 x 1830	MLM01Y	£701.60
Manual	200	235	1500		870 x 600 x 1920	MLM02Y	£761.95
Electric	150	235	1500		870 x 600 x 1790	MLE03Y	£1130.20
Electric	100	200	1700		870 x 740 x 1990	MLE04Y	£1109.55

Hydraulic Stackers




Load Cap. kg	Lifting Height mm	Overall Size H x W x L mm	Fork Length mm	Width over Forks mm	Load Centre mm	Weight kg	Model	Price
Fork Type: Fixed								
500	1600	2080 x 755 x 1705	1150	550	600	205	ST116Y	£1093.90
1000	1000	1790 x 755 x 1655	1150	550	600	210	ST104Y	£1060.85
1000	1600	2080 x 755 x 1655	1150	550	600	210	ST102Y	£1273.40
1000	2500	2925 x 860 x 1705	1150	580	600	286	ST105Y	£1637.50
1500	1600	2080 x 755 x 1705	1150	550	400	245	ST103Y	£1591.30
Fork Type: Adjustable								
500	1600	2010 x 805 x 1640	1060	up to 745	500	161	ST117Y	£1061.20
1000	1600	2165 x 1000 x 1380	1060	up to 950	500	250	ST101Y	£1320.10
1000	2500	2928 x 750 x 1640	1060	up to 700	500	316	ST118Y	£1818.35
Fork Type: Straddle								
1000	1600	2155 x 1450 x 1560	1060	up to 950	500	336	ST119Y	£1700.10

Hydraulic Stackers

- » Conform to EN ISO3691-5: 2009 based on directive 2006/42/EC
- » Lifting is controlled by a hydraulic pump which can be either hand operated or foot operated
- » Mobile on 2 swivel 180mm braked nylon castors with wheel guards & 2 tandem 80mm front nylon rollers

N.B. Appropriate facilities will be required to unload these units on delivery



In accordance with HSE HS (9) it is recommended that all lifting equipment supplied must have a minimum of one service per annum
HYDRAULIC STACKER

One service visit per annum & a LOLER inspection

Price: £185.00 per truck, per annum

FULL NATIONWIDE COVERAGE OF UK MAINLAND



Information

EASILY LIFT &
MANOEUVRE
PALLETISED LOADS
AT HEIGHTS

Semi Electric Stackers

- » Conform to EN 1757-1
- » CE marked & plated
- » Effortless manual push & pull movement
- » Easy control powered lifting
- » Steering & pulling handle
- » Mobile on 180mm steering wheels with foot guards & 74mm tandem rollers
- » 12v/150Ah battery with a built-in charger



Key, Battery Life Indicator & the Fork Operating Lever on the Semi Electric Stacker



PRICES
HELD

Information

ADJUSTABLE FORK
UNITS AVAILABLE -
CALL FOR DETAILS



Load Capacity kg	Fork Length mm	Lift Height mm	Lowered Fork Height mm	Fork Width mm	Overall Size L x H mm	Model	Price
1000	1100	1600	85	570	1720 x 1980	SESCT10	£2344.45
		2500			1720 x 3070	SESCT15	£2627.00
		3000			1720 x 3570	SESCT20	£2796.85
1500		3300			1720 x 4020	SESCT25	£3260.35

Straddle Stackers with Adjustable Forks

- » Conform to EN 1757-2
- » Brake & pulling handle
- » Tandem lift chains with full guarding

Manual Straddle Stackers with Adjustable Forks

- » Conform to EN 1757-2
- » Adjustable forks give an overall width of: 1080 to 1360mm
- » Mobile on 150mm steering wheels with foot guards & 80mm load wheels

Semi Electric Straddle Stackers with Adjustable Forks

- » Conform to EN 1757-2
- » Manual push/electric lift
- » Load centre: 600mm
- » Turning radius: 1350mm
- » Adjustable forks & straddle legs giving an overall width of: 1100 to 1380mm
- » Mobile on 180mm steering wheels with foot guards & 100mm load wheels
- » 12v 150Ah battery with built-in automatic charger

VULCAN®

1000kg
evenly
distributed

TÜV
PRODUCT SERVICE

CE GS
geprüfte
Sicherheit
Approved Safety



PSS21M

PRICES
HELD



PSS30E

Information

ADJUSTABLE
STRADDLE LEGS
SUITABLE FOR
MOST PALLETS

Fork Length mm	Lowered Fork Height mm	Raised Fork Height mm	Fork Width mm	Overall Size L x H mm	Model	Price
Manual Straddle Stackers with Adjustable Forks						
915	85	1600	210 to 800	1580 x 2020	PSS21M	£1614.30
	75	2500		1480 x 1770	PSS30M	£1857.15
		3000		1480 x 2020	PSS35M	£1901.60
Semi Electric Straddle Stackers with Adjustable Forks						
915	75	1600	220 to 850	1550 x 2020	PSS16E	£2742.90
		2000		1550 x 2020	PSS20E	£2895.25
1150	70	2500		1800 x 1854	PSS30E	£2946.05
		3000		1800 x 2104	PSS35E	£3111.15

Fully Powered Straddle Stackers

- » Conform to EN 1757-1
- » CE marked & plated
- » Turning radius: 1485mm
- » Battery voltage: 2 x 12/85 V/Ah
Powerful maintenance free batteries (large 2 x 12/106 V/ah are available - call for details)
- » Built in charger as standard, together with battery discharge indicator with automatic lift cut off function, ensure high battery lifetime
- » Fully powered stacker, with duplex mast lifting, that provide smooth travel & lift with easy to operate controls
- » High quality hydraulic pump ensures very little noise, maximum efficiency, durability & shortens the lifting time
- » Four wheel supporting design at the driving end, with offset tiller for perfect view, allows stable & safe operation when the truck is used for high position stacking
- » Compact & ergonomic design improves operator performance
- » 1200kg, 1500kg & 2000kg models available - call for details

VULCAN®

NEW



TÜV
PRODUCT SERVICE



Information

CURTIS
CONTROLLER
UNIT & A
NONPOLAR SPEED
CONTROLLER



FPST1016

Load Capacity kg	Fork Length mm	Lift Height mm	Fork Width mm	Model	Price
1000	1150	1600	570	FPST1016	£3988.90
1000	1150	2000	570	FPST1020	£4190.50
1000	1150	2500	570	FPST1025	£4285.75
1000	1150	3000	570	FPST1030	£4333.35
1000	1150	3300	570	FPST1033	£5161.95

Fully Powered Stackers

PRICES
HELD

- » Conform to EN 1757-1
- » CE marked & plated
- » Turning radius: 1485mm
- » Battery voltage: 2 x 12/85 V/Ah
Powerful maintenance free batteries (large 2 x 12/106 V/Ah are available - call for details)
- » Built in charger as standard, together with battery discharge indicator with automatic lift cut off function, ensure high battery lifetime
- » Fully powered stacker, with duplex mast lifting, that provide smooth travel & lift with easy to operate controls
- » High quality hydraulic pump ensures very little noise, maximum efficiency, durability & shortens the lifting time
- » Four wheel supporting design at the driving end, with offset tiller for perfect view, allows stable & safe operation when the truck is used for high position stacking
- » Compact & ergonomic design improves operator performance
- » 1500kg & 2000kg models available - call for details



FPSCC1030



Load Capacity kg	Fork Length mm	Lift Height mm	Fork Width mm	Model	Price
1000	1150	1600	570	FPSCC1016	£3425.40
1000	1150	2000	570	FPSCC1020	£3627.00
1000	1150	3000	570	FPSCC1030	£3769.85
1000	1150	3300	570	FPSCC1033	£4598.45

Fully Powered Counterbalance Stackers

PRICES
HELD

- » Conform to EN 1757-1
- » Duplex mast configuration allows good sight through the mast uprights
- » Short wheel base, compact & low noise
- » Adjustable fork spread to handle all pallet types
- » Uses latest AC control technology for superior control & battery life
- » External battery charger means that the truck can be charged from any convenient UK 3-pin socket
- » Heavy duty traction battery for 8 to 9 hours continuous work
- » Smooth step less drive controls
- » Power steering & full free lift
- » Can pick up closed board pallets, standard UK pallets & Euro pallets



CBS1614



Information

IDEAL FOR
GETTING THE
UNIT CLOSE
TO RACKING OR
WHERE SPACE IS
AT A PREMIUM



Load Capacity kg	Fork Length mm	Lowered Fork Height mm	Raised Fork Height mm	Adjustable Width over Forks mm	Model	Price
600	1070	80	1400	200 / 690	CBS0614	£9722.25
600	1070	80	3000	200 / 690	CBS0630	£10,112.70
1200	1070	80	1400	200 / 690	CBS1214	£11,425.40
1200	1070	80	3000	200 / 690	CBS1230	£11,722.25
1600	1070	80	1400	200 / 690	CBS1614	£12,460.35
1600	1070	80	3700	200 / 690	CBS1637	£13,920.65

PalletPal 360

- » Keep the load at a comfortable working height
- » Power free - fully automatic
- » Load the pallet in uniform layers - the integral turntable allows you to load without bending or stretching
- » Maximum lift height: 711mm
- » Lowered height: 241mm



Overall Size W x D mm	Weight kg	Model	Price
1108 x 1108	186	PALLETPAL	£1755.00

PRICE
HELD

Information

LOAD A PALLET
WITHOUT
BENDING OR
STRETCHING



Pal Disc

- » Ultra low profile - ideal for use in confined areas
- » Easy to load with a hand pallet truck – full surround loading ramp
- » Virtually maintenance free
- » Lock prevents accidental rotation

Information

ULTRA LOW
PROFILE



PRICE
HELD



Overall Size Dia. x H mm	Turntable Dia. mm	Weight kg	Model	Price
1235 x 22	1100	100	PALDISC	£1305.00

PALDISC

Pallet Level Loader

- » Heavy duty springs allows the platform to move heavy loads easily, keeping the load at a comfortable working height
- » Helps reduce injuries associated with loading pallets at the floor level & will also improve productivity
- » Maximum lift height: 1000mm


NEW



Information

LOAD A PALLET
WITHOUT
BENDING OR
STRETCHING

Overall Size W x D mm	Model	Price
1220 x 1110	PLL1211	£1552.40



PLL1211

PalletDisc

- » Free-rotating ramped edge for easy pallet truck loading
- » Lock prevents accidental rotation
- » Ideal for many environments



NEW



PLD1100

Overall Size Dia. x H mm	Turntable Dia. mm	Model	Price
1100 x 22	1100	PLD1100	£1158.75

PalletRing

- » Strong, lightweight & simple to use
- » Free turning - does not tighten or bind under load
- » Ideal for many environments



NEW



Overall Size Dia. x H mm	Inner Dia. mm	Model	Price
1016 x 60	960	PLR1016	£352.40

Static Lift Tables



- » A compact hydraulic power unit with transparent tank for easy oil level checking.
- » Precision machined scissors ensure smooth performance & geometrical motion accuracy
- » Aluminium profiled safety frame to reduce the risk of entrapment
- » Power unit with protection class IP55
- » Each cylinder is fitted with a hose burst valve to ensure immediate stop in the event of pipe or hose rupture
- » Double sheer rollers ensure perfect load balancing & eliminates transverse loads thus extending the operational life
- » Safety props for service & maintenance work
- » Quick-change anodised pivot pins & bushes provide easy servicing of the lift table equipment

EAX10-8/8-1000



PRICES
HELD



BX20-11/8



MX10-8E

Description	Capacity kg	Platform Size L x W mm	Stroke mm	Lift Height mm	Closed Height mm	Model	Price
Lift Table	1000	1200 x 1000	800	1000	200	EAX10-8/8-1000	£1850.00
Lift Table with 'E' Shape	1000	1350 x 1050	800	1080	80	MX10-8E	£3340.00
Lift Table	2000	1700 x 800	1100	1350	250	BX20-11/8	£4975.00

All tables are designed and manufactured in conformity with the relevant provisions of the Machinery Directive 2006/42/EC, Annex IIA and in accordance with the Low Voltage Directive, 2006/95/EC and the EMC Directive, 2004/108/EC.

All relevant parts of the following European harmonized standards have been considered EN 1570-1:2011 Lifting Tables
EN 60204-1 Safety of Machinery - Electrical Equipment of Machines - General Requirements

Static Lift Tables - Mains Operated

- » Comply to BS EN 1570 & BS EN 60204-1
- » Remote power system, easy for controlling, convenient for maintenance
- » Electronic control box with up, down & emergency buttons
- » PSL82U: specially designed in 'U' shape for handling pallets & boxes
Platform cut out - 1050L x 585Wmm
- » Lifting speed with load: 42mm/sec
- » Three phase (414V) power supply required & units need to be installed by an electrician



PSL80F



PSL82U

PRICES
HELD



PSL80F Lowered
Ramp Size:
1140L x 890W mm

Load Capacity kg	Lowered Platform Height mm	Raised Platform Height mm	Platform Size L x W mm	Lifting Time	Motor kw	Weight kg	Model	Price
1000	80	760	1450 x 1140	18 secs.	0.75	235	PSL80F	£1996.85
	82					250	PSL82U	£1950.80

Chain Hoist



PRICE
HELD



- » Robust steel construction
- » Standard lift: 2500mm
- » Issued with its own certification & is CE marked & plated
- » Electroplated load chain to help resist wear
- » Strong forged hooks - both are fitted with safety latches & rotate 360°
- » No of columns of load chain: 1
- » Subject to availability

Capacity kg	Weight kg	Model	Price
1000	9.5	NCH10C	£62.50

Chain Hoists

- » Robust steel construction
- » Issued with its own certification & is CE marked & plated
- » Subject to availability



PRICES
HELD

Capacity kg	Standard Lift mm	Wt. kg	Model	Price
1000	2500	11.5	CCH11C	£49.50
2000	2500	21.5	CCH21C	£62.25
3000	3000	22	CCH22C	£79.85
5000	3000	44	CCH40C	£113.15
10,000	3000	66	CCH66C	£195.95

Lever Hoist



PRICE
HELD



- » Robust steel construction
- » Standard lift: 1500mm
- » Rubber safety grip handle
- » Fully enclosed brake system
- » Issued with its own certification & is CE marked & plated
- » Free wheeling feature eliminates the need to use the lever to take up slack
- » No of columns of load chain: 1
- » Subject to availability

Capacity kg	Weight kg	Model	Price
1500	11	NLH15L	£76.25